

Outside measurement of foundation  
Equals Basic Building Dimension  
plus Seven (7) inches

60'7"

Basic Building  
Dimension  
to outside of Base Rail

60'

BUILDING SLAB

See Corner  
Detail Sheet 3

Building  
Base Rail

3-1/2" wide x 1-1/2" high Notch  
in Concrete outside  
of basic building  
dimensions

30'  
Basic Building  
Dimension  
to outside of Base Rail

30'7"


Outside measurement of foundation  
Equals Basic Building Dimension  
plus Seven (7) inches

## IMPORTANT - NOTES

Record Measurements  
in these spaces provided


All basic building dimensions  
are to the outside of the  
frame Base Rail and DO NOT  
INCLUDE the 3-1/2" x 1-1/2"  
notch in the concrete footing

See Sheet 3 of 3  
for Detail of Building  
corner configuration



## TYPICAL BUILDING

## FOUNDATION MEASUREMENTS




## IMPORTANT - NOTES


Record Measurements  
in these spaces provided

All basic building diagonal dimensions are to the outside corner of the frame Base Rail and DO NOT INCLUDE the 3-1/2" x 1-1/2" notch in the concrete footing


See Sheet 3 of 3  
for Detail of Building  
corner configuration



3-1/2" wide x 1-1/2" high Notch  
in Concrete outside  
of basic building  
dimensions




TYPICAL WALL SECTION



## TYPICAL BUILDING FOUNDATION MEASUREMENTS DIAGONALS

Basic Building Size  
is measured to the  
outside of the  
Base Rail



Siding rests on  
concrete notch

FOUNDATION

GROUND

BASE RAIL

BASE RAIL

3-1/2" wide x 1-1/2" high  
Notch in Concrete outside  
of basic building  
dimensions

## TYPICAL BUILDING

### CORNER DETAIL

