

APPLICABLE CODES AND STANDARDS

- 1. 2020 FLORIDA BUILDING CODE (7TH EDITION)
- 2. 2018 INTERNATIONAL BUILDING CODE
- 3. ASCE 7-16: MINIMUM DESIGN LOADS ON BUILDINGS AND OTHER STRUCTURES
- 4. AISC STEEL CONSTRUCTION MANUAL (15TH EDITION)
- 5. ACI 318-14: BUILDING CODE REQUIREMENTS FOR STRUCTURAL CONCRETE
- 6. TMS 402-16: BUILDING CODE REQUIREMENTS FOR MASONRY STRUCTURES
- 7. AWS D1.1: STRUCTURAL WELDING

INSTALLATION NOTES AND SPECIFICATIONS

- 1. ROOF PITCH SHALL NOT BE GREATER THAN 12H:4V
- 2. END WALL COLUMNS (POST) AND SIDE WALL COLUMNS ARE THE SAME U.N.O.
- 3. 29 GA METAL PANELS SHALL BE FASTENED DIRECTLY TO 2.5" x 2.5" x 14 GA TUBE STEEL (TS) FRAMING MEMBERS FOR VERTICAL PANELS.
- 3.1. 29 GA METAL PANELS SHALL BE FASTENED DIRECTLY TO 18 GA HAT CHANNELS U.N.O.
- 4. FASTENER SPACING ON-CENTERS ALONG RAFTERS OR PURLINS, AND POSTS SHALL BE:
 - 4.1. INTERIOR = 9"
 - 4.2. END = 6"
- 5. FASTENERS SHALL BE #12-14 x 3/4" SELF-DRILLING SCREWS (SDS), USE CONTROL SEAL WASHER WITH EXTERIOR FASTENERS.
- APPLICABLE ONLY FOR:
 - 5.1. MEAN ROOF HEIGHT OF 20'-0" OR LESS
 - 5.2. ROOF SLOPES OF 18" (4:12 PITCH) OR LESS.
 - 5.3. SPACING REQUIREMENTS FOR OTHER ROOF HEIGHTS AND/OR SLOPES MAY VARY.
- 6. ANCHORS SHALL BE INSTALLED THROUGH THE BASE RAIL WITHIN 6" OF EACH RAFTER COLUMN ALONG SIDES AND ENDS.
- 7. STANDARD GROUND ANCHORS (SOIL NAILS) CONSIST OF #4 REBAR WITH WELDED NUT x 30" LONG AND MAY BE USED IN SUITABLE SOILS.
- 7.1. OPTIONAL ANCHORAGE MAY BE USED IN SUITABLE SOILS AND MUST BE USED IN UNSUITABLE SOILS AS NOTED. SOIL NAILS MAY BE USED FOR WIND SPEEDS LESS THAN OR EQUAL TO 145 MPH.

DESIGN LOADS

- 1. DEAD LOAD = 15 PSF
- 2. LIVE LOAD= 20 PSF
- 3. WIND LOAD (SEE TABLE 1)
 - A. RISK CATEGORY = II
 - B. WIND EXPOSURE CATEGORY = C
 - C. ULTIMATE WIND SPEED = 121MPH
 - D. NOMINAL WIND SPEED = 94 MPH

TABLE 1

MEMBER	PRODUCT APPROVAL NUMBER	MAX WIND DESIGN PRESSURES
ROOF PANELS	FL39466	+41.6 PSF / -31.2 PSF
WALL PANELS	FL39594	+55.4 PSF / -41.6 PSF
GARAGE DOOR	CTP	CTP
WALK-IN DOOR	CTP	CTP


CTP = CONTRACTOR TO PROVIDE 2020 FBC APPROVED PRODUCTS THAT MEET OR EXCEED DESIGN PRESSURES AS TABULATED.

DRAWING INDEX


PAGE NO.	DESCRIPTION
S-1	NOTES AND SPECIFICATIONS
S-2	BOX EAVE FRAME RAFTER ENCLOSED BUILDING
S-3	FOUNDATION PLAN AND DETAILS
S-4	CONNECTION DETAILS (1 OF 2)
S-5	CONNECTION DETAILS (2 OF 2)
S-6	BOX EAVE FRAME RAFTER LEAN-TO DETAILS

NO.	REVISIONS	DATE	DATE	2023-10-02	SUBMITTALS	DATE	PREPARED BY	CLIENT	SHEET TITLE	PROJECT	SHEET NO.
			DRAWN	RBS			CA# 31728 ~ P: 386.320.7400 ~ WWW.COLLINSENG.COM ADAM COLLINS ENGINEERING INC.	THUNE TERESE 361 S.E. SUNSET GLENN HIGH SPRINGS, FL 32643	S-1 NOTES AND SPECIFICATIONS	THUNE RESIDENCE	----
			DESIGNED	DMC							SCALE
			CHECKED	ATC							AS SHOWN
			JOB No.	22047							


ENCLOSED METAL BUILDING DESIGN
40'-0" WIDE x 50'-0" LONG x 18'-0" HIGH (EAVE)
10'-0" WIDE x 50'-0" LONG x 10'-0" HIGH (LEAN-TO)
40'-0" WIDE x 12'-0" LONG x 10'-0" HIGH (EAVE)



FRONT ELEVATION




REAR ELEVATION




LEAN-TO FRONT ELEVATION


LEFT ELEVATION




LEFT MID WALL ELEVATION




LEAN-TO LEFT ELEVATION



LEAN-TO RIGHT ELEVATION



RIGHT WALL ELEVATION




LEFT ELEVATION








Digitally signed by Adam Collins
DN: c=US, sn=Collins,
givenName=Adam,
email=adam@collinseng.com,
cn=Adam Collins
Date: 2023.10.09 14:29:54 -04'00'




THIS DOCUMENT HAS BEEN DIGITALLY SIGNED AND SEALED BY ADAM T. COLLINS, P.E. ON October 2, 2023
PRINTED COPIES OF THIS DOCUMENT ARE NOT CONSIDERED SIGNED AND SEALED AND THE SIGNATURE MUST BE VERIFIED ON ANY ELECTRONIC COPIES.




D:\ACE Dropbox\PROJECTS\Site-Specifics\Thune-Terese-40x50x18-10x50x10_CAT2-Cadd\Thune-Terese-SS.dwg, RAYMOND SMITH, 10/2/2023 2:57 PM




NO.	REVISIONS	DATE	DATE	2023-10-02	SUBMITTALS	DATE	PREPARED BY	CLIENT	SHEET TITLE	PROJECT	SHEET NO.
			DRAWN	RBS			 ADAM COLLINS ENGINEERING INC. CA# 31728 ~ P: 386.320.7400 ~ WWW.COLLINSENG.COM	THUNE TERESE 361 S.E. SUNSET GLENN HIGH SPRINGS, FL 32643	FRAMING LAYOUT ELEVATIONS	THUNE RESIDENCE	S-2
			DESIGNED	DMC		SCALE					
			CHECKED	ATC		AS SHOWN					
			JOB No.	22047							




D:\ACE Dropbox\PROJECTS\Elite-22047\Site-Specifics\Thune-Terese-40x50x18-10x50x10_CAT2-Cadd\Thune-Terese-SS.dwg, RAYMOND SMITH, 10/2/2023 2:57 PM




BRACE SECTION
SCALE: NTS






HEADER DETAIL FOR OPENINGS
8'-0" < LENGTH <= 12'-0"



PANEL ATTACHMENT
(ALTERNATE FOR VERTICAL ROOF PANELS)
SCALE: NTS




GIRTS TO BE @ 48" O.C. MAX.
(TYP.)




GIRTS TO BE @ 48" O.C. MAX.
(TYP.)

NO.	REVISIONS	DATE	DATE	2023-10-02	SUBMITTALS	DATE	PREPARED BY	CLIENT	SHEET TITLE	PROJECT	SHEET NO.
			DRAWN	RBS			 ADAM COLLINS ENGINEERING INC. CA# 31728 ~ P: 386.320.7400 ~ WWW.COLLINSENG.COM	THUNE TERESE 361 S.E. SUNSET GLENN HIGH SPRINGS, FL 32643	FRAMING LAYOUT ELEVATIONS	THUNE RESIDENCE	S-2.1.1
			DESIGNED	DMC		SCALE					
			CHECKED	ATC		AS SHOWN					
			JOB No.	22047							

THIS DOCUMENT HAS BEEN DIGITALLY SIGNED AND
SEALED BY ADAM T. COLLINS, P.E. ON October 2, 2023
PRINTED COPIES OF THIS DOCUMENT ARE NOT
CONSIDERED SIGNED AND SEALED AND THE SIGNATURE
MUST BE VERIFIED ON ANY ELECTRONIC COPIES.



D:\ACE Dropbox\PROJECTS\Elite-22047\Site-Specifics\Thune-Terese-40x50x18-10x50x10_CAT2-Cadd\Thune-Terese-SS.dwg, RAYMOND SMITH, 10/2/2023 2:57 PM




GENERAL NOTES

MINIMUM SOIL BEARING CAPACITY: 1500 PSF.
CONCRETE STRENGTH: 3000 PSI @ 28 DAYS

REINFORCING STEEL

- REBAR SHALL BE ASTM A615 GRADE 60
- SLAB REINFORCEMENT = WELDED WIRE FABRIC PER ASTM A185 OR FIBERGLASS FIBER REINFORCEMENT
- CONCRETE COVER SHALL BE
 - 3" WHERE EXPOSED TO SOIL OR WATER.
 - 2" EVERYWHERE ELSE.
- REBAR SHALL BE BENT WITHOUT HEATING.
- MINIMUM BEND = 6 X BAR DIAMETER
- REINFORCEMENT PARTIALLY EMBEDDED IN CONCRETE SHALL NOT BE FIELD BENT.




1

CONCRETE MONOLITHIC SLAB
BASE RAIL ANCHORAGE


SCALE: NTS

THIS DOCUMENT HAS BEEN DIGITALLY SIGNED AND
SEALED BY ADAM T. COLLINS, P.E. ON October 2, 2023
PRINTED COPIES OF THIS DOCUMENT ARE NOT
CONSIDERED SIGNED AND SEALED AND THE SIGNATURE
MUST BE VERIFIED ON ANY ELECTRONIC COPIES.




NO.	REVISIONS	DATE	DATE	2023-10-02	SUBMITTALS	DATE	PREPARED BY	CLIENT	SHEET TITLE	PROJECT	SHEET NO.
			DRAWN	RBS			 ADAM COLLINS ENGINEERING INC. CA# 31728 ~ P: 386.320.7400 ~ WWW.COLLINSENG.COM	THUNE TERESE 361 S.E. SUNSET GLENN HIGH SPRINGS, FL 32643	FOUNDATION PLAN AND DETAILS	THUNE RESIDENCE	S-3
			DESIGNED	DMC							SCALE
			CHECKED	ATC							AS SHOWN
			JOB No.	22047							


D:\ACE Dropbox\PROJECTS\Elite-22047\Site-Specifics\Thune-Terese-40x50x18-10x50x10_CAT2-Cadd\Thune-Terese-SS.dwg, RAYMOND SMITH, 10/2/2023 2:57 PM




1 POST/RAFTER CONNECTION
SCALE: NTS




2 POST/BASE RAIL CONNECTION
SCALE: NTS




3 HEADER TO
POST CONNECTION
SCALE: NTS




4 DOUBLE HEADER TO
POST CONNECTION
SCALE: NTS




5 POST TO HEADER, BASE RAIL
OR WINDOW RAIL CONNECTION
SCALE: NTS



6 RAFTER TO CHORD CONNECTION
SCALE: NTS




7 TRUSS POST AND CHORD
TO RAFTER CONNECTION
SCALE: NTS




8 POST TO HEADER, BASE
RAIL CONNECTION
SCALE: NTS


NO.	REVISIONS	DATE	DATE	2023-10-02	SUBMITTALS	DATE	PREPARED BY	CLIENT	SHEET TITLE	PROJECT	SHEET NO.
			DRAWN	RBS			 ADAM COLLINS ENGINEERING INC. CA# 31728 ~ P: 386.320.7400 ~ WWW.COLLINSENG.COM	THUNE TERESE 361 S.E. SUNSET GLENN HIGH SPRINGS, FL 32643	CONNECTION DETAILS (1 OF 2)	THUNE RESIDENCE	S-4
			DESIGNED	DMC		SCALE					
			CHECKED	ATC		AS SHOWN					
			JOB No.	22047							




D:\ACE Dropbox\PROJECTS\Site-Specifics\Thune-Terese-40x50x18-10x50x10_CAT2-Cadd\Thune-Terese-SS.dwg, RAYMOND SMITH, 10/2/2023 2:57 PM




9 DOUBLE HEADER TO POST CONNECTION
SCALE: NTS




10 POST/DOUBLE HEADER CONNECTION
SCALE: NTS




11 LEAN-TO POST CONNECTION
SCALE: NTS




14 POST/BASE RAIL CONNECTION
SCALE: NTS



12 POST/BASE RAIL CONNECTION
SCALE: NTS




13 LEAN TO RAFTER/COLUMN CONNECTION
RAFTER SPANLESS THAN 12'-0"
SCALE: NTS




1 BOX EAVE RAFTER/CORNER POST
CONNECTION 30'(MAX.)W x 14'H
SCALE: NTS

THIS DOCUMENT HAS BEEN DIGITALLY SIGNED AND
SEALED BY ADAM T. COLLINS, P.E. ON October 2, 2023
PRINTED COPIES OF THIS DOCUMENT ARE NOT
CONSIDERED SIGNED AND SEALED AND THE SIGNATURE
MUST BE VERIFIED ON ANY ELECTRONIC COPIES.




NO.	REVISIONS	DATE	DATE	2023-10-02	SUBMITTALS	DATE	PREPARED BY	CLIENT	SHEET TITLE	PROJECT	SHEET NO.
			DRAWN	RBS			 ADAM COLLINS ENGINEERING INC. CA# 31728 ~ P: 386.320.7400 ~ WWW.COLLINSENG.COM	THUNE TERESE 361 S.E. SUNSET GLENN HIGH SPRINGS, FL 32643	CONNECTION DETAILS (2 OF 2)	THUNE RESIDENCE	S-5
			DESIGNED	DMC		SCALE					
			CHECKED	ATC		AS SHOWN					
			JOB No.	22047							

D:\ACE Dropbox\PROJECTS\Elite-22047\Site-Specifics\Thune-Terese-40x50x18-10x50x10_CAT2-Cadd\Thune-Terese-SS.dwg, RAYMOND SMITH, 10/2/2023 2:57 PM



TYPICAL BOX EAVE RAFTER FRAMING SECTION WITH LEAN-TO
SCALE: NTS



THIS DOCUMENT HAS BEEN DIGITALLY SIGNED AND SEALED BY ADAM T. COLLINS, P.E. ON October 2, 2023
PRINTED COPIES OF THIS DOCUMENT ARE NOT CONSIDERED SIGNED AND SEALED AND THE SIGNATURE MUST BE VERIFIED ON ANY ELECTRONIC COPIES.

ADAM T. COLLINS
LICENSE
No. 75584
STATE OF
FLORIDA
PROFESSIONAL ENGINEER

NO.	REVISIONS	DATE	DATE	2023-10-02	SUBMITTALS	DATE	PREPARED BY	CLIENT	SHEET TITLE	PROJECT	SHEET NO.
			DRAWN	RBS			 ADAM COLLINS ENGINEERING INC. CA# 31728 ~ P: 386.320.7400 ~ WWW.COLLINSENG.COM	THUNE TERESE 361 S.E. SUNSET GLENN HIGH SPRINGS, FL 32643	BOX EAVE FRAME RAFTER LEAN-TO DETAILS	THUNE RESIDENCE	S-6
			DESIGNED	DMC							SCALE
			CHECKED	ATC							AS SHOWN
			JOB No.	22047							