

Department of Health • Vital Statistics
STATE OF FLORIDA
MARRIAGE RECORD
 TYPE IN UPPER CASE
 USE BLACK INK
 This license not valid unless seal of Clerk,
 Circuit or County Court, appears thereon.

(STATE FILE NUMBER)

Inst:2006027770 Date:11/27/2006 Time:08:41

27 DC, P. DeWitt Cason, Columbia County B:1102 P:2426

60000531
 (APPLICATION NUMBER)

APPLICATION TO MARRY

1. GROOM'S NAME (First, Middle, Last) TOMMY WOODROW NORRIS			2. DATE OF BIRTH (Month, Day, Year) 04/26/1961		
3a. RESIDENCE - CITY, TOWN, OR LOCATION LAKE CITY			3b. COUNTY COLUMBIA		3c. STATE FLORIDA
5a. BRIDE'S NAME (First, Middle, Last) TANA LYNN ESPENSHIP			5b. MAIDEN SURNAME (If different) DUCKETT		6. DATE OF BIRTH (Month, Day, Year) 11/19/1959
7a. RESIDENCE - CITY, TOWN, OR LOCATION LAKE CITY			7b. COUNTY COLUMBIA		7c. STATE FLORIDA
					8. BIRTHPLACE (State or foreign Country) ALA

WE THE APPLICANTS NAMED IN THIS CERTIFICATE, EACH FOR HIMSELF, OR HERSELF, STATE THAT THE INFORMATION PROVIDED ON THIS RECORD IS CORRECT TO THE BEST OF OUR KNOWLEDGE AND BELIEF, THAT NO LEGAL OBJECTION TO THE MARRIAGE NOR THE ISSUANCE OF A LICENSE TO AUTHORIZE THE SAME IS KNOWN TO US AND HEREBY, APPLY FOR LICENSE TO MARRY

9. SIGNATURE OF GROOM (Sign full name using black ink) <i>Tommy Woodrow Norris</i>		10. SUBSCRIBED AND SWORN TO BEFORE ME ON (DATE) 11/14/2006	
11. TITLE OF OFFICIAL P DEWITT CASON, CLERK OF COURT		12. SIGNATURE OF OFFICIAL (Use black ink) <i>Kathy R. Lord DC</i>	
13. SIGNATURE OF BRIDE (Sign full name using black ink) <i>Tana Lynn Espenship</i>		14. SUBSCRIBED AND SWORN TO BEFORE ME ON (DATE) 11/14/2006	
15. TITLE OF OFFICIAL P DEWITT CASON, CLERK OF COURT		16. SIGNATURE OF OFFICIAL (Use black ink) <i>Kathy R. Lord DC</i>	

LICENSE TO MARRY

AUTHORIZATION AND LICENSE IS HEREBY GIVEN TO ANY PERSON DULY AUTHORIZED BY THE LAWS OF THE STATE OF FLORIDA TO PERFORM A MARRIAGE CEREMONY WITHIN THE STATE OF FLORIDA AND TO SOLEMNIZE THE MARRIAGE OF THE ABOVE NAMED PERSONS. THIS LICENSE MUST BE USED ON OR AFTER THE EFFECTIVE DATE AND ON OR BEFORE THE EXPIRATION DATE IN THE STATE OF FLORIDA IN ORDER TO BE RECORDED AND VALID


17. COUNTY ISSUING LICENSE COLUMBIA	18. DATE LICENSE ISSUED 11/14/2006	18a. DATE LICENSE EFFECTIVE 11/17/2006	19. EXPIRATION DATE 01/13/2007
20a. SIGNATURE OF COURT CLERK OR JUDGE P DEWITT CASON, CLERK OF COURT		20b. TITLE CLERK OF CIRCUIT CRT	20c. BY, D.C. <i>KRL</i>

CERTIFICATE OF MARRIAGE

I HEREBY CERTIFY THAT THE ABOVE NAMED GROOM AND BRIDE WERE JOINED BY ME IN MARRIAGE IN ACCORDANCE WITH THE LAWS OF THE STATE OF FLORIDA


21. DATE OF MARRIAGE (Month, Day, Year) 11/17/06	22. CITY, TOWN, OR LOCATION OF MARRIAGE LAKE CITY		
23a. SIGNATURE OF PERSON PERFORMING CEREMONY (Use black ink) <i>Charles W. Warrin</i>		23c. ADDRESS (Of person performing ceremony) 32024 227. RD. POSTAL CN LAKE CITY FL	
23b. NAME AND TITLE OF PERSON PERFORMING CEREMONY (Or notary stamp) ORDAINED MINISTER <i>Charles W Warrin</i>		24. SIGNATURE OF WITNESS TO CEREMONY (Use black ink) <i>[Signature]</i>	
		25. SIGNATURE OF WITNESS TO CEREMONY (Use black ink) <i>[Signature]</i>	

SEAL



District No. 1 - Ronald Williams
District No. 2 - Rusty DePratter
District No. 3 - Bucky Nash
District No. 4 - Stephen E. Bailey
District No. 5 - Scarlet P. Frisina

BOARD OF COUNTY COMMISSIONERS • COLUMBIA COUNTY




MEMORANDUM

DATE: 18 March 2014
TO: Building Permit File
FROM: Brian L. Kepner, Land Development Regulation Administrator 
RE: Building Permit Application No. 1402-24 (Tana Norris)


Section 2.3.3, Non-conforming structures. Does not meet the definition of substantial Improvement in Article 8. Self Certification by a licensed engineer to the SRWMD of 0.03 sq. ft. of impervious surface for deck addition to existing structure. No development permit or elevation certificate required.

District No. 1 - Ronald Williams
District No. 2 - Rusty DePratter
District No. 3 - Bucky Nash
District No. 4 - Stephen E. Bailey
District No. 5 - Scarlet P. Frisina

BOARD OF COUNTY COMMISSIONERS • COLUMBIA COUNTY



MEMORANDUM

DATE: 18 March 2014
TO: Building Permit File
FROM: Brian L. Kepner, Land Development Regulation Administrator 
RE: Building Permit Application No. 1402-24 (Tana Norris)

Section 2.3.3, Non-conforming structures. Does not meet the definition of substantial Improvement in Article 8. Self Certification by a licensed engineer to the SRWMD of 0.03 sq. ft. of impervious surface for deck addition to existing structure. No development permit or elevation certificate required

BOARD MEETS FIRST THURSDAY AT 5:30 P.M.
AND THIRD THURSDAY AT 5:30 P.M.

LAKE CITY INDUSTRIES

250 NW RAILROAD ST.
LAKE CITY, FL 32055
(386) 752-3511 FAX (386) 758-4735

QUOTE

Page: 1

Quote: **00026210**

Special : Time: 15:41:21
Instructions : Ship Date: 01/27/14
Invoice Date: 02/11/14
Sale rep # RK Ronnie Kelly Acct rep code. Due Date 02/11/14

REPRINTSold To **CASH SALE**

Ship To

(1) -

(386) 344-3838

Customer # *1

Customer PO

Order By: KIMBO

CASH
T 145


ORDER	SHIP	L	U/M	ITEM#	DESCRIPTION	Alt Price/Uom	PRICE	EXTENSION
6.00	6.00	L	PC	21216PT	2X12X16 PRESSURE TREATED MSDS 16	30.5900 PC	30.5900	183.54
100.00	100.00	L	PC	2816PT	2X8X16 PRESSURE TREATED MSDS 16	12.7900 PC	12.7900	1279.00
350.00	350.00	L	PC	54616STD	5/4 X 6 X 16 PT STD	8.2900 PC	8.2900	2901.60
10.00	10.00	L	PC	6616PT	6X6X16 PRESSURE TREATED MSDS 16	41.5000 PC	41.5000	415.00
10.00	10.00	L	PC	2416PT	2X4X16 PRESSURE TREATED MSDS 16	8.1900 PC	8.1900	81.90
200.00	200.00	L	EA	LUS28Z	SIMPSON 2x8 JOIST HANGER Z-MAX	0.9900 EA	0.9900	198.00
2.00	2.00	L	EA	333129	2" X #8 STAR DRIVE DECK SCREW 25LB	82.5000 EA	82.5000	165.00
2.00	2.00	L	EA	333179	#17 PT, STAR DRIVE 1500HR, 3" #25 DR 25LB	85.6600 EA	85.6600	171.32

Quote Expires 02/26/14

Misc. T :	25.00	Sales total	\$5395.26
Taxable	5420.26	Misc + Frgt	25.00
Non-taxable	0.00	Sales tax	375.22
Tax #			

TBF: 5932

TOTAL \$5795.48**1 - Customer Copy**



FLORIDA DEPARTMENT OF
ENVIRONMENTAL PROTECTION

BOB MARTINEZ CENTER
2600 BLAIRSTONE ROAD
TALLAHASSEE, FLORIDA 32399-2400

RICK SCOTT
GOVERNOR

CARLOS LOPEZ-CANTERA
LT GOVERNOR

HERSCHEL T. VINYARD JR.
SECRETARY

**SELF CERTIFICATION FOR
A STORMWATER MANAGEMENT SYSTEM IN UPLANDS SERVING
LESS THAN 10 ACRES OF TOTAL PROJECT AREA AND
LESS THAN 2 ACRES OF IMPERVIOUS SURFACES**

Owner(s)/Permittee(s): Tana Espenship
File No: 0324761001EG
File Name: DECK ADDITION
Site Address: 960 SW Iowa Dr
Lake City FL - 32024
County: Columbia
Latitude: 30° 6' 2.5019"
Longitude: -82° 42' 57.877"
Total Project Area: 0.42
Total Impervious Surface Area: 0.03
**Approximate Date of Commencement
of Construction:** 03/10/2014

Registered Florida Professional: David Winsberg
License No.: 68463
Company: Winsberg, Inc.

Date: March 04, 2014

David Winsberg certified through the Department's Enterprise Self-Service Application portal that the project described above was designed by the above-named Florida registered professional to meet the following requirements:

1. The total project area involves less than 10 acres and less than 2 acres of impervious surface;
2. No activities will impact wetlands or other surface waters;
3. No activities are conducted in, on, or over wetlands or other surface waters;
4. Drainage facilities will not include pipes having diameters greater than 24 inches, or the hydraulic equivalent, and will not use pumps in any manner;
5. The project is not part of a larger common plan, development, or sale; and
6. The project does not:
 1. Cause adverse water quantity or flooding impacts to receiving water and adjacent lands;
 2. Cause adverse impacts to existing surface water storage and conveyance capabilities;
 3. Cause a violation of state water quality standards; or

4. Cause an adverse impact to the maintenance of surface or ground water levels or surface water flows established pursuant to s. 373.042 or a work of the district established pursuant to s. 373.086, F.S.

This certification was submitted within approximately 30 days after initiation of construction of the above project. As such, construction, alteration, and maintenance of the stormwater management system serving this project is authorized in accordance with s. 403.814(12), F.S., and that there is a rebuttable presumption that the discharge from such system will comply with state water quality standards when the stormwater management system for this project is designed, operated, and maintained in accordance with applicable rules adopted pursuant to part IV of chapter 373, F.S.

Applicants are advised to contact the applicable water management district for requirements that must be followed to properly abandon any existing water wells that need to be removed because they are located where construction is occurring.

In accordance with s. 373.416(2), F.S., if ownership of the property or the stormwater management system is sold or transferred to another party, continued operation of the system is authorized only if notice is provided to the Department within 30 days of the sale or transfer.

This notice can be submitted to:
FDEP Northeast District
8800 Baymeadows Way West Jacksonville 32256

This certification was submitted along with the following electronic documents:

If you have submitted this certification as a Florida Registered Professional, you may wish to sign and seal this certification, and return a copy to the Department, in accordance with your professional practice act requirements under Florida Statutes.

I, David Winsberg, License No. 68463, do hereby certify that the above information is true and accurate, based upon my knowledge, information and belief. In the space below, affix signature, date, seal, company name, address and certificate of authorization (if applicable).

This sealed certification may be submitted to the Department, either electronically (as an attachment in Adobe PDF or other secure, digital format) at Erp.selfcerts@dep.state.fl.us, or as a hardcopy, at the postal address below:

Florida Department of Environmental Protection
Office of Submerged Lands and Environmental Resources
2600 Blair Stone Road MS 2500
Tallahassee FL 32399-2400