





MINIMUM PLAN REQUIREMENTS AND CHECKLIST FOR THE 2020 FLORIDA BUILDING CODE ,FLORIDA PLUMBING CODE,FLORIDA MECHINICAL CODE,FLORIDA FUEL AND GAS CODE 2020 EFFECTIVE 1 JAN 2021 AND 2017 NATIONAL ELECTRICAL

ALL REQUIREMENTS ARE SUBJECT TO CHANGE

ALL BUILDING PLANS MUST INDICATE COMPLIANCE WITH THE CURRENT FLORIDA BUILDING CODES. ALL PLANS OR DRAWING SHALL PROVIDED CALCULATIONS AND DETAILS THAT HAVE THE SEAL AND SIGNATURE OF A CERTIFIED ARCHITECT OR ENGINEER REGISTERED IN THE STATE OF FLORIDA, OR ALTERNATE METHODOLOGIES, APPROVED BY THE STATE OF FLORIDA BUILDING COMMISSION.

FOR DESIGN PURPOSES THE FOLLOWING BASIC WIND SPEEDS ARE PER FLORIDA BUILDING CODE FIGURE 1609.3 (1) THROUGH (4) ULTIMATE DESIGN WIND SPEEDS FOR RISK CATEGORY AND BUILDINGS AND OTHER STRUCTURES

	GENERAL REQUIREMENTS:	Items Box s as			
1	All drawings must be clear, concise and drawn to scale, details that are not used shall be marked void.	YES	NO	N/A	Yes
2	If the design professional is an architect or engineer legally registered under the laws of this state regulating the practice of architecture as provided for in Chapter 481, Florida Statutes, Part I, or engineering as provided for in Chapter 471, Florida Statutes, then he or she shall affix his or her official seal to said drawings, specifications and accompanying data, as required by Florida Statute.	YES	NO	N/A	Yes
3	The design professional signature shall be affixed to the plans	YES	NO	N/A	Yes
4	Two (2) complete sets of plans with the architecture or engineer signature and the date the affix embossed official seal was placed on the plans	YES	NO	N/A	N/A

Two (2) complete sets of plans containing the following information:

	Building Site Plan Requirements	Eac	ns to II h Box : Marked Applica		
4	Parking, including provision Florida Building Code Accessibility Code	Yes	No	N/A	Yes
5	Fire access, showing all drive way which will be accessible for emergency vehicles	Yes	No	N/A	Yes
6	Driving/turning radius of parking lots	Yes	No	N/A	Yes
7	Vehicle loading include truck dock loading or rail site loading	Yes	No	N/A	N/A
8	Nearest or number of onsite Fire hydrant/water supply/post indicator valve (PIV)	Yes	No	N/A	Yes
9	Set back of all existing or proposed structures from each structure and property boundaries, Show all separation including assumed property lines	Yes	No	N/A	Yes
10	Location of specific tanks(above or under grown ,water lines and sewer lines and septic tank and drain fields	Yes	No	N/A	N/A

Revised March 2021

11	All str	uctures e	xterior vie	ws include f	inished floo	structures exterior views include finished floor elevation									
12	Total l	Total height of structure(s) form established grade									Yes	No	N/A	N/A	
	Review required by the Columbia County Fire Department Items 13 Th 43 (We Contact the Fire Inspector For You.)														
	Occupancy group use circle all uses: Group A B Group Group F H		Group I	Group M	Group R	Gr S	oup	Group U D							
13		Special	occupancy	requireme	nts.	•		•	•	•	Ye	s N	o N/A	N/A	
14		Inciden	ital use area	as (total squ	are footage	for each	room of use a	rea)			Ye	s N	o N/A	N/A	
15		Mixed	occupancie	es							Ye	s N	o N/A	N/A	
16		REQUI	RED SEP.	ARATION	OF OCCUP	ANCIES	IN HOURS I	FBC TABL	E 707.3.10)	Ye	s N	o N/A	N/A	
Minimum type of permitted construction by code for occupancy use circle the construction type FBC 602															
17	1 -	pe I BC:602.		rpe II BC:602.2)	Type II (FBC:6		Type IV (FBC:602.4)	Typ (FB	e V C:602.5)						

	Fire-resistant construction requirements shall be shown, include the following components								
18	Fire-resistant separations	Yes	No	N/A	N/A				
19	Fire-resistant protection for type of construction	Yes	No	N/A	Yes				
20	Protection of openings and penetrations of rated walls	Yes	No	N/A	N/A				
21	Protection of corridors and penetrations of rated walls	Yes	No	N/A	N/A				
22	Fire blocking and draftstopping and calculated fire resistance	Yes	No	N/A	Yes				
	Fire suppression systems shall be shown include:								
23	Early warning smoke evacuation systems Schematic fire sprinklers Standpipes	Yes	No	N/A	N/A				
24	Standpipes	Yes	No	N/A	N/A				
25	Pre-engineered systems	Yes	No	N/A	N/A				
26	Riser diagram	Yes	No	N/A	N/A				
	Life safety systems shall be shown include the following requirements:								
27	Occupant load and egress capacities	Yes	No	N/A	N/A				
28	Early warning	Yes	No	N/A	N/A				
29	Smoke control	Yes	No	N/A	N/A				
30	Stair pressurization	Yes	No	N/A	N/A				
31	Systems schematic	Yes	No	N/A	N/A				
	Occupancy load/egress requirements shall be shown include:								
32	Occupancy load	Yes	No	N/A	Yes				
33	Gross occupancy load	Yes	No	N/A	Yes				
34	Net occupancy load	Yes	No	N/A	Yes				
35	Means of egress	Yes	No	N/A	Yes				
36	Exit access	Yes	No	N/A	Yes				
37	Exit discharge	Yes	No	N/A	Yes				
38	Stairs construction/geometry and protection	Yes	No	N/A	N/A				
39	Doors	Yes	No	N/A	Yes				
40	Emergency lighting and exit signs	Yes	No	N/A	Yes				
41	Specific occupancy requirements	Yes	No	N/A	Yes				

42	Construction requirements	Yes	No	N/A	Yes
43	Horizontal exits/exit passageways	Yes	No	N/A	Yes

Items to Include
Each Box shall be
Marked as
Applicable

Applicable									
44	Structural requirements shall be shown include:			1					
44	Soil conditions/analysis	Yes	No	N/A	Yes				
45	Termite protection	Yes	No	N/A	No				
46	Design loads	Yes	No	N/A	Yes				
47	Wind requirements	Yes	No	N/A	Yes				
48	Building envelope	Yes	No	N/A	Yes				
49	Structural calculations (if required)	Yes Yes	No	N/A	Yes				
50	Foundation For structures with foundation which establish new electrical utility companies service connection a Concrete Encased Electrode will be required within the foundation to serve as an grounding electrode system. Per the National Electrical Code article 250.52.3	No	N/A	Yes					
51	Wall systems	Yes	No	N/A	Yes				
52	Floor systems	Yes	No	N/A	Yes				
53	Roof systems	Yes	No	N/A	Yes				
54	Threshold inspection plan	Yes	No	N/A	Yes				
55	Stair systems	Yes	No	N/A	N/A				
	Materials shall be shown include the following								
56	Wood	Yes	No	N/A	Yes				
57	Steel	Yes	No	N/A	Yes				
58	Aluminum	No	N/A	Yes					
59	Concrete	Yes	No	N/A	Yes				
60	Plastic	Yes	No	N/A	Yes				
61	Glass	Yes	No	N/A	Yes				
62	Masonry	Yes	No	N/A	Yes				
63	Gypsum board and plaster	Yes	No	N/A	Yes				
64	Insulating (mechanical)	Yes	No	N/A	Yes				
65	Roofing	Yes	No	N/A	Yes				
66	Insulation	Yes	No	N/A	Yes				
	Accessibility requirements shall be shown include the following								
67	Site requirements	Yes	No	N/A	Yes				
68	Accessible route	Yes	No	N/A	Yes				
69	Vertical accessibility	Yes	No	N/A	N/A				
70	Toilet and bathing facilities	Yes	No	N/A	Yes				
71	Drinking fountains	Yes	No	N/A	N/A				
72	Equipment Yes No								
73	Special occupancy requirements	Yes	No	N/A	N/A				
1									

	Interior requirements shall include the following				
75	Review required by the Columbia County Fire Department Items 75 Th 80	Yes	No	N/A	Yes
	Interior finishes (flame spread/smoke development)				
76	Light and ventilation	Yes	No	N/A	Yes
77	Sanitation	Yes	No	N/A	Yes
	Special systems				
78	Elevators	Yes	No	N/A	N/A
79	Escalators	Yes	No	N/A	N/A
80	Lifts	Yes	No	N/A	N/A
	Swimming pools				
81	Barrier requirements	Yes	No	N/A	N/A
82	Spas and Wading pools	Yes	No	N/A	N/A
83	Access required per Florida Building Code 454.1.2.5	Yes	No	N/A	N/A

	Electrical				
34	Wiring	Yes	No	N/A	Yes
5	Services For structures with foundation which establish new electrical utility	Yes	No	N/A	
	companies service connection a Concrete Encased Electrode will be required within the foundation to serve as an grounding electrode system.				Yes
	Per the National Electrical Code article 250.52.3				1.00
6	Feeders and branch circuits	Yes	No	N/A	Yes
7					Yes
8	Overcurrent protection	Yes	No	N/A	Yes
9	Grounding	Yes	No	N/A	
0	Wiring methods and materials	Yes	No	N/A	Yes
)1	GFCIs	Yes	No	N/A	Yes
	Equipment	Yes	No	N/A	Yes
2	Special occupancies	Yes	No	N/A	N/A
3	Emergency systems	Yes	No	N/A	No
4	Communication systems	Yes	No	N/A	-
5	Low voltage	Yes	No	N/A	Yes
6	Load calculations	Yes	No	N/A	Yes
	Plumbing				
7	Minimum plumbing facilities	Yes	No	N/A	Yes
8	Fixture requirements	Yes	No	N/A	Yes
9	Water supply piping	Yes	No	N/A	Yes
.00	Sanitary drainage	Yes	No	N/A	Yes
01	Water heaters	Yes	No	N/A	Yes
02	Vents	Yes	No	N/A	Yes
03	Roof drainage	Yes	No	N/A	Yes
04	Back flow prevention	Yes	No	N/A	Yes

105	Irrigation	Yes	No	N/A	N/A
106	Location of water supply line	Yes	No	N/A	Yes
107	Grease traps	Yes	No	N/A	Yes
108	Environmental requirements	Yes	No	N/A	Yes
109	Plumbing riser	Yes	No	N/A	Yes
	Mechanical				
110	Energy calculations	Yes	No	N/A	Yes
111	Review required by the Columbia County Fire Department Items 111 Th 114 Exhaust systems	Yes	No	N/A	Yes
112	Clothes dryer exhaust	Yes	No	N/A	N/A
113	Kitchen equipment exhaust	Yes	No	N/A	Yes
114	Specialty exhaust systems	Yes	No	N/A	N/A
	Equipment location				
115	Make-up air	Yes	No	N/A	Yes
116	Roof-mounted equipment	Yes	No	N/A	Yes
117	Duct systems	Yes	No	N/A	Yes
118	Ventilation	Yes	No	N/A	Yes
119	Laboratory	Yes	No	N/A	N/A
120	Combustion air	Yes	No	N/A	Yes
121	Chimneys, fireplaces and vents	Yes	No	N/A	N/A
122	Appliances	Yes	No	N/A	Yes
123	Boilers	Yes	No	N/A	N/A
124	Refrigeration	Yes	No	N/A	Yes
125	Bathroom ventilation	Yes	No	N/A	Yes
	Gas				
126	Review required by the Columbia County Fire Department Items 126 Th 134 Gas piping	Yes	No	N/A	Yes
127	Venting	Yes	No	N/A	Yes
128	Combustion air	Yes	No	N/A	Yes
129	Chimneys and vents	Yes	No	N/A	Yes
130	Appliances	Yes	No	N/A	Yes
131	Type of gas	Yes	No	N/A	Yes
132	Fireplaces	Yes	No	N/A	N/A
133	LP tank location	Yes	No	N/A	N/A
134	Riser diagram/shutoffs	Yes	No	N/A	Yes
135	Notice of Commencement A recorded (in the Columbia County Clerk Office) notice of commencement is required to be on				<u> </u>
100	file with the building department . Before Any Inspections Will Be Done	Yes	No	N/A	N/A
	Disclosure Statement for Owner Builders	Yes	No	N/A	N/A

	Private Potable Water								
136	Horse power of pump motor	SEE PAGE 7- ON HOW		Yes	No	N/A	-		
137	Capacity of pressure tank	TO PROVIDE THIS DOCUMENTATION.		Yes	No	N/A	-		
138	Cycle stop valve if used	DOCUMENTATION.		Yes	No	N/A			
					to Inclu Box sha				
				Marke Appli					

THE FOLLOWING ITEMS MUST BE SUBMITTED WITH BUILDING PLANS

139	Building Permi	it	A Building Permit Application is to be completed by following the checklist all supporting documents must be submitted. Completed Applications can be mailed with The \$15.00 application fee.	Yes	No	N/A	Yes
140	Parcel Number	•	The parcel number (Tax ID number) from the Property Appraiser is required. A copy of property deed is also required. (386) 758-1084	Yes	No	N/A	Yes
141	Environmental Health Permit or Sewer Tap Approval	disposal perm sewer tap lett	approved Environmental Health (386) 758-1058 waste water nit or an approved City of Lake City(386) 752-2031 OR Counter is required before a building permit can be issued.	Yes	No	N/A	N/A
142	Driveway Connection	application for Works Dept. instillation and granted. Culv shall conform registered en Florida Depa	y does not have an existing access to a public road, then an or a culvert permit must be made (\$25.00). County Public determines the size and length of every culvert before ad completes a final inspection before permanent power is vert installation for commercial, industrial and other uses in to the approved site plan or to the specifications of a regineer. Use or joint use of driveways will comply with artment of Transportation specifications. If the project is on an F.D.O.T. maintained road, then an F.D.O.T. access hired.	Yes	No	N/A	N/A
143	Suwannee River Water Management District Approval		cial projects must have an SRWMD permit issued or on letter, before a building permit will be issued.	Yes	No	N/A	Yes
144	Flood Management	shall require District, before within a flood been establish Columbia Colocated within flood) has no of Columbia	within the Floodway of the Suwannee or Santa Fe Rivers permitting through the Suwannee River Water Management re submitting application to this office. Any project located d zone where the base flood elevation (100 year flood) has hed shall meet the requirements of section 8.8 of the unty Land Development Regulations. Any project that is a flood zone where the base flood elevation (100 year the been established shall meet the requirements of section 8.7 County Land Development Regulations. A development so be required. The development permit cost is \$50.00	Yes	No	N/A	N/A
145	Flood Management	REQUIRED ELEVATION	ED FINISHED FLOOR ELEVATIONS WILL BE ON ANY PROJECT WHERE THE BASE FLOOD N (100 YEAR FLOOD) HAS BEEN ESTABLISHED OR IT DETERMINED BY THE PLAT	Yes	No	N/A	N/A
146	911 Address	received thr	on for a 911address must be applied for and rough the Columbia County Emergency Management 11 Addressing Department (386) 758-1125.	Yes	No	N/A	Yes

ONCE ZONING HAS BEEN APPROVED FOR THIS PROJECT.

Private Potable Water

Well letter provided by the well driller OR City of Lake City Utilities Department (386-752-2031) Letter of Availability OR Ellisville/County Utilities (386-758-1019) Letter of Availability.

Sewage Disposal

<u>Septic System – An approved signed site plan from Environmental Health (386-758-1058)</u>

City OR County Sewage- A Letter of Availability from either department. (See above contact numbers.)

Pursuant to Chapter one (administration) section 101.2 of the Florida Building Code: Section 105.3.2 **Time limitation of application**. An application for a permit for any proposed work shall be deemed to have been abandoned 180 days after the date of filing, unless such application has been pursued in good faith or a permit has been issued; except that the building official is authorized to grant one or more extensions of time for additional periods not exceeding 90 days each. The extension shall be requested in writing and justifiable cause demonstrated.

Pursuant to Chapter one (administration) section 101.2 of the Florida Building Code: Section 105.4.1 **Permit intent.** A permit issued shall be constructed to be a license to proceed with the work and not as authority to violate, cancel, alter or set aside any of the provisions of the technical codes, nor shall issuance of a permit prevent the building official from thereafter requiring a correction of errors in plans, construction or violations of this code. Every permit issued shall become invalid unless the work authorized by such permit is commenced within six months after its issuance, or if the work authorized by such permit is suspended or abandoned for a period of six months after the time the work is commenced.

Section 105.4.1.1: If work has commenced and the permit is revoked, becomes null and void, or expires because of lack of progress or abandonment, a new permit covering the proposed construction shall be obtained before proceeding with the work.

Section 105.4.1.2: If a new permit is not obtained within 180 days from the date the initial permit became null and void, the building official is authorized to require that any work which has been commenced or completed be removed from the building site. Alternately, a new permit may be issued on application, providing the work in place and required to complete the structure meets all applicable regulations in effect at the time the initial permit became null and void and any regulations which may have become effective between the date of expiration and the date if issuance of the new permit.

Section 105.4.1.3: Work shall be considered to be in active progress when the permit has received an approved inspection within 180 days. This provision shall not be applicable in case of civil commotion or strike or when the building work is halted due directly to judicial injunction, order or similar process.

Section 105.4.1.4: The fee for renewal reissuance and extension of a permit shall be set forth by the administrative authority.

Ordinance Sec. 90-75. - Construction debris. (e) It shall be unlawful for any person to dispose of or discard solid waste, including construction or demolition debris at any place within the county other than on an authorized disposal site or at the county's solid waste facilities. The temporary storage, not to exceed seven days of solid waste (excluding construction and demolition debris) on the premises where generated or vegetative trash pending disposition as authorized by law or ordinance, shall not be deemed a violation of this section. The temporary storage of construction and demolition debris on the premises where generated or vegetative trash pending disposition as authorized by law or ordinance shall not be deemed in violation of this section; provided, however, such construction and demolition debris must be disposed of in accordance with this article prior to the county's issuance of a certificate of occupancy for the premises. The burning of lumber from a construction or demolition project or vegetative trash when done so with legal and proper permits from the authorized agencies and in accordance with such agencies' rules and regulations, shall not be deemed a violation of this section. No person shall bury, throw, place, or deposit, or cause to be buried, thrown, placed, or deposited, any solid waste, special waste, or debris of any kind into or on any of the public streets, road right-of-way, highways, bridges, alleys, lanes, thoroughfares, waters, canals, or vacant lots or lands within the county. No person shall bury any vegetative trash on any of the public streets, road right-of-way, highways, bridges, lanes, thoroughfares, waters, canals, or lots less than ten acres in size within the county.

When the submitted application is approved for permitting the applicant will be notified by phone as to the date and time a building permit will be prepared and issued by the Columbia County Building & Zoning Department.

The products listed below did not demonstrate product approval at plan review. I understand that at the time of inspection of these products, the following information must be available to the inspector on the jobsite; 1) copy of the product approval, 2) performance characteristics which the product was tested and certified to comply with, 3) copy of the applicable manufacturers installation requirements.

Further, I understand these products may have to be removed if approval cannot be demonstrated during inspection.

Category/Subcategory	Manufacturer	Product Description	Approval Number(s)
1. EXTERIOR DOORS			т рртотантанто (е)
A. SWINGING			
B. SLIDING			
C. SECTIONAL/ROLL UP			
D. OTHER			
D. OTTL			
2. WINDOWS			
A. SINGLE/DOUBLE HUNG			
B. HORIZONTAL SLIDER			
C. CASEMENT			
D. FIXED			
E. MULLION			
F. SKYLIGHTS			
G. OTHER			
3. PANEL WALL			
A. SIDING			
B. SOFFITS			
C. STOREFRONTS			
D. GLASS BLOCK			
E. OTHER			
4. ROOFING PRODUCTS			
A. ASPHALT SHINGLES			
B. NON-STRUCTURAL METAL			
C. ROOFING TILES			
D. SINGLE PLY ROOF			
E. OTHER			
5. STRUCTURAL COMPONENTS			
A. WOOD CONNECTORS			
B. WOOD ANCHORS			
C. TRUSS PLATES			
D. INSULATION FORMS			
E. LINTELS			
F. OTHERS			
6. NEW EXTERIOR			
ENVELOPE PRODUCTS			

NOTES:	:

As required by Florida Statute 553.842 and Florida Administrative Code 9B-72, please provide the information and approval numbers on the building components listed below if they will be utilized on the construction project for which you are applying for a building permit. We recommend you contact your local product supplier should you not know the product approval number for any of the applicable listed products. Statewide approved products are listed online @ www.floridabuilding.org