FORM R405-2020

FLORIDA ENERGY EFFICIENCY CODE FOR BUILDING CONSTRUCTION

Florida Department of Business and Professional Regulation - Residential Performance Method

The second secon						-
Owner: Spec H	City , FL , 32024		Builder Name: Permit Office: Permit Number Jurisdiction: County:	Columbia County : Columbia (Florida Climate	Zone 2)	
SHGC: S b. U-Factor: N SHGC: c. U-Factor: N SHGC: Area Weighted Average O Area Weighted Average S 8. Skylights c. U-Factor:(AVG)	family Defamily 1 le family 1 ove grade (ft²) 1 low grade (ft²) 0 Description Dbl, U=0.33 SHGC=0.22 N/A N/A Overhang Depth: SHGC: N/A N/A Insula	1807 Area 282.33 ft² ft² ft² 5.014 ft. 0.220 Area ft² ation Area	b. Frame - V c. N/A d. N/A 11. Ceiling Typ a. Under Atti b. N/A c. N/A 12. Ducts a. Sup: Attic 13. Cooling sys a. Central Ur 14. Heating sys a. Electric He 15. Hot water sy a. Electric	es (1807.0 sqft.) ic (Vented) Ret: Attic, AH: Garage stems nit stems eat Pumps FILE Co	Efficiency 42:0 HSPF:8.50	
Glass/Floor Area: 0.15	56 To	otal Proposed Modified Total Baseline I			PASS	
I hereby certify that the plathis calculation are in composed. PREPARED BY: DATE: I hereby certify that this buy with the Florida Energy Composed	5-5-21 uilding, as designed ode.	d, is in compliance	with the Florida Before constructhis building will compliance with Florida Statutes BUILDING OF DATE:	overed by this cates compliance Energy Code. Ition is completed be inspected for a Section 553.908		ALORIDA
- Compliance requires c	certification by the	e air handler unit manu	facturer that the	air handler enclosure	qualifies as	

- Compliance requires certification by the air handler unit manufacturer that the air handler enclosure qualifies as certified factory-sealed in accordance with R403.3.2.1.
- Compliance requires an Air Barrier and Insulation Inspection Checklist in accordance with R402.4.1.1 and this project requires an envelope leakage test report with envelope leakage no greater than 5.00 ACH50 (R402.4.1.2).

FORM R405-2020

INPUT SUMMARY CHECKLIST REPORT

				PROJE	СТ							
Title: Building Type: Owner Name: # of Units: Builder Name: Permit Office: Jurisdiction: Family Type: New/Existing: Comment:	Ivy Model User Spec House 1 Columbia Coun Detached New (From Plan		Bedrooms Conditione Total Stori Worst Cas Rotate And Cross Ven Whole Hou	ed Area: es: ee: gle: tilation:	3 1807 1 No 0		Lot a Block Plat Stre Cou	ck/Subdiv Book: et:	rision: Pr	olumbia ke City ,		
				CLIMA	TE							
	ign Location	TMY Site	- DEOL	97.	esign Temp 5 % 2.5 %	Wint	esign Ten er Sumn	ner Deg	leating gree Days		R	ange
FL,	Gainesville	FL_GAINESVILLE	E_REGI	BLOCI	32 92 KS	70	75		1305.5	51	M	edium
Number	Name	Area	Volume	BLOCI								
1	Block1	1807	16263		· Liberaria and inches							
1	DIOCKT	1007	10203	SPACE	=======================================							
Number	Name	Area	Volume F	Kitchen	Occupants	Bedroo	ome I	Infil ID	Finished	Coole	od.	Heate
1	Main	1807	16263	Yes	6	3		1	Yes	Yes	ou	Yes
				FLOOF								
V #	Floor Type	Space	Perir	neter	R-Value	Area	**************************************		7	Tile Woo	d Ca	rpet
1 Sla	b-On-Grade Edge		ain 201	ft	0	1807 ft²			0	.33 0.3		.34
				ROOI	F							
√ #	Туре	Materials	Roof Area	Gable Area	Roof Color	Rad Barr	Solar Absor.	SA Tested	Emitt		Deck Insul.	Pitcl (deg
1	Hip	Composition shing	les 2093 ft ²	0 ft²	Medium	N	0.85	No	0.9	No	0	30.3
				ATTIC								
√ #	Туре	Ventil	ation	Vent Ratio	(1 in)	Area	RBS	IR	СС			
1	Full attic	Ven	ted	300		807 ft²	N		N			
				CEILIN	IG							
√ #	Ceiling Type		Space	R-Value	Ins Ty	ре	Area	Fran	ning Frac	Truss 7	уре	
1	Under Attic (Ver	atod)	Main	30	Blown		1807 ft²		0.11	Woo	d	

FORM R405-2020

INPUT SUMMARY CHECKLIST REPORT

						West to the second	W	ALLS								
V #	Orn		Adjace To	ent Wall	Туре	Space	Cavity R-Value	Wice Ft	ith In	He Et	ight In	Area	Sheathing R-Value	Framing Fraction	Solar Absor	Bel
1	N		Exterior		me - Wood	Main	13	28	6	9		256.5 ft²		0.23	0.75	
_ 2	W	E	Exterior	Fra	me - Wood	Main	13	5	8	9		51.0 ft ²		0.23	0.75	
_ 3	N	E	Exterior	Fra	me - Wood	Main	13	14	4	9		129.0 ft ²		0.23	0.75	
_ 4	Ε	E	Exterior	Fra	me - Wood	Main	13	38	8	9		348.0 ft ²		0.23	0.75	
_ 5	S	E	Exterior	Fra	me - Wood	Main	13	7	4	10		73.3 ft ²		0.23	0.75	
_ 6	Е	E	Exterior	Fra	me - Wood	Main	13	8	6	9		76.5 ft ²		0.23	0.75	
_ 7	s	E	Exterior	Fra	me - Wood	Main	13	14	10	9		133.5 ft ²		0.23	0.75	
_ 8	W	E	Exterior	Fra	me - Wood	Main	13	52		9		468.0 ft ²		0.23	0.75	
_ 9	S	(Garage	Fra	me - Wood	Main	13	33	2	9		298.5 ft ²		0.23	0.75	
							DC	ORS								
/	#		Ornt		Door Type	Space			Storms		U-Valu	ie F	Width t In	Height Ft	ln .	Area
	1		s		Insulated	Main			None		.4	3		100		20 ft²
	2		s		Insulated	Main			None		.4	3				20 ft²
							WIN	DOWS			-					
13			Wall		Ori	entation sho	wn is the e	ntered, F	ropose	d orie	ntation	(C)				
	#	Ornt		Frame	Panes	NFRC	U-Factor	SHGC	Imp		Area		rhang Separation	Int Sha	de S	Scree
	1	N	1	Vinyl	Low-E Double	Yes	0.33	0.22	N		0.0 ft²	9 ft 6 in	1 ft 4 in	None		Non
	2	N	1	Vinyl	Low-E Double	Yes	0.33	0.22	N		4.0 ft ²	9 ft 6 in	1 ft 4 in	None		Non
	3	W	2	Vinyl	Low-E Double	Yes	0.33	0.22	N	36	6.0 ft ²	1 ft 6 in	1 ft 4 in	None		Non
	4	N	3	Vinyl	Low-E Double	Yes	0.33	0.22	N	24	4.0 ft ²	1 ft 6 in	1 ft 4 in	None		Non
	5	N	3	Vinyl	Low-E Double	Yes	0.33	0.22	N		0.0 ft²	1 ft 6 in	1 ft 4 in	None		Non
	6	N	3	Vinyl	Low-E Double	Yes	0.33	0.22	N	12	2.0 ft²	1 ft 6 in	1 ft 4 in	None		Non
	7	s	5	Vinyl	Low-E Double	Yes	0.33	0.22	N		3.3 ft²	7 ft 6 in	1 ft 4 in	None		Non
	8	S	7	Vinyl	Low-E Double	Yes	0.33	0.22	N	36	6.0 ft²	1 ft 6 in	1 ft 4 in	None		Non
	9	W	8	Vinyl	Low-E Double	Yes	0.33	0.22	N		.0 ft²	1 ft 6 in	1 ft 4 in	None		Non
_	10	W	8	Vinyl	Low-E Double	Yes	0.33	0.22	N		3.0 ft²	1 ft 6 in	1 ft 4 in	None		Non
							GAF	RAGE								
/	#		Floor	Area	Ceiling	Area	Exposed V	Vall Peri	meter	Α	vg. Wa	ıll Height	Exposed	d Wall Insu	ulation	
	1		433.80	5556 ft²	433.8055	556 ft²	4	19 ft		Alle	9	ft		1		
							INFILT	RATIO	N							
c	Scope		M	ethod		SLA C	CFM 50	ELA		qLA		ACH	ACH	50		i i
_			7000										7741.035.040			
vvnc	lehous	е	Propo	sed AC	H(50) .000	200	1355.3	74.35	13	39.59	E.	.1027	5			

FORM R405-2020 INPUT SUMMARY CHECKLIST REPORT

						HEA.	TING SYS	STEM						
\vee	# S	ystem Type		Sub	type	Spe	eed	Efficiency	Ca	pacity			Block	Ducts
-	1 E	lectric Heat Pu	mp/	Non	е	Sir	ngl	HSPF:8.5	42 k	Btu/hr			1	sys#1
						coo	LING SY	STEM						
V	# S	ystem Type		Sub	type	Sul	btype	Efficiency	Capacity	Air	Flow	SHR	Block	Ducts
	1 C	entral Unit/		Non	е	Sir	ngl	SEER: 14	42 kBtu/hr	1260	cfm	8.0	1	sys#1
						HOT W	ATER S	YSTEM						
\checkmark	#	System Type	SubType	Lo	cation	EF	С	ар	Use	SetPnt		Co	nservatio	n
	1	Electric	None	G	arage	0.92	40	gal	60 gal	120 deg			None	
					so	LAR HO	T WATE	R SYSTE	М					
\checkmark	FSEC Cert #	Company Na	omo			Custom	Madel #	Co	llector Mode		ollector	Stor Volu	age	ccc
	None	None	ame		11121111	System	Model #		llector Mode	1#	Area ft²	VOIL	ıme	FEF
	None	None		-			DUOTO				ıı		-	
						D	DUCTS							
\checkmark	#	Supp Location R-	oly Value Area	L	Re ocation	turn Area	Leaka	де Туре	Air Handler	CFM 25 TOT	CFM: OU		RLF	HVAC
	1	Attic	8 361.4	ft	Attic	90.35 fi	t Default	Leakage	Garage	(Default)	(Defa	ault)		1 1
						TEM	PERATU	RES						
Program	able Ther	mostat: Y			С	eiling Fan	s:							
Cooling Heating Venting	[] Jar [X] Jar [] Jar	X Feb	[] Mar X Mar X Mar		pr pr pr	May May May	[X] Jun [] Jun [] Jun	[X] Jul [] Jul [] Jul	[X] Aug Aug Aug	[X] Ser [] Ser [] Ser		Oct Oct X) Oct	X Nov X Nov X Nov	[X] Dec [X] Dec
Thermosta		e: HERS 200	6 Reference				-	Hoi			_	40	44	40
Schedule T Cooling (W		AM	70	2	3	4	5	6	7	8	9	10	11	12
		AM PM	78 80	78 80	78 78	78 78	78 78	78 78	78 78	78 78	80 78	80 78	80 78	80 78
Cooling (W	(EH)	AM PM	78 78	78 78	78 78	78 78	78 78	78 78	78 78	78 78	78 78	78 78	78 78	78 78
Heating (W	/D)	AM PM	66 68	66 68	66 68	66 68	66 68	68 68	68 68	68 68	68 68	68 68	68 66	68 66
Heating (W	(EH)	AM PM	66 68	66 68	66 68	66 68	66 68	68 68	68 68	68 68	68 68	68 68	68 66	68 66
#U.W 41-3				-000-02-2-3	a to the stay		MASS							
Ма	ss Type			Are	a		Thickness	F	urniture Frac	ction		Space		
	fault(8 lbs	s/sq.ft.		0 ft	2		0 ft		0.3			Main		

ENERGY PERFORMANCE LEVEL (EPL) DISPLAY CARD

ESTIMATED ENERGY PERFORMANCE INDEX* = 99

The lower the EnergyPerformance Index, the more efficient the home.

, Lake City, FL, 32024

1.	New construction or exi	New (Fr	om Plans)	Wall Type and Insulation	Insulation	Area	
2.	Single family or multiple	Detache	ed	a. Frame - Wood, Exterior	R=13.0	1535.80 ft²	
	Number of units, if mult	1		b. Frame - Wood, Adjacent c. N/A d. N/A	R=13.0 R= R=	298.50 ft ² ft ²	
	Number of Bedrooms ls this a worst case?	3 No		11. Ceiling Type and insulation level a. Under Attic (Vented)	Insulation R=30.0		
6.	Conditioned floor area (Conditioned floor area (ft²)			b. N/A	R=	ft²
7.	Windows** a. U-Factor: SHGC:	Description Dbl, U=0.33 SHGC=0.22		Area 282.33 ft²	c. N/A 12. Ducts, location & insulation level a. Sup: Attic, Ret: Attic, AH: Garage	R=	ft² R ft² 8 361.4
	b. U-Factor: SHGC:	N/A		ft²	13. Cooling systems	kBtu/hr	Efficiency
	c. U-Factor: SHGC:	N/A		ft²	a. Central Unit		SEER:14.00
	d. U-Factor: SHGC:	N/A		ft²	14. Heating systems	kBtu/hr 42.0	Efficiency HSPF:8.50
	Area Weighted Average Area Weighted Average			5.014 ft. 0.220	a. Electric Heat Pump	42.0	HOFF.0.30
	 Skylights U-Factor(AVG): SHGC(AVG): 	Description N/A N/A		Area ft²	15. Hot water systems a. Electric	Ca	p: 40 gallons EF: 0.92
	9. Floor Types a. Slab-On-Grade Edg b. N/A c. N/A	e Insulation	Insulation R=0.0 R= R=	Area 1807.00 ft ² ft ²	b. Conservation features None Credits (Performance method)		CF, Pstat

I certify that this home has complied with the Florida Energy Efficiency Code for Building Construction through the above energy saving features which will be installed (or exceeded) in this home before final inspection. Otherwise, a new EPL Display Card will be completed based on installed Code compliant features.

Builder Signature:	Date:
Address of New Home:	City/FL Zip:



*Note: This is not a Building Energy Rating. If your Index is below 70, your home may qualify for energy efficient mortgage (EEM) incentives if you obtain a Florida Energy Rating. For information about the Florida Building Code, Energy Conservation, contact the Florida Building Commission's support staff.

**Label required by Section R303.1.3 of the Florida Building Code, Energy Conservation, if not DEFAULT.