

Replacing existing m/H
PERMIT APPLICATION / MANUFACTURED HOME INSTALLATION APPLICATION

For Office Use Only (Revised 7-1-15) Zoning Official UH 34518 Building Official TM 3/15/18
AP# _____ Date Received 3-15-18 By UH Permit # 36443
Flood Zone X Development Permit _____ Zoning A-3 Land Use Plan Map Category A
Comments This permit replaces the expired permit # 35175, owner
Also changed homes and provided all new documentation.
FEMA Map# _____ Elevation _____ Finished Floor 1st floor River _____ In Floodway _____
☒ Recorded Deed or ☐ Property Appraiser PO ☒ Site Plan ☒ EH # 18-0228 ☐ Well letter OR
☒ Existing well ☐ Land Owner Affidavit ☐ Installer Authorization ☐ FW Comp. letter ☐ App Fee Paid
☐ DOT Approval ☐ Parent Parcel # _____ ☐ STUP-MH _____ ☒ 911 App
☐ Ellisville Water Sys ☐ Assessment _____ ☐ Out County ☒ In County ☒ Sub VF Form
Already done

Property ID # 36-55-15-00488-019 Subdivision Spring Hills Lot# 20

- New Mobile Home _____ Used Mobile Home ☒ MH Size 24X70 Year 98
- Applicant Ronnie Norris Phone # 623-7716
- Address 1004 SW Charles Ter Lake City FL 32024
- Name of Property Owner Ronnie Norris Phone# 623-7716
- 911 Address 257 SW Futch PL Fort White FL 32038
- Circle the correct power company - FL Power & Light - Gray Electric
(Circle One) - Suwannee Valley Electric - Duke Energy
- Name of Owner of Mobile Home Ronnie Norris Phone # 623-7716
Address _____
- Relationship to Property Owner Same
- Current Number of Dwellings on Property 0
- Lot Size _____ Total Acreage 1.01
- Do you : Have Existing Drive or Private Drive or need Culvert Permit or Culvert Waiver (Circle one)
(Currently using) (Blue Road Sign) (Putting in a Culvert) (Not existing but do not need a Culvert)
- Is this Mobile Home Replacing an Existing Mobile Home yes, (R) 240, (C) Itcheekee
- Driving Directions to the Property _____
Ave, (R) Curtain LN, (C) Spruce, (R) Futch PL, 3rd on (R)
- Name of Licensed Dealer/Installer Ronnie Norris Phone # 623-7716
- Installers Address 1004 SW Charles Ter Lake City FL 32024
- License Number ILH 10251451 Installation Decal # 37260

Mobile Home Permit Worksheet

Application Number: _____

Date: _____

Installer: Rennick License # I H10251451


Address of home being installed: _____

Manufacturer Desley Length x width 14 X 70


NOTE: if home is a single wide fill out one half of the blocking plan
if home is a triple or quad wide sketch in remainder of home
I understand Lateral Arm Systems cannot be used on any home (new or used)
where the sidewall ties exceed 5 ft 4 in.

Installer's initials _____

Typical pier spacing



Show locations of Longitudinal and Lateral Systems
(use dark lines to show these locations)



marriage wall piers within 2' of end of home per Rule 15C

New Home ☐ Used Home ☒
Home installed to the Manufacturer's Installation Manual
Home is installed in accordance with Rule 15-C

Single wide ☒ Wind Zone II ☒ Wind Zone III ☐

Double wide ☐ Installation Decal # 32260

Triple/Quad ☐ Serial # 06-143294

PIER SPACING TABLE FOR USED HOMES

Load bearing capacity	Footer size (sq in)	16" x 16" (256)	18 1/2" x 18 1/2" (342)	20" x 20" (400)	22" x 22" (484)*	24" x 24" (576)*	26" x 26" (676)
1000 psf	3'	3'	4'	5'	6'	7'	8'
1500 psf	4' 6"	4' 6"	6'	7'	8'	8'	8'
2000 psf	6'	6'	8'	8'	8'	8'	8'
2500 psf	7' 6"	7' 6"	8'	8'	8'	8'	8'
3000 psf	8'	8'	8'	8'	8'	8'	8'
3500 psf	8'	8'	8'	8'	8'	8'	8'

* interpolated from Rule 15C-1 pier spacing table

PIER PAD SIZES

I-beam pier pad size 12x25

Perimeter pier pad size NA

Other pier pad sizes (required by the mfg.) NA

Draw the approximate locations of marriage wall openings 4 foot or greater. Use this symbol to show the piers.



List all marriage wall openings greater than 4 foot and their pier pad sizes below.

Opening	Pier pad size
<u>5'6"</u>	<u>5'6"</u>
<u>5'6"</u>	<u>5'6"</u>
<u>5'6"</u>	<u>5'6"</u>

ANCHORS

4 ft 5 ft

FRAME TIES

within 2' of end of home spaced at 5' 4" oc

TIEDOWN COMPONENTS

Longitudinal Stabilizing Device (LSD)

Manufacturer _____

Longitudinal Stabilizing Device w/ Lateral Arms

Manufacturer _____

OTHER TIES

Sidewall _____

Longitudinal _____

Marriage wall _____

Shearwall _____

Number 2

2

2

2

Mobile Home Permit Worksheet

POCKET PENETROMETER TEST

The pocket penetrometer tests are rounded down to 150 psf or check here to declare 1000 lb. soil 150 without testing.

150 x 150 x 150

POCKET PENETROMETER TESTING METHOD

- Test the perimeter of the home at 6 locations
- Take the reading at the depth of the footer.
- Using 500 lb. increments, take the lowest reading and round down to that increment.

150 x 150 x 150

TORQUE PROBE TEST

The results of the torque probe test is 285 inch pounds or check here if you are declaring 5' anchors without testing. A test showing 275 inch pounds or less will require 5 foot anchors.

Note: A state approved lateral arm system is being used and 4 ft. anchors are allowed at the sidewall locations. I understand 5 ft anchors are required at all centerline tie points where the torque test reading is 275 or less and where the mobile home manufacturer may requires anchors with 4000 lb holding capacity.

Installer's initials

ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER

Installer Name

Date Tested

3-15-08

Electrical

Connect electrical conductors between multi-wide units, but not to the main power source. This includes the bonding wire between multi-wide units. Pg. _____

Plumbing

Connect all sewer drains to an existing sewer tap or septic tank. Pg. _____

Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg. _____

Application Number:

Date:

Site Preparation

Debris and organic material removed ✓
Water drainage: Natural ✓ Swale ✓ Pad ✓ Other ✓

Fastening multi wide units

Floor: Type Fastener: Se Length: Se Spacing: Se
Walls: Type Fastener: Se Length: Se Spacing: Se
Roof: Type Fastener: Se Length: Se Spacing: Se
For used homes a min. 30 gauge 8" wide, galvanized metal strip will be centered over the peak of the roof and fastened with galv. roofing nails at 2" on center on both sides of the centerline.

Gasket (weatherproofing requirement)

I understand a properly installed gasket is a requirement of all new and used homes and that condensation, mold, mildew and buckled marriage walls are a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket.

Installer's initials

Type gasket Pg. _____

Installed:

Between Floors Yes Se
Between Walls Yes Se
Bottom of ridgebeam Yes Se

Weatherproofing

The bottomboard will be repaired and/or taped. Yes Se Pg. _____
Siding on units is installed to manufacturer's specifications. Yes Se
Fireplace chimney installed so as not to allow intrusion of rain water. Yes Se

Miscellaneous

Skirting to be installed. Yes Se No Se
Dryer vent installed outside of skirting. Yes Se N/A Se
Range downflow vent installed outside of skirting. Yes Se N/A Se
Drain lines supported at 4 foot intervals. Yes Se
Electrical crossovers protected. Yes Se
Other Se

Installer verifies all information given with this permit worksheet is accurate and true based on the manufacturer's installation instructions and or Rule 15C-1 & 2

Installer Signature

Se

Date

3-15-08

Destiny Industries
P.O. Box 1766
Moultrie, Georgia 31776
(912) 985-6100

COMPLIANCE CERTIFICATE

Date of Manufacture 4/21/98	Plant Number II	HUD No. 1099580
---------------------------------------	---------------------------	---------------------------

Manufacturer's Serial Number and Model Unit Designation
04-13294 100 703-05

Design Approval by (D.A.P.I.A.)
N.T.A.

This mobile home is designed to comply with the federal mobile home construction and safety standards in force at time of manufacture.
(For additional information, consult owner's manual.)


The factory installed equipment includes:

	Manufacturer	Model Designation
Equipment For heating	<i>J-Therm</i>	<i>EX-0012H</i>
For air cooling		
For cooking	<i>BE</i>	<i>705ABV</i>
Refrigerator	<i>J-Therm</i>	<i>TA-115A</i>
Water Heater		<i>140 90 100549</i>
Washer		
Clothes Dryer		
Dishwasher		
Garbage Disposal		
Fireplace		
Grill		
Microwave		
Stereo		

HOME CONSTRUCTED FOR ☒ Zone I ☒ Zone II ☐ Zone III
This home has not been designed for the higher wind pressures and anchoring provisions required for ocean coastal areas and should not be located within 500' of the coastline in Wind Zones II and III, unless the home and its anchoring and foundation system have been designed for the increased requirements specified for exposure D in ANSI/ASCE 7-88.


This home has ☒ been equipped with storm shutters or other protective coverings for windows and exterior door openings. For homes designed to be located in Wind Zones II and III, which have not been provided with shutters or equivalent covering devices, it is strongly recommended that the home be made ready to be equipped with these devices in accordance with the method recommended in the manufacturer's printed instructions.

BASIC WIND ZONE MAP



DESIGN ROOF LOAD ZONE MAP

North 40 PSF ☒ South 20 PSF
Middle 30 PSF Other PSF



STRUCTURAL DESIGN BASIS CERTIFICATE

HEATING AND COOLANT DESIGN BASIS CERTIFICATE

COMFORT HEATING

This mobile home has been thermally insulated to conform with the requirements of the federal mobile home construction and safety standards for all locations within climatic zone **3**.

Heating equipment manufacturer and model (see list at left)

The above heating equipment has the capacity to maintain an average 70°F temperature in this home at outdoor temperatures of **10**°F.

To maximize furnace operating economy, and to conserve energy, it is recommended that this home be installed where the outdoor winter design temperature (37/122°F) is not higher than **5** degrees Fahrenheit.

The above information has been calculated assuming a maximum wind velocity of 15 mph at standard atmospheric pressure.

COMFORT COOLING

☐ Air conditioner provided at factory (Alternate I)

Air conditioner manufacturer and model (see list at left)

Certified capacity **10,000** B.T.U./hour in accordance with the appropriate air conditioning and refrigeration institute standards.

The central air conditioning system provided in this home has been sized assuming an orientation of the front (hitch end) of home facing **East**. On this basis the system is designed to maintain an indoor temperature of 78°F when outdoor temperatures are **95**°F dry bulb and **78**°F wet bulb.

The temperature to which this home can be cooled will change depending upon the amount of exposure of the windows of this home to the sun's radiant heat. Therefore, the home's heat gains will vary dependent upon its orientation to the sun and any permanent shading provided. Information concerning the calculation of cooling loads at various locations, window exposures and shadings are provided in Chapter 22 of the 1981 edition of the ASHRAE Handbook of fundamentals.

Information necessary to calculate cooling loads at various locations and orientations is provided in the special comfort cooling information provided with this mobile home.

☒ Air conditioner not provided at factory (Alternate II)

The air distribution system of this home is suitable for the installation of central air conditioning.

The supply air distribution system installed in this home is sized for mobile home central air conditioning system of up to **10,000** B.T.U./hour rated capacity which are certified in accordance with the appropriate air conditioning and refrigeration institute standards, when the air circulation of such air conditioners are rated at 0.3 inch water column static pressure or greater for the cooling air delivered to the mobile home supply air duct system.

Information necessary to calculate cooling loads at various locations and orientations is provided in the special comfort cooling information provided with this mobile home.

☐ Air conditioning not recommended (Alternate III)


The air distribution system of this home has not been designed in anticipation of its use with a central air conditioning system.

**INFORMATION PROVIDED BY THE MANUFACTURER
NECESSARY TO CALCULATE SENSIBLE HEAT GAIN**

Walls (without windows and doors)	100	sq. ft.
Ceilings and roofs of light color	100	sq. ft.
Ceilings and roofs of dark color	100	sq. ft.
Floors	100	sq. ft.
Air ducts in floor	100	sq. ft.
Air ducts in ceiling	100	sq. ft.
Air ducts installed outside the home	100	sq. ft.
The following are the duct areas in this home:		
Air ducts in floor	56	sq. ft.
Air ducts in ceiling	0	sq. ft.
Air ducts outside the home	0	sq. ft.

To determine the required capacity of equipment to cool a home efficiently and economically, a cooling load (heat gain) calculation is required. The cooling load is dependent on the orientation, location and the structure of the home. Central air conditioners operate most efficiently and provide the greatest comfort when their capacity closely approximates the calculated cooling load. Each home's air conditioner should be sized in accordance with Chapter 22 of the American Society of Heating, Refrigerating and Air Conditioning Engineers (ASHRAE) Handbook of Fundamentals, once the location and orientation are known.

U₀ Value Zone Map for Manufactured Housing




SITE PLAN CHECKLIST

- ___ 1) Property Dimensions
- ___ 2) Footprint of proposed and existing structures (including decks), label these with existing addresses
- ___ 3) Distance from structures to all property lines
- ___ 4) Location and size of easements
- ___ 5) Driveway path and distance at the entrance to the nearest property line
- ___ 6) Location and distance from any waters; sink holes; wetlands; and etc.
- ___ 7) Show slopes and or drainage paths
- ___ 8) Arrow showing North direction

SITE PLAN EXAMPLE


Revised 7/1/15



NOTE:

This site plan can be copied and used with the 911 Addressing Dept. application forms.

SW Futch PL



00488-047

325 SW
WALNUT PI

22

21

00488-046

1.01 Ac

1.01 Ac

265 SW
WALNUT PI
00488-045

20

1.01 Ac

00488-043

2.02 Ac

19

18

00488-042

17

215 SW
WALNUT PI

359 SW
WALNUT PI

23

00488-032

1.01 Ac

SW WALNUT PI

00488-007

7

1.01 Ac

00488-008

8

1.01 Ac

00488-009

264 SW WALNUT PI

1.01 Ac

9

A

244 SW
WALNUT PI

00488-010

10

2.03 Ac

214 SW
WALNUT PI

00488-012

12

192 SW
WALNUT PI

11

00488-006

6

1.01 Ac

315 SW
FUTCH PI

00488-021

22

1.01 Ac

307 SW
FUTCH PI

21

20

257 SW
FUTCH PI

00488-019

19

255 SW
FUTCH PI

2.02 Ac

181 SW
FUTCH PI

18

2.02 Ac

17

1.01 Ac

23

00488-023

00488-017

SW FUTCH PI

00495-003

00491-004



COLUMBIA COUNTY
911 ADDRESSING / GIS DEPARTMENT
263 NW Lake City Ave., Lake City, FL 32055

Telephone (386) 758-1125 x 1 * Fax (386) 758-1365 * Email gis@columbiacountyfla.com



Address Assignment and Maintenance Document

To maintain the county wide Addressing Policy you must make application for a 9-1-1 Address at the time you apply for a building permit. The established standards for addressing and posting numbers to all principal buildings, dwellings, businesses and industries are contained in Columbia County Ordinance 2001-9. The addressing system is to enable Emergency Services Agencies to locate you in an emergency, and to assist the United States Postal Service and the public in the timely and efficient provision of services to residents and businesses of Columbia County

Date/Time Issued: **3/10/2017 2:56:07 PM**
Address: **257 SW FUTCH PI**
City: **FORT WHITE**
State: **FL**
Zip Code **32038**

Parcel ID **00488-019**

REMARKS: Reissue of existing address for new structure on parcel.

Address Issued By: **Signed:/ Ronal N. Croft**

Columbia County GIS/911 Addressing Department

NOTICE: THIS ADDRESS WAS ISSUED BASED ON LOCATION AND ACCESS INFORMATION RECEIVED FROM THE REQUESTER. SHOULD, AT A LATER DATE, THE LOCATION AND/OR ACCESS INFORMATION BE FOUND TO BE IN ERROR OR CHANGED, THIS ADDRESS IS SUBJECT TO CHANGE.

MOBILE HOME INSTALLATION SUBCONTRACTOR VERIFICATION FORM

APPLICATION NUMBER _____ CONTRACTOR _____ PHONE _____

THIS FORM MUST BE SUBMITTED PRIOR TO THE ISSUANCE OF A PERMIT

In Columbia County one permit will cover all trades doing work at the permitted site. It is REQUIRED that we have records of the subcontractors who actually did the trade specific work under the permit. Per Florida Statute 440 and Ordinance 89-6, a contractor shall require all subcontractors to provide evidence of workers' compensation or exemption, general liability insurance and a valid Certificate of Competency license in Columbia County.

Any changes, the permitted contractor is responsible for the corrected form being submitted to this office prior to the start of that subcontractor beginning any work. Violations will result in stop work orders and/or fines.

ELECTRICAL	Print Name <u>Ronnie Norris</u> Signature <u>[Signature]</u> License #: <u>owner</u> Phone #: <u>623 7716</u> Qualifier Form Attached ☐
MECHANICAL/ A/C _____	Print Name <u>Ronnie Norris</u> Signature <u>[Signature]</u> License #: <u>owner</u> Phone #: <u>623 7716</u> Qualifier Form Attached ☐

F. S. 440.103 Building permits; identification of minimum premium policy.--Every employer shall, as a condition to applying for and receiving a building permit, show proof and certify to the permit issuer that it has secured compensation for its employees under this chapter as provided in ss. 440.10 and 440.38, and shall be presented each time the employer applies for a building permit.

TAX DEED

State of Florida
Cert. No. 99 of 2005
Parcel No. 00488-019


County of Columbia

The following Tax Certificate numbered 99 issued on May 25, 2005 was filed in the office of the Tax Collector of this County and application made for the issuance of a Tax Deed, the applicant having paid or redeemed all other taxes or tax certificates on the land described as required by law to be paid or redeemed, and the costs and expenses of this sale, and due notice of sale having been published as required by law, and no person entitled to do so having appeared to redeem said land; such land was on the 21st day of March, 2011, offered for sale as required by law for cash to the highest bidder and was sold to Ronald D. Norris, whose mailing address is, 104 SW Charles Terr., Lake City, FL, 32055, being the highest bidder and having paid the sum of his bid as required by the Laws of Florida.

NOW, on this 22nd day of March, 2011, in the County of Columbia, State of Florida, in consideration of the sum of (\$10,400.00) *ten thousand four hundred dollars and zero cents*, being the amount paid pursuant to the Laws of Florida, does hereby sell the following lands situated in the County and State aforesaid and described as follows:

SEC 36 TWN 5S RNG 15 PARCEL NUMBER: 00488-019

LOTS 19 & 20 BLOCK A SPRING HILLS S/D. ORB 537-516, 672-372, 825-292, 825-1610


Clerk of the Circuit Court
Columbia County, Florida


Witness:


Kathryn A. Fendley

Inst: 201112004276 Date: 3/22/2011 Time: 4:07 PM
Stamp: 00488-019
DC: P. DeWitt Cason, Columbia County Page 1 of 3 B.1211 P. 1948

State of Florida
County of Columbia

On this 22nd day of March, 2011, before me personally appeared P. DeWitt Cason, Clerk of Circuit Court in and for Columbia County Florida, known to me to be the person described in, and who executed the foregoing instrument, and acknowledged the execution of this instrument to be his own free act and deed for the use and purposes therein mentioned. Witness my hand and official seal date aforesaid.




NOTARY PUBLIC

THE LAKE CITY REPORTER

Lake City, Columbia County, Florida

STATE OF FLORIDA,
COUNTY OF COLUMBIA,

Before the undersigned authority personally appeared Todd Wilson who on oath says that he is Publisher of the Lake City Reporter, a newspaper published at Lake City, Columbia County, Florida; that the attached copy of advertisement, being a

in the matter of

in the

in said newspaper in the issue of

Court, was published

RECEIVED
MAR 22 2011
P. DEWITT CASON
CLERK OF COURTS

Legal Notice of application for Tax Deed

February 23, 2011
March 22, 9, 16, 2011

Affiant further says that The Lake City Reporter is a newspaper published at Lake City in said Columbia County, Florida, and that the said newspaper has heretofore been continuously published in said Columbia County, Florida, and has been entered as second class mail matter at the post office in Lake City, in said Columbia County, Florida, for a period of one year next preceding the first publication of the attached copy of advertisement; and affiant further says that he has neither paid nor promised any person, firm or corporation any discount, rebate, commission or refund for the purpose of securing this advertisement for publication in the said newspaper.

Sworn to and subscribed before me this 16 day of March, A.D., 2011



MY COMMISSION # EE 00820
EXPIRES: August 20, 2014
Qualified Third Degree Notary Public

[Signature]
Notary Public

Legal Copy
As Published

Mark or stamp of authority of the following certificate has been used as evidence for a Tax Deed to be issued hereon. The certificate number and year of issuance, the description of the property and name in which it was acquired is as follows:

Certificate Number: 99
Year of Issuance: 2005
Description of Property: SEC 36 TOWN 33 RING 15 PARCEL NUMBER 05485-019 LOTS 19 & 20 BLOCK: A SPRING HILLS 340 ORB 337-316, 672-372, 823-292, 823-1610

Name in which acquired: DEANNA TOMLINSON

All of said property being in the County of Columbia, State of Florida. Unless said certificate shall be redeemed according to law, the property described in such certificate will be sold to the highest bidder at the Courthouse on Monday the 21st day of March, 2011, at 11:00 A.M.

P. DEWITT CASON
CLERK OF COURTS

AMERICANS WITH DISABILITIES ACT: If you are a person with a disability and need any accommodations in order to participate in this proceeding, you are entitled to the provision of certain assistance. Persons with a disability who need any accommodation to participate should contact the ADA Coordinator, EQ, Box 1500, Lake City, FL 32956-3500 719-7426, within two (2) working days of your receipt of this notice. If you are hearing impaired call (800) 933-5771; if you are visually impaired call (800) 933-5770.

04543578
February 23, 2011
March 22, 9, 16, 2011

11-05 TD

CERTIFICATE OF CLERK

I HEREBY CERTIFY that copies of the Notice of Application for Tax Deed filed by Mark or Margaret Sullivan, regarding Tax Certificate number 99 issued May 25, 2005, to the following persons:

Mark or Margaret Sullivan
20638 NW 78th Ave
Alachua, FL 32615

Carri Lockamy
PO Box 1784
Lake City, FL 32056

Deanna Tomlinson
4118 288th St
Branford, FL 32008

American General Home Equity
2750 S First St
Lake City, FL 32055

Terry Kravec
26 N Walden Street
Lake City, FL 32055


Emily Kilpatrick & Harold Frederick
1035 SW Godbold Ave
Lake City, FL 32024

Claudia & Breneus Desir
13735 NW Fourth Crt
Miami, FL 33168

Ronnie Norris
1004 SW Charles Terr
Lake City, FL 32024

Dated this 25th day of February, 2011, at Columbia County, Florida.

(Seal)



P. DEWITT CASON
CLERK OF COURT

STATE OF FLORIDA
DEPARTMENT OF HEALTH
APPLICATION FOR CONSTRUCTION PERMIT

Permit Application Number 18-0228

----- PART II - SITEPLAN -----

Scale: Each block represents 10 feet and 1 inch = 40 feet.



Notes: _____

Site Plan submitted by: [Signature]

Plan Approved X

Not Approved _____

Date 3/15/18

By [Signature]

C. L. L. L.

County Health Department

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT



STATE OF FLORIDA
DEPARTMENT OF HEALTH
ONSITE SEWAGE TREATMENT AND DISPOSAL
SYSTEM
APPLICATION FOR CONSTRUCTION PERMIT

PERMIT NO. 18-0228EDATE PAID: 3/15/18FEE PAID: 60.00

RECEIPT #: _____

APPLICATION FOR:

☐ New System ☒ Existing System ☐ Holding Tank ☐ Innovative
☐ Repair ☐ Abandonment ☐ Temporary ☐ _____

APPLICANT: Ronald Morris

AGENT: _____

TELEPHONE: 863-5175300MAILING ADDRESS: 1004 SW Charles DrLC 32024

TO BE COMPLETED BY APPLICANT OR APPLICANT'S AUTHORIZED AGENT. SYSTEMS MUST BE CONSTRUCTED BY A PERSON LICENSED PURSUANT TO 489.105(3) (m) OR 489.552, FLORIDA STATUTES. IT IS THE APPLICANT'S RESPONSIBILITY TO PROVIDE DOCUMENTATION OF THE DATE THE LOT WAS CREATED OR PLATTED (MM/DD/YY) IF REQUESTING CONSIDERATION OF STATUTORY GRANDFATHER PROVISIONS.

PROPERTY INFORMATION

LOT: 20 BLOCK: 4 SUBDIVISION: Spring Hills PLATTED: _____PROPERTY ID #: 36-55-15-0488-019 ZONING: _____ I/M OR EQUIVALENT: ☒ Y ☐ NPROPERTY SIZE: 1.01 ACRES WATER SUPPLY: ☒ PRIVATE PUBLIC ☐ ≤ 2000 GPD ☐ > 2000 GPDIS SEWER AVAILABLE AS PER 381.0065, FS? ☐ Y ☐ N

DISTANCE TO SEWER: _____ FT

PROPERTY ADDRESS: 257 SW Futch Pl FW 32038

DIRECTIONS TO PROPERTY: _____

BUILDING INFORMATION

☒ RESIDENTIAL☐ COMMERCIAL

Unit No	Type of Establishment	No. of Bedrooms	Building Area Sqft	Commercial/Institutional System Design Table 1, Chapter 64E-6, FAC
1	<u>MH</u>	<u>2</u>	<u>14x70</u>	
2				
3				
4				

☐ Floor/Equipment Drains ☐ Other (Specify) _____SIGNATURE: [Signature]DATE: 3/15/18

