

ELITE S T R U C T U R E S A DIVISION OF ELITE CONTRACTING, INC. 303 OLD QUITMAN HWY P.O. BOX 207 ADEL, GA. 31620	SOLD TO: DIXIE RENTALS C Add1 C Add2
MATERIAL / SHIPPING JOB NUMBER: 11438	SHIP TO:

LABEL	QUANTITY	DESCRIPTION	PUNCH	MATERIAL	FAB LENGTH	CUT LENGTH
RF1-2	2	MAIN FRAME BEAM		W10X12	13'-5 13/16"	13'-6 7/16"
RF1-1	2	MAIN FRAME COLUMN		W12X14	15'-5 1/4"	15'-6 7/16"
EC-1	1	ENDWALL COLUMN	RO	8X35C14	15'-5 1/2"	15'-5 1/4"
EC-2	2	ENDWALL COLUMN	RO	8X35C12	17'-9 5/8"	17'-9 3/8"
EC-3	1	ENDWALL COLUMN	RO	8X35C14	15'-5 1/2"	15'-5 1/4"
EC-4	2	ENDWALL COLUMN	RO	8X35C14	15'-5 1/2"	15'-5 1/4"
ER-1	1	ENDWALL RAFTER	RO	8X35C12	14'-7 7/16"	14'-6 15/16"
ER-2	1	ENDWALL RAFTER	RO	8X35C12	14'-7 7/16"	14'-6 15/16"
ER-3	1	ENDWALL RAFTER	RO	8X35C12	14'-7 7/16"	14'-6 15/16"
ER-4	1	ENDWALL RAFTER	RO	8X35C12	14'-7 7/16"	14'-6 15/16"

LABEL	QUANTITY	DESCRIPTION	PUNCH	MATERIAL	FAB LENGTH	CUT LENGTH
DJ-1	2	DOOR JAMB	RO	8X35C14	15'-5 1/4"	15'-3 5/8"
DH-1	1	DOOR HEADERS	RO	8X35C14	9'-11 1/2"	9'-11 1/2"
E-1	3	8 1/8"x2 ES DSL 2:12	RO	8E214L2	24'-11 1/2"	24'-11 1/2"
E-2	1	8 1/8"x2 ES DSL 2:12	RO	8E214L2	24'-11 1/2"	24'-11 1/2"
P-1	12	ROOF PURLINS	RO	8X35Z14	28'-1 1/2"	28'-1 1/2"
G-1	4	ENDWALL GIRT	RO	8X25Z16	13'-8 1/2"	13'-8 1/2"
G-2	4	ENDWALL GIRT	RO	8X25Z16	14'-0"	14'-0"
G-3	2	SIDEWALL GIRT	RO	8X25Z16	28'-1 1/2"	28'-1 1/2"
G-4	2	SIDEWALL GIRT	RO	8X25Z16	28'-1 1/2"	28'-1 1/2"
G-5	2	SIDEWALL GIRT	RO	8X25Z16	7'-2"	7'-2"
G-6	2	SIDEWALL GIRT	RO	8X25Z16	10'-4"	10'-4"
G-7	2	SIDEWALL GIRT	RO	8X25Z14	28'-1 1/2"	28'-1 1/2"
L2x4	13	RAKE ANGLE	RO	L2X4X14G	20'-0"	

LABEL	QUANTITY	DESCRIPTION	PUNCH	MATERIAL	FAB LENGTH	CUT LENGTH
RS-1	34	ROOF PANEL	GV	PBR26	15'-0"	
FL-51	17	RIDGECAP D/F 2/12p	GV	FL-51	3'-0"	
SS-1	31	SIDEWALL PANEL	LS	PBR26	16'-0"	
SS-2	3	SIDEWALL PANEL	LS	PBR26	3'-11"	
ES-1	4	ENDWALL PANEL	LS	PBR26	16'-6"	
ES-2	4	ENDWALL PANEL	LS	PBR26	17'-0"	
ES-3	4	ENDWALL PANEL	LS	PBR26	17'-0"	
ES-4	4	ENDWALL PANEL	LS	PBR26	18'-0"	
ES-5	4	ENDWALL PANEL	LS	PBR26	18'-6"	

Colors: LS - LIGHT STONE
GV - Galvalume

LABEL	QUANTITY	DESCRIPTION	PUNCH	MATERIAL	FAB LENGTH	CUT LENGTH
FL-19	6	EAVE TRIM	LS	FL-19	18' - 0"	
E-101	4	RAKE TRIM 4"	LS	E-101	18' - 0"	
E-145	2	RAKE END 4" LEFT	LS	E-145	2"	
E-105	2	RAKE END 4" RIGHT	LS	E-105	2"	
E-146	2	PEAK BOX 4" 2/12"P	LS	E-146	1' - 4"	
E-108	10	BASE TRIM	LS	E-108	18' - 0"	
FL-26	5	HEAD TRIM	LS	FL-26	12' - 3"	
FL-830	4	O/S CORNER TRIM	LS	FL-830	18' - 0"	

LABEL	QUANTITY	DESCRIPTION	PUNCH	MATERIAL	FAB LENGTH	CUT LENGTH
HW-507	15	1/2" Tape Sealer		HW-507	50' - 0"	
PANEL	750	SD 1 1/4" SCREW ROOF	GV	12x1.25	1 1/4"	1 1/4"
PANEL	750	SD 1 1/4" SCREW WALL	LS	12x1.25	1 1/4"	1 1/4"
TRIM	250	SD 7/8" SCREW TRIM	LS	14x0.88	7/8"	7/8"
PANEL	750	SD 7/8" SCREW WALL	LS	14x0.88	7/8"	7/8"
PANEL	500	SD 7/8" SCREW ROOF	GV	14x0.88	7/8"	7/8"
HW-964	1	STD LVRLOCK 3070		HW-964		
HW-983	1	3070 WIND LOADED		HW-983		
HW-983	1	10'X12' O.H.D WIND LOADED W/ HARDWARE		HW-983	7' - 0"	

Colors: LS - LIGHT STONE
GV - Galvalume
WH - White

LABEL	QUANTITY	DESCRIPTION	PUNCH	MATERIAL	FAB LENGTH	CUT LENGTH
	30	1/2"x1.75" BOLT/NUIT		HW3516		1 3/4"
	24	3/4"x3.00" BOLT/NUIT		HW3538		3"
	200	1/2"x1.25" BOLT/NUIT		HW356		1 1/4"
NAILIN	70	.25"x1.25" NAIL ANC	GV	NAIL ANC		1"
CB-1	4	1/4" Cable		1/4 CBL	29' - 1"	26' - 9"
CB-2	2	1/4" Cable		1/4 CBL	28' - 8"	26' - 4"
CB-3	2	1/4" Cable		1/4 CBL	28' - 6"	26' - 2"
FB30A	4	RF FLG BRC		L2X2X14G	2"	2' - 6"
FB31A	2	RF FLG BRC		L2X2X14G	2"	2' - 7"
GSBE-16	16	1/4 BRACING ENDS		GSBE-16		1/4"
HSW-32	16	1/2 HILLSIDE WASHER		HSW-32		1/2"
MBEB-32	16	1/2 WELDED EYEBOLT		MBEB-32		1/2"
FLAT-32	16	1/2 FLAT WASHER/NUIT		FLAT-32		1/2"

Colors: GV - Galvalume

BUILDING WEIGHT

=====

Description	Total Wt
RIGID & ENDWALL FRAME MEMBERS	1845.4
EAVE STRUT, JAMB, HEADER, PURL	3160.3
SHEETTING & RIDGE CAP	3984.6
TRIM	452.6
INSULATION, SEALANT, SCREW, AC	255.3
CABLE, BOLT, CLIP	171.3
Total:	9869.4

Sub-Total Weight

STRUCTURE :

RIGID & ENDWALL FRAME MEMBERS
EAVE STRUT, JAMB, HEADER, PURL
SHEETTING & RIDGE CAP
TRIM
INSULATION, SEALANT, SCREW, AC

1845.4
3160.3
3984.6
452.6
255.3

9698.1

LIGHT GAGE :

CABLE, BOLT, CLIP

171.3

171.3

COVER :

0.00

Total

9869.4