





## NOTES:

- 1.) Bearings based on Reserve at Jewel Lake Phase 2 subdivision plat.
- 2.) Examination of the Flood Insurance Rate Maps (FIRM) for Columbia County shows that, per said maps, the described lies partly within Flood Zone "X", which according to said maps is outside of the 0.2% chance floodplain (ref: Map No. 12023C0290D).
- 3.) A boundary survey has not been performed.
- 4.) Building Setbacks: Front = 25', Rear = 15', Sides = 10'

## LEGEND

R/W=RIGHT-OF-WAY

© =CENTER LINE

BOC=BACK OF CURB

PROP.=PROPOSED

P=PORCH

CP=COVERED PATIO

P=PROPERTY LINE

EOP=EDGE OF PAVEMENT

M.F.E.=MINIMUM FLOOR ELEVATION

NOT VALID WITHOUT THE SIGNATURE AND ORIGINAL RAISED SEAL OF A FLORIDA REGISTERED PROFESSIONAL SURVEYOR AND MAPPER

James B. Smith, P.S.M. Florida Reg. No. 7355

*NOT A SURVEY* 

DATE: \_\_\_/2022

DATE DESCRIPTION DATE DESCRIPTION

NORTH FLORIDA P.O. BOX 3823 LAKE CITY, FL 320 PH. 386-752-4675 LIC NO. LB8356

NORTH FLORIDA PROFESSIONAL SERVICES, INC. P.O. BOX 3823 2551 BLAIRSTONE PINES DR. LAKE CITY, FL 32056 TALLAHASSEE, FL 32301

JOB NO. L220112CEN CA# 29011

CENTURY COMPLETE

SHEET NO.

Alice Geiger

WWW.NFPS.NET

1/27/2022 1:21:36 PM