
SIGN LOCATION - 01



Existing Condition - Side A





Notes

Existing Sign

Quantity: 1 Illumination: Internal Mounting: Ground-mounted Height: 9'-6" (overall) Width: 7'-8" (overall) Depth: 2'-2"

Recommended Action

1. Remove existing signage.

2. Install new pylon as illustrated. 3. Follow HCA sign guide standards

for details. 4. Fabricator to field verify location

prior to fabrication.

Recommended Sign

Quantity: 1 Illumination: Internal

Mounting: Ground-mounted

Height: 9'-0" Width: 5'-10" Depth: 1'-4"



SIGN & AWNING CO INC

4590 118TH Avenue North Clearwater, Florida 33762

800-526-3325

www.thomassign.com

HCA Florida

Lake City Hospital

Design Number: 97209

Installation Address:

3239 NW York DR Lake City, FL

32055

Project Identity Number:

96070

Sign Face SqFt: 45.37 ⊄ SCALE: 3/8" = 1'-0"

Sales Associate: Project Team:

Date: LCM

Project Updates: 06.20.22 JB - Updated Address

06.20.22 JB - Updated Address 09.02.22 JB - Rebrand 09.07.22 JB - Revisions 09.09.22 JB - Revisions, add Site Map 10.05.22 JB - Revisions, Added Sign 09 12.06.22 JB - Add Scale to Site Maps 12.20.22 JB - New Site Map Photos 01.09.23 JB - Add SqFt.

Underwriters Laboratories, Inc. LISTING E89514 ELECTRIC SIGN

COMPLIES TO UL 48 IHIS ARTICLE IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES



3M™ MCS™ Warranty

Approval:

☐ Approved DATE:

☐ Approved as noted DATE:

☐ Revise & Re-Submit DATE:

The designs, concepts, drawings and specifications provided are the exclusive property of Thomas Sign & Awning Company and may not be reproduced in any way, shape

4 of 38


Existing Condition - Side B

SIGN LOCATION - 02



Existing Condition - Side A





Notes

Existing Sign

Quantity: 1 Illumination: Internal Mounting: Ground-mounted Height: 9'-6" (overall) Width: 7'-8" (overall) Depth: 2'-2"

Recommended Action

- 1. Remove existing signage.
- 2. Install new pylon as illustrated.
- 3. Follow HCA sign guide standards for details.
- 4. Fabricator to field verify location prior to fabrication.

Recommended Sign

Quantity: 1 Illumination: Internal

Mounting: Ground-mounted Height: 9'-0"

Width: 5'-10" Depth: 1'-4"



SIGN & AWNING CO INC

4590 118TH Avenue North Clearwater, Florida 33762

800-526-3325

www.thomassign.com CLIENT

HCA Florida Lake City Hospital

Design Number: 97209

Installation Address:

3239 NW York DR Lake City, FL

32055

Project Identity Number:

96070

SCALE: 3/8" = 1'-0"

Sales Associate: Project Team:

Date:

Project Updates: 06.20.22 JB - Updated Address

06.20.22 JB - Updated Address 09.02.22 JB - Rebrand 09.07.22 JB - Revisions 09.09.22 JB - Revisions, add Site Map 10.05.22 JB - Revisions, Added Sign 09 12.06.22 JB - Add Scale to Site Maps 12.20.22 JB - New Site Map Photos 01.09.23 JB - Add SqFt.

Underwriters Laboratories, Inc. LISTING E89514 ELECTRIC SIGN COMPLIES TO UL 48



3M™ MCS™ Warranty

Approval:

☐ Approved DATE:

☐ Approved as noted DATE:

☐ Revise & Re-Submit DATE:

The designs, concepts, drawings and specifications provided are the exclusive property of Thomas Sign & Awning Company and may not be reproduced in any way, shape

Page

5 of 38

Sheet

HCA Florida Lake City Hospital

Lake City, FL

SIGN LOCATION - 03


Respiratory Issues

Flu-Like Symptoms

USE ER ENTRANCE







Copy SqFt: 5.17 Ø Sign Face SqFt:10.40 Ø

Existing Condition - Side A



Outpatient Testing

Elective Procedures

Visitors

Existing Sign

New Directionals

Illumination: Internal Height: 1'-11" (overall) Width: 3'-3" (overall) Depth: 6"

Recommended Action

1. Remove existing sign and install new post and panel sign in the same location.

2. Refer to HCA Sign guide standards for details.

3. Fabricator to field verify location and dimensions prior to installation. **Recommended Sign**

Quantity: 1 Illumination: Internal Mounting: Ground-mounted Height: 6'-0" Width: 4'-0" Depth: 0'-3"



3M™ MCS™ Warranty

SIGN & AWNING CO INC

4590 118TH Avenue North Clearwater, Florida 33762

800-526-3325

www.thomassign.com

CLIENT

96070

LCM

SCALE: 1/2" = 1'-0"

HCA Florida Lake City Hospital

Installation Address: 3239 NW York DR Lake City, FL 32055

Project Identity Number:

Sales Associate: Project Team:

Project Updates:
06.20.22 JB - Updated Address
09.02.22 JB - Rebrand
09.07.22 JB - Revisions
09.09.22 JB - Revisions, add Site Map
10.05.22 JB - Revisions, Added Sign 09
12.06.22 JB - Add Scale to Site Maps
12.20.22 JB - New Site Map Photos
01.09.23 JB - Add SqFt.

Date:

Design Number: 97209

Approval: ☐ Approved DATE:

☐ Approved as noted DATE:

☐ Revise & Re-Submit DATE:

The designs, concepts, drawings and specifications provided are the exclusive property of Thomas Sign & Awning Company and may not be reproduced in any way, shape

Page

6 of 38

Fax: 727-573-0328

Sheet

Notes


Quantity: 1 Mounting: Ground-mounted

Existing Condition - Side B

Copy SqFt: 4.66 Ø

SIGN LOCATION - 18





New Directionals SCALE: 1/2" = 1'-0"

FLAKE CITY MEDICAL CENTER **个EMERGENCY Main Entrance** Heart Center Shipping and Receiving

Notes

Existing Sign

Quantity: 1 Illumination: Internal Mounting: Ground-mounted Height: 4'-0" Width: 3'-6" Depth: 6"

Recommended Action

- 1. Remove existing sign and install new post and panel sign in the same location. 2. Refer to HCA Sign guide standards
- for details.
- 3. Fabricator to field verify location and dimensions prior to installation.

Recommended Sign

Quantity: 1 Illumination: Internal Mounting: Ground-mounted Height: 6'-0" Width: 4'-0" Depth: 0'-3"



SIGN & AWNING CO INC

4590 118TH Avenue North Clearwater, Florida 33762

800-526-3325

www.thomassign.com

HCA Florida Lake City Hospital

Design Number: 97209

Installation Address: 3239 NW York DR

Lake City, FL 32055

Project Identity Number:

96070

Sales Associate:	Project Team:
MT	BM
Designer:	Date:

LCM 03.25.22

Project Updates:
06.20.22 JB - Updated Address
09.02.22 JB - Rebrand
09.07.22 JB - Revisions
09.09.22 JB - Revisions, add Site Map
10.05.22 JB - Revisions, Added Sign 09
12.06.22 JB - Add Scale to Site Maps
12.20.22 JB - New Site Map Photos
01.09.23 JB - Add SqFt.

3M™ MCS™ Warranty

Approval:

☐ Approved DATE:

☐ Approved as noted DATE:

☐ Revise & Re-Submit DATE:

The designs, concepts, drawings and specifications provided are the exclusive property of Thomas Sign & Awning Company and may not be reproduced in any way, shape


Sheet

20 of 38

Fax: 727-573-0328

SIGN LOCATION - 23





→ EMERGENCY **Medical Office** Plaza Heart Center **Visitor Parking**

Notes

New Directionals

Existing Sign

Quantity: 1 Illumination: Internal Mounting: Ground-mounted Height: 4'-0" Width: 3'-6" Depth: 6"

1. Remove existing sign and install location.

and dimensions prior to installation.

Recommended Sign

Quantity: 1 Illumination: Internal Mounting: Ground-mounted Height: 6'-0" Width: 4'-0" Depth: 0'-3"



4590 118TH Avenue North Clearwater, Florida 33762

800-526-3325

www.thomassign.com CLIENT

HCA Florida Lake City Hospital Design Number:

97209

Installation Address: 3239 NW York DR

Lake City, FL 32055

Project Identity Number:

96070

SCALE: 1/2" = 1'-0"

iles Associate:	Project Team:
IT	BM
ocianor	Dates

LCM 03.25.22

Project Updates:
06.20.22 JB - Updated Address
09.02.22 JB - Rebrand
09.07.22 JB - Revisions
09.09.22 JB - Revisions, add Site Map
10.05.22 JB - Revisions, Added Sign 09
12.06.22 JB - Add Scale to Site Maps
12.06.22 JB - New Site Map Photos
01.09.23 JB - Add SqFt.

3M™ MCS™ Warranty

Approval:

☐ Approved DATE:

☐ Approved as noted DATE:

☐ Revise & Re-Submit DATE:

The designs, concepts, drawings and specifications provided are the exclusive property of Thomas Sign & Awning Company and may not be reproduced in any way, shape

24 of 38

Fax: 727-573-0328

new post and panel sign in the same


2. Refer to HCA Sign guide standards for details.

3. Fabricator to field verify location



SIGN LOCATION - 08





Copy SqFt: 0.76 ♯ Sign Face SqFt: 5.50 ♯ **New Directionals**

Existing Condition

Notes

Existing Sign

Quantity: 1 Illumination: N/A Mounting: Ground-mounted Height: 6'-0" Width: 2'-0" Depth: 1/4"

Recommended Action

- 1. Remove existing sign and install new post and panel sign in the same location.
- 2. Refer to HCA Sign guide standards for details.
- 3. Fabricator to field verify location and dimensions prior to installation.

Recommended Sign

Quantity: 1 Illumination: N/A Mounting: Ground-mounted Height: 6'-0" Width: 4'-0" Depth: 3"



SIGN & AWNING CO INC

4590 118TH Avenue North Clearwater, Florida 33762

800-526-3325

www.thomassign.com

CLIENT

HCA Florida Lake City Hospital

Design Number: 97209

Installation Address:

3239 NW York DR

Lake City, FL 32055

Project Identity Number:

96070

Jaies Associate.	Project realis.
MT	BM
Designer:	Date:
LCM	03.25.22

Project Updates:
06.20.22 JB - Updated Address
09.02.22 JB - Rebrand
09.07.22 JB - Revisions
09.09.22 JB - Revisions, add Site Map
10.05.22 JB - Revisions, Added Sign 09
12.06.22 JB - Add Scale to Site Maps
12.20.22 JB - New Site Map Photos
01.09.23 JB - Add SqFt.

SCALE: 1/2" = 1'-0"

3M™ MCS™ Warranty Approval:

☐ Approved DATE:

☐ Approved as noted DATE:

☐ Revise & Re-Submit DATE:

The designs, concepts, drawings and specifications provided are the exclusive property of Thomas Sign & Awning Company and may not be reproduced in any way, shape

Sheet Page 11 of 38

Fax: 727-573-0328

SIGN LOCATION - 17





SCALE: 1/2" = 1'-0"



SIGN & AWNING CO INC

4590 118TH Avenue North Clearwater, Florida 33762

800-526-3325

www.thomassign.com

CLIENT

HCA Florida Lake City Hospital

Design Number:

97209 Installation Address:

3239 NW York DR

Lake City, FL 32055

Project Identity Number:

96070

Jaies Associate.	Froject lean
MT	BM
Docignore	Date

LCM 03.25.22

Project Updates:
06.20.22 JB - Updated Address
09.02.22 JB - Rebrand
09.07.22 JB - Revisions
09.09.22 JB - Revisions, add Site Map
10.05.22 JB - Revisions, Added Sign 09
12.06.22 JB - Add Scale to Site Maps
12.06.22 JB - New Site Map Photos
01.09.23 JB - Add SqFt.



Notes

Depth: 6"

New Directionals

Existing Sign

Quantity: 1 Illumination: Internal Mounting: Ground-mounted Height: 2'-7" Width: 3'-6"

Recommended Action

- 1. Remove existing sign and install new post and panel sign in the same location.
- 2. Refer to HCA Sign guide standards for details.
- 3. Fabricator to field verify location and dimensions prior to installation.

Recommended Sign

Quantity: 1 Illumination: Internal Mounting: Ground-mounted Height: 6'-0" Width: 4'-0" Depth: 0'-3"



3M™ MCS™ Warranty

Approval:

☐ Approved DATE:

☐ Approved as noted DATE:

☐ Revise & Re-Submit DATE:

The designs, concepts, drawings and specifications provided are the exclusive property of Thomas Sign & Awning Company and may not be reproduced in any way, shape

Page

19 of 38

Fax: 727-573-0328



SIGN & AWNING CO INC

4590 118TH Avenue North Clearwater, Florida 33762

800-526-3325

www.thomassign.com

CLIENT

HCA Florida Lake City Hospital

Design Number: 97209

Installation Address:

3239 NW York DR

Lake City, FL 32055

Project Identity Number:

96070

Sales Associate: Project Team:

Date:

Project Updates:
06.20.22 JB - Updated Address
09.02.22 JB - Rebrand
09.07.22 JB - Revisions
09.09.22 JB - Revisions, add Site Map
10.05.22 JB - Revisions, Added Sign 09
12.06.22 JB - Add Scale to Site Maps
12.20.22 JB - New Site Map Photos
01.09.23 JB - Add SqFt.

SCALE: 3/8" = 1'-0"



THIS ARTICLE IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES



3M™ MCS™ Warranty Approval:

☐ Approved DATE:

☐ Approved as noted DATE:

☐ Revise & Re-Submit DATE:

The designs, concepts, drawings and specifications provided are the exclusive property of Thomas Sign & Awning Company and may not be reproduced in any way, shape


Sheet 33 of 38

Fax: 727-573-0328

SIGN LOCATION - 32



sical Office



SIDE A

New Illuminated Directionals

Notes

Existing Sign Quantity: 1

Illumination: N/A Mounting: N/A Height: N/A Width: N/A Depth: N/A

Recommended Action

- 2. Refer to HCA Sign guide standards
- 3. Fabricator to field verify location and dimensions prior to installation.

Future copy/layout to be determined at a later date. \dots

1. Remove existing sign and install new post and panel sign in the same location.

SIDE VIEW

SIDE B

Recommended Sign

Illumination: Internal

Mounting: Ground mounted

Quantity: 1

Height: 5'-0"

Width: 8'-0"

Depth: 1'-4"

- for details.



Existing Condition - Side A

SIGN LOCATION - 33

Lake City, FL



SIGN & AWNING CO INC

4590 118TH Avenue North Clearwater, Florida 33762

800-526-3325

www.thomassign.com

CLIENT

HCA Florida Lake City Hospital

Design Number: 97209

Installation Address:

3239 NW York DR Lake City, FL

32055

Project Identity Number:

96070

Sales Associate: Project Team:

Date: 03.25.22

Project Updates:
06.20.22 JB - Updated Address
09.02.22 JB - Rebrand
09.07.22 JB - Revisions
09.09.22 JB - Revisions, add Site Map
10.05.22 JB - Revisions, Added Sign 09
12.06.22 JB - Add Scale to Site Maps
12.20.22 JB - New Site Map Photos
01.09.23 JB - Add SqFt.

SCALE: 3/8" = 1'-0"

Notes

Existing Sign

SIDE A

New Illuminated Directionals

7'-6"

Quantity: 1 Illumination: N/A Mounting: N/A Height: N/A Width: N/A Depth: N/A

Recommended Action

1. Remove existing sign and install new post and panel sign in the same location.

SIDE VIEW

- 1'-4"

1'-0"

| 8"

5′-3″

- 2. Refer to HCA Sign guide standards for details.
- 3. Fabricator to field verify location and dimensions prior to installation. m

Future copy/layout to be determined at a later date.

Recommended Sign

SIDE B

Quantity: 1 Illumination: Internal Mounting: Ground mounted Height: 5'-0" Width: 8'-0" Depth: 1'-4"



THIS ARTICLE IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES



3M™ MCS™ Warranty

Approval:

☐ Approved DATE:

☐ Approved as noted DATE:

☐ Revise & Re-Submit DATE:

The designs, concepts, drawings and specifications provided are the exclusive property of Thomas Sign & Awning Company and may not be reproduced in any way, shape

34 of 38

Sheet

Fax: 727-573-0328



Existing Condition