



A Custom Log Home for :

Lonny and Starr Jones

Columbia County, Florida

Drawing Index	
CS	COVER SHEET, DRAWING INDEX
A.1	ELEVATIONS - FRONT, REAR, LEFT & RIGHT
A.2	1st. FLOOR PLAN
A.3	1st. FLOOR DIMENSION PLAN
A.4	2nd. FLOOR PLAN
A.5	2nd. FLOOR DIMENSION PLAN
A.6	STAIR & RAILING DETAILS
A.7	FOUNDATION PLAN DETAILS
A.8	1st. FLOOR FRAMING PLAN
A.9	2nd. FLOOR FRAMING PLAN
A.10	ROOF FRAMING PLAN
A.11	BUILDING SECTIONAL A

ALL WIND LOADS ARE IN ACCORDANCE WITH SECTION 1606, FLORIDA BUILDING CODE, 2001 EDITION.	
BASIC WIND SPEED:	110 MPH
WIND IMPORTANCE FACTOR (I):	I = 1.00
BUILDING CATEGORY:	CATEGORY II
WIND EXPOSURE:	"B"
INTERNAL PRESSURE COEFFICIENT:	+/- 0.18
WINDS PER TABLE 1606.2A (FBC 2001)	ROOF: - 23.1 PSF
DESIGN WIND PRESSURES:	WALLS: + 26.6 PSF
	EAVES: - 32.3 PSF
COMPONENTS & CLADDING PER TABLES 1606.2B & 1606.2C (FBC 2001)	OPINGS: + 21.8 / - 29.1 PSF
DESIGN WIND PRESSURES:	EAVES: - 68.3 PSF
	ROOF: + 19.9 / - 25.5 PSF

REVISION:

DRAWN:
RJRJR

REVIEWED:
GJG

Custom Log Home for:
Lonny & Starr Jones
Columbia County, Florida

These drawings are the property of the architect and may not be used, copied or reproduced in whole or in part for use on or incorporated within any other job without specific and individual authorization by the architect.

Gary J. Gill, P.E. #51942
P.O. Box 187
130 West Howard Street
Live Oak FL, 32064
Phone: (386) 362-3678
Fax: (386) 362-6133
Auth. #: 9461

JG
STRUCTURAL ENGINEER

SULVANNEE RIVER
LOG HOMES, INC.
Manufacturers
Specializing in Cypress & Cedar Custom Homes
4345 HIGHWAY 90, UELLBORN, FLORIDA 32094
386-363-LOGS(5641) / 1800-362-LOGS(5641)

DATE:
25FEB05

COMM:
L04123

SHEET:
CS

Lonny & Starr Jones
2/25/05