

BEARING HEIGHT SCHEDULE

0-8

0-01

ROOF
PITCH

6/12

OVERHANG
1'-6"

HANGER SCHEDULE (2) HTU26

NOTES:

- 1) REFERENCE TO HIR 91 RECOMMENDATIONS FOR HANDING INSTALLATION AND TEMPORARY BRACE REFER TO ENGINEERED DRAWINGS FOR PERMANENT BRACING REQUIRED
- 2) ALL TRUSSES (INCLUDING TRUSSES UNDER CONSTRUCTION) MUST BE COMPLETELY DETACHED OR RELEASED FROM THE FLOOR OR ALTERNATE BRACING REQUIREMENTS
- 3) ALL VALVEYS ARE TO BE CONVENTIONALLY FRAMED BY PULDER
- 4) ALL TRUSSEYS ARE DESIGNED FOR 2.0 c MAXIMUM SPACING, UNLESS OTHERWISE NOTED
- 5) ALL WALLS SHOWN ON PLACEMENT PLAN ARE CONSIDERED TO BE LOAD BEARING, UNLESS OTHERWISE NOTED
- 6) 5/42 TRUSSEYS MUST BE INSTALLED WITH THE TOP BEAM UP
- 7) ALL ROOF TRUSSES HANGERS TO BE SWAPSON HANGERS, UNLESS OTHERWISE NOTED. ALL FLOOR TRUSSES HANGERS TO BE SWAPSON THA22 UNLESS OTHERWISE NOTED
- 8) BECAUSE ADVERTINTEL (HDP) TO BE FURNISHED BY PULDER

SHOP DRAWING APPROVAL

THIS LAYOUT IS THE SOLE SUBJECT FOR EXPIRATION OF TRUSSEES AND VOIDS ALL PERIODS ARCHITECTURAL OR OTHER TRUSSE LAYOUTS. REVIEW AND APPROVAL OF THIS LAYOUT BE RECEIVED BEFORE ANY TRUSSEES WILL BE BUILT. VERIFY CONDITIONS TO INSURE AGAINST CHANGES THAT WILL RESULT IN EXTRA CHARGES TO YOU.

Requested Delivery Dat

Approved by _____

00:00



Bunnell

PHONE 904-437-3349 FAX 904-437-3

Jacksonville

PHONE 904-772-6100 FAX 904-772-19

Lake City

PHONE 904-755-6894 FAX 904-755-76

Santora

PHONE 407-322-0059 FAX 407-322-55

BUILDER

DON KEED CONS

EMAIL ADDRESS


COLIDIA CO.

MODEL	REVISION
10000000	

NAME	EDDY	IN
PLANT		
DATE		

08/30/05
CALL CENTER
1-129810

REVIEWED FOR
WITH (3) 5/4'S PLAN EXAMINER
BUILDING PLANS
CODE COMPLIANCE
KEEP THIS PLAN ON JOB



STOP Moulding
w/ FLEXIBLE SEAL
(SUPPLIED BY INST)



TRACK MOUNTED