
District No. 1 - Ronald Williams District No. 2 - Rocky Ford



Memo of Review for Accuracy and Completion

The attached FEMA Elevation Certificate has been reviewed by this office and is complete or needs correction. The items noted below are not correct on the attached form and should read as entered on this page.

If this hav is checked the attached Flevation Certificate has been reviewed and is Complete

Ti this box is checked, the attached Elevation Certificate has been reviewed and is complete.					
SECTION A – PROPERTY INFORMATION					
A1. Building Owne	A1. Building Owner's Name: SANDRA L. DUPREE				
	t Address (includ	ding Apt., Unit, Suite	e, and/or Bldg. No.) or P.O. Route	and Box No.:	
City: LAKE CI	TY		State: Florida	Zip	Code: 32055
A3. Property Desc 01-3S-16-01		Block Numbers, Tax	Parcel Number, Legal Description	n, etc.):	
A4. Building Use (e.g., Residential,	Non-Residential, A	ddition, Accessory, etc.)		
A5. Latitude/Long	itude: Lat	it et with the last of the second second the second	Long.		
Horizontal Dat	tum: 🔲 N	AD 1927 🔲	NAD 1983		
A6. Attach at least	2 photographs	of the building if the	e Certificate is being used to obtain	in flood insurance.	
A8. For a building	with a crawlspace	ce or enclosure(s):	A9. For a building	with an attached ga	rage:
a) Square foo	tage of crawlspa	ce or enclosure(s)_	sq ft a) Square fo	otage of attached ga	ragesq ft
b) No. of permane	nt flood opening	gs in the crawlspace	or b) Number	of permanent flood o	penings in the attached
enclosure(s) wi	thin 1.0 foot abo	ve adjacent grade_	garage w	ithin 1.0 foot above a	adjacent grade
c) Total net area o		in A8.b	_sq in c) Total net	area of flood openin	gs in A9.bsq in
d) Engineered floo	d openings?	☐ Yes ☐ No	d) Engineer	ed flood openings?	☐ Yes ☐ No
SECTION B – FLOOD INSURANCE RATE MAP (FIRM) INFORMATION					
B1. NFIP Community Name & Community Number: B2. County Name: B3. State:					
B4. Map/Panel	B5. Suffix	B6. FIRM	B7. FIRM Panel	B8. Flood	B9. Base Flood
Number		Index Date	Effective/Revised Date	Zone(s)	Elevation(s) (Zone A0, use base dept)
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in item B9: FIS Profile FIRM Community Determined Other/Source:					
B11. Indicate elevation datum used for BFE in item B9: NGVD 1929 NAVD 1988 Other/Source:					
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? Yes Designation Date:/ CBRS OPA					
SECTION C – BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)					
C1. Building elevations are based on: Construction Drawings* Building Under Construction* Finished Construction * A new Elevation Certificate will be required when construction of the building is complete.					
Local Official's Name: Laurie Hodson Title: Administrative Supervisor					
Signature: Laurie Hodson Date: 2/3/2021					
Comments:					
No Correctios.					

BOARD MEETS THE FIRST THURSDAY AT 5:30 P.M. AND THIRD THURSDAY AT 5:30 P.M.

U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB No. 1660-0008 Expiration Date: November 30, 2018

ELEVATION CERTIFICATE

Important: Follow the instructions on pages 1-9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A - PROPERTY INFORMATI	FOR INSURANCE COMPANY USE		
A1. Building Owner's Name SANDRA L. DUPREE	Policy Number:		
 A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg Box No. 470 NW DICKS ROAD 	. No.) or P.O. Route and	Company NAIC Number:	
LAKE CITY F	lorida	ZIP Code 32055	
A3. Property Description (Lot and Block Numbers, Tax Parcel Num TAX PARCEL NO. 01-3S-16-01910-005	ber, Legal Description, etc.)	4 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
A4. Building Use (e.g., Residential, Non-Residential, Addition, Acce	essory, etc.) RESIDENTIAL		
A5. Latitude/Longitude: Lat. N.30D15'41.4" Long. W.082I	040'30.1" Horizontal Datum	: ☐ NAD 1927 🗵 NAD 1983	
A6. Attach at least 2 photographs of the building if the Certificate is	being used to obtain flood insura	ince.	
A7. Building Diagram Number5_			
A8. For a building with a crawlspace or enclosure(s):			
a) Square footage of crawlspace or enclosure(s)	sq ft		
b) Number of permanent flood openings in the crawlspace or e	nclosure(s) within 1.0 foot above	adjacent grade	
c) Total net area of flood openings in A8.b sq in			
d) Engineered flood openings?			
A9. For a building with an attached garage:			
a) Square footage of attached garage sq ft			
b) Number of permanent flood openings in the attached garage	within 1.0 foot above adjacent of	rade	
c) Total net area of flood openings in A9.b sq ir			
d) Engineered flood openings?		* a - 30	
a) Engineered nood openings:		4	
SECTION B - FLOOD INSURANCE	RATE MAP (FIRM) INFORMA	TION	
	County Name UMBIA	B3. State Florida	
B4. Map/Panel Number B5. Suffix B6. FIRM Index Date B7. FIRM P Effective Revised 11/02/2018 B7. FIRM P Effective Revised 11/02/2018	e/	B9. Base Flood Elevation(s) (Zone AO, use Base Flood Depth) 105.9	
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9: FIS Profile FIRM Community Determined Other/Source: B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other/Source:			
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? Yes No			
Designation Date: CBRS OPA			
		S.	

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2018

MPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE	
Building Street Address (including Apt., Unit, Suite, and/470 NW DICKS ROAD	Policy Number:			
City State ZIP Code			Company NAIC Number	
LAKE CITY FI		055		
SECTION C - BUILDING E	LEVATION INFORMA	ATION (SURVEY R	EQUIRED)	
C1. Building elevations are based on: Construct *A new Elevation Certificate will be required when C2. Elevations – Zones A1–A30, AE, AH, A (with BFE Complete Items C2.a–h below according to the building Benchmark Utilized: F.D.O.T. BM3 "2904004 BM3 Indicate elevation datum used for the elevations in NGVD 1929 NAVD 1988 Other Datum used for building elevations must be the sational part of the lowest horizontal structural members of the lowest horizontal structural members of the lowest elevation of machinery or equipment set (Describe type of equipment and location in Confidence of the lowest adjacent (finished) grade next to building location in Confidence of the lowest adjacent (finished) grade next to building location in Confidence of the lowest adjacent (finished) grade next to building location in Confidence of the lowest adjacent (finished) grade next to building location in Confidence of the lowest adjacent (finished) grade next to building location in Confidence of the lowest adjacent (finished) grade next to building location in Confidence of the lowest adjacent (finished) grade next to building location in Confidence of the lowest adjacent (finished) grade next to building location in Confidence of the lowest adjacent (finished) grade next to building location in Confidence of the lowest adjacent (finished) grade next to building location in Confidence of the lowest location in C	o, VE, V1–V30, V (with ilding diagram specified vertical Datur items a) through h) be of/Source: me as that used for the space, or enclosure flow over (V Zones only)	ding is complete. BFE), AR, AR/A, AR, d in Item A7. In Puert n: NAVD 1988 ow. BFE.	/AE. AR/A1-A30. AR/AH. AR/AO.	
g) Highest adjacent (finished) grade next to buildi	A AND AND AND AND AND AND AND AND AND AN	113, 1	X feet meters	
h) Lowest adjacent grade at lowest elevation of de structural support	70 Sept. 17			
SECTION D - SURVEYOR	R, ENGINEER, OR AI	RCHITECT CERTIF	ICATION	
This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. Were latitude and longitude in Section A provided by a licensed land surveyor? Yes No Check here if attachments.				
Certifier's Name	License Number		(100	
Title FLORIDA LICENSED SURVEYOR AND MAPPER Company Name LS 4708 LS 4708 LS 4708 LS 4708 LS 4708 Plage				
MARK D. DUREN AND ASSOCIATES, INC.			Seal	
Address 1604 SW SISTERS WELCOME ROAD				
City LAKE CITY	State Florida	ZIP Code 32025	NO# 20-032	
Signature Q	Date 01/28/2020	Telephone (386) 758-9831		
Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.				
Comments (including type of equipment and location, possible HOME NORMAL SETUP. FIRM PANEL INDICINDICATE THE SITE IS ABOVE THE BASE FLOOD EIGHT.	ATES FLOOD ZONE			

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding			FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/o 470 NW DICKS ROAD	or Bldg. No.) or P.O	Route and Box No.	Policy Number:
Figure 4 States on the States of the States	ate	ZIP Code	Company NAIC Number
	orida	32055	E2 - 31
SECTION E – BUILDING ELEY FOR ZONE	VATION INFORMA AO AND ZONE A	ATION (SURVEY NO (WITHOUT BFE)	T REQUIRED)
For Zones AO and A (without BFE), complete Items E1–E complete Sections A, B, and C. For Items E1–E4, use nat enter meters.	E5. If the Certificate ural grade, if availa	is intended to support ble. Check the measur	a LOMA or LOMR-F request, ement used. In Puerto Rico only,
E1. Provide elevation information for the following and che the highest adjacent grade (HAG) and the lowest adj	neck the appropriate acent grade (LAG).	e boxes to show wheth	er the elevation is above or below
 a) Top of bottom floor (including basement, crawlspace, or enclosure) is 			ers above or below the HAG.
 Top of bottom floor (including basement, crawlspace, or enclosure) is 			
10 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			
E2. For Building Diagrams 6–9 with permanent flood ope the next higher floor (elevation C2.b in the diagrams) of the building is	nings provided in S		52-15
E3. Attached garage (top of slab) is		feet mete	
E4. Top of platform of machinery and/or equipment		feet mete	ers above or below the HAG.
servicing the building is		feet _ mete	ers above or below the HAG.
E5. Zone AO only: If no flood depth number is available, floodplain management ordinance? Yes N	is the top of the bot lo \[Unknown.	tom floor elevated in a The local official must	ccordance with the community's certify this information in Section G.
SECTION F - PROPERTY OWNE	R (OR OWNER'S F	REPRESENTATIVE) C	ERTIFICATION
The property owner or owner's authorized representative	who completes Sec	tions A B and F for Z	one A (without a FEMA issued or
community-issued BFE) or Zone AO must sign here. The	statements in Secti	ons A, B, and E are co	rrect to the best of my knowledge.
Property Owner or Owner's Authorized Representative's N	Name	¥ 7	
Address	City	S	tate ZIP Code
Signature	Date	Te	elephone
Comments			The state of the s
Comments			
			4
		. «	Check here if attachments.

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding information from Section A.	FOR INSURANCE COMPANY USE				
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Boulding No. NW DICKS ROAD	ox No. Policy Number:				
City State ZIP Code	Company NAIC Number				
LAKE CITY Florida 32055	,				
SECTION G - COMMUNITY INFORMATION (OPT	TIONAL)				
The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8–G10. In Puerto Rico only, enter meters. G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor,					
engineer, or architect who is authorized by law to certify elevation information. (I data in the Comments area below.)	ndicate the source and date of the elevation				
G2. A community official completed Section E for a building located in Zone A (without or Zone AO.	ut a FEMA-issued or community-issued BFE)				
G3. The following information (Items G4–G10) is provided for community floodplain in	management purposes.				
G4. Permit Number G5. Date Permit Issued	G6. Date Certificate of Compliance/Occupancy Issued				
G7. This permit has been issued for: New Construction Substantial Improve	ement				
G8. Elevation of as-built lowest floor (including basement) of the building:	feet meters Datum				
G9. BFE or (in Zone AO) depth of flooding at the building site:	feet meters Datum				
G10. Community's design flood elevation:	☐ feet ☐ meters Datum				
Local Official's Name Title					
Community Name Telephone					
Signature Date					
Comments (including type of equipment and location, per C2(e), if applicable)					
	Check here if attachments.				

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

See Instructions for Item A6.

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, Building Street Address (includir 470 NW DICKS ROAD	FOR INSURANCE COMPANY USE Policy Number:		
City	State	ZIP Code	Company NAIC Number
LAKE CITY	Florida	32055	

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo On

Photo One Caption FRONT OR NORTH SIDE. JANUARY 27, 2020



Photo Two

Photo Two Caption REAR OR SOUTH SIDE. JANUARY 27, 2020

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

Continuation Page

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding information from Section A. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 470 NW DICKS ROAD			FOR INSURANCE COMPANY USE Policy Number:
LAKE CITY	Florida	32055	

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.




Photo One

Photo One Caption REAR AND RIGHT SIDE. NOTE WATER SYSTEM AND A/C. JANUARY 27, 2020




Photo Two

Photo Two Caption LEFT OR EAST SIDE. JANUARY 27, 2020.

Building Diagrams

DIAGRAM 3

All split-level buildings that are slab-on-grade, either detached or row type (e.g., townhouses); with or without attached garage.

Distinguishing Feature – The bottom floor (excluding garage) is at or above ground level (grade) on at least 1 side.*




DIAGRAM 4

All split-level buildings (other than slab-on-grade), either detached or row type (e.g., townhouses); with or without attached garage.

Distinguishing Feature – The bottom floor (basement or underground garage) is below ground level (grade) on all sides.*




DIAGRAM 5

All buildings elevated on plers, posts, piles, columns, or parallel shear walls. No obstructions below the elevated floor.

Distinguishing Feature – For all zones, the area below the elevated floor is open, with no obstruction to flow of floodwaters (open lattice work and/or insect screening is permissible).





DIAGRAM 6

All buildings elevated on piers, posts, piles, columns, or parallel shear walls with full or partial enclosure below the elevated floor.

Distinguishing Feature – For all zones, the area below the elevated floor is enclosed, either partially or fully. In A Zones, the partially or fully enclosed area below the elevated floor is with or without openings** present in the walls of the enclosure. Indicate information about enclosure size and openings in Section A – Property Information.



- A floor that is below ground level (grade) on all sides is considered a basement even if the floor is used for living purposes, or as an office, garage, workshop, etc.
- ** An "opening" is a permanent opening that allows for the free passage of water automatically in both directions without human intervention. Under the NFIP, a minimum of 2 openings is required for enclosures or crawlspaces. The openings shall provide a total net area of not less than 1 square inch for every square foot of area enclosed, excluding any bars, louvers, or other covers of the opening. Alternatively, an Individual Engineered Flood Openings Certification or an Evaluation Report issued by the International Code Council Evaluation Service (ICC ES) must be submitted to document that the design of the openings will allow for the automatic equalization of hydrostatic flood forces on exterior walls. A window, a door, or a garage door is not considered an opening; openings may be installed in doors. Openings shall be on at least 2 sides of the enclosed area. If a building has more than 1 enclosed area, each area must have openings to allow floodwater to directly enter. The bottom of the openings must be no higher than 1.0 foot above the higher of the exterior or interior grade or floor immediately below the opening. For more guidance on openings, see NFIP Technical Bulletin 1.