


John W. H. 7/26/05

ST. JOHNS MODEL
CANNON CREEK PLACE LOT#45

161 NW MADISON STREET
SUITE #102
LAKE CITY, FL 32055
(386)758-4209



Freeman
Design Group

DATE: 09/21/05
DRAWN BY: W.H.F.

REVISIONS

SHEET: A-1

OF: 6

PROJECT NO.

CERTIFICATE OF AUTHORIZATION # 00003711

NOTE:
ALL WIND LOADS ARE IN ACCORDANCE WITH SECTION 1606, FLORIDA BUILDING CODE, 2001 EDITION.

BASIC WIND SPEED	110 MPH
IMPORTANCE FACTOR	1.0
BUILDING CATEGORY	2
EXPOSURE	B
INTERNAL PRESSURE COEFFICIENT	+/- 0.18
COMPONENT AND CLADDING PRESSURE	WALLS +21.8/-29.1 PSF ROOF +12.5/-29.1 PSF OVERHANGS -71.6 PSF
TYPE OF STRUCTURE	ENCLOSED

NOTE:
EXTERIOR WINDOWS AND GLASS DOORS SHALL BE TESTED BY AN APPROVED INDEPENDENT TESTING LABORATORY, AND BEAR AN AAMA OR WDMA OR OTHER APPROVED LABEL IDENTIFYING THE MANUFACTURER, PERFORMANCE CHARACTERISTICS AND APPROVED PRODUCT EVALUATION ENTITY TO INDICATE COMPLIANCE WITH THE REQUIREMENTS OF THE FOLLOWING SPECIFICATION:

ANSI/AAMA/NWDA 101/IS2 2/97

THE CONSTRUCTION SHALL BE TESTED IN ACCORDANCE WITH ASTM E 330, STANDARD TEST METHODS FOR STRUCTURAL PERFORMANCE OF EXTERIOR WINDOWS, CURTAIN WALLS, AND DOORS BY UNIFORM STATIC AIR PRESSURE.

HEADER SPANS FOR EXTERIOR BEARING WALLS

Headers Supporting	Size	Building Width (ft)				Span	# jacks
		20'	28'	36'			
Roof, Ceiling	2-2x4	3'-6"	1	3'-2"	1	2'-10"	1
	2-2x6	5'-5"	1	4'-8"	1	4'-2"	1
	2-2x8	6'-10"	1	5'-11"	2	5'-4"	1
	2-2x10	8'-5"	2	7'-3"	2	6'-6"	2
	2-2x12	9'-9"	2	8'-5"	2	7'-8"	2
	3-2x8	8'-4"	1	7'-5"	1	6'-8"	1
	3-2x10	10'-6"	1	9'-1"	2	8'-2"	1
	3-2x12	12'-2"	2	10'-7"	2	9'-5"	2
	4-2x8	9'-2"	1	8'-4"	1	9'-2"	1
	4-2x10	11'-8"	1	10'-6"	1	9'-5"	1
	4-2x12	14'-1"	1	12'-2"	2	10'-11"	1

PRODUCT CODE	SIZE	COUNT
60x80 colonial a country 1 sl - 2	5'-0"	1
72x80 sliding french 2-MODIFIED	6'-0"	1
108x84 - 3 panel-MODIFIED	16'-0"	1
1668 BF-MODIFIED	1'-6"	1
2668 BF-MODIFIED	2'-6"	1
4068-2 BF-MODIFIED	4'-0"	2
30x80 colonial a 1-MODIFIED	2'-6"	2
1868-MODIFIED	1'-8"	3
2668-MODIFIED	2'-6"	4
2868-MODIFIED	2'-8"	3
60x12 transom-MODIFIED	5'-0" x 1'-0"	1
24x48 double hung 1-MODIFIED	2'-0" x 4'-0"	1
36x60 double hung 2-MODIFIED	6'-0" x 5'-0"	1
36x60 single hung 1-MODIFIED	3'-0" x 5'-0"	1
3660 Eyebrow-MODIFIED	5'-0" x 6'-0"	1
SH 3050	3'-0" x 5'-0"	1
SH 4050	4'-0" x 5'-0"	1
SH 4060-MODIFIED	4'-0" x 6'-0"	1

AREA SUMMARY

HEATED	1,608 S.F.
PORCH	278 S.F.
GARAGE	400 S.F.
TOTAL:	2,286 S.F.

FLOOR PLAN

SCALE: 1/4" = 1'-0"

