DATE: 09/19/2003

## **Columbia County Building Permit / Application**

**PERMIT** 

This Permit Expires One Year From Date of Issue

00002	1	0.0	S

APPLICANT RICHAR	D ENNISS	PHONE	754-0033	
ADDRESS ———	134 SE COLBURN AVE	LAKE CITY		FL 32025
OWNER S&S FOO	OD STORE, #37			2.000
ADDRESS	134 SE COLBURN AVE			FL 32055
CONTRACTOR UN	NIVERSAL STRUCTURES			3200
LOCATION OF PROPE				
		· · · · · · · · · · · · · · · · · · ·		
TYPE DEVELOPMENT	CANOPY	ESTIMATED COST OF	CONSTRUCTION	39750 00
FLOOR AREA	TOTAL AREA	HEIGHT	00 STORIES I	WALLS
FOUNDATION	ROOF (Type &	Pitch)	_ FLO	OR
LAND USE & ZONING	СНІ	MA	X. HEIGHT	
MINIMUM SET BACK	STREET-FRONT SIDE	20.00 REAL	R 15,00	SIDE 5.00
NO. EX.D.U. 1	FLOOD ZONE NA CE	RT. DATE	DEV. PERMI	T
LEGAL DESCRIPTION				
PARCEL ID 17-3S17	-05000-003 SUE	BDIVISION		
BLOCK	LOTUNIT		AL ACRES 1.26	
accurate and all work will EXISTING	be performed to meet the standards of all la be done in compliance with all applicable l CBC057671	aws regulating construction	and soming.	
Davission Comment		4		
Driveway Connection	Culvert Waiver Contractor's License	Number	Applicant Owner C	ontractor
P03-0159		Number		ontractor
·	Culvert Waiver Contractor's License  BK  LU & Zoning checked by		Applicant Owner Co	_
P03-0159	BKLU & Zoning checked by		RJ Approved for Is	- isuance
P03-0159 Septic Tank Number	BK  LU & Zoning checked by  FOR BUILDING & ZON	IING DEPARTME	RJ Approved for Is	- istrance (footer Slab)
P03-0159 Septic Tank Number	BK  LU & Zoning checked by  FOR BUILDING & ZON  Foundation	IING DEPARTME	RJ Approved for Is	isuance (footer Slab)
P03-0159 Septic Tank Number Temporary Power	BK LU & Zoning checked by  FOR BUILDING & ZON  Foundation  date/app_by	date/app. by	RJ Approved for Is  NT ONLY  Monolithic	(footer Slab)  date app by
P03-0159 Septic Tank Number Temporary Power	BK  LU & Zoning checked by  FOR BUILDING & ZON  Foundation	date/app. by	RJ Approved for Is  NT ONLY  Monolithic	(footer Slab)  date app by
P03-0159 Septic Tank Number  Temporary Power Under slab rough-in plui	FOR BUILDING & ZON  Foundation  date/app_by  mbingsl  date/app_by	date/app. by  date/app by	RJ Approved for Is  NT ONLY  Monolithic _ framing _	(footer Slab)  date app by
P03-0159 Septic Tank Number  Temporary Power  Under slab rough-in plui Rough-in plumbing abo	FOR BUILDING & ZON  Foundation  date/app by  mbing sl  date/app by  ve slab and below wood floor	date/app. by  date/app. by  date/app. by	RJ Approved for Is  NT ONLY  Monolithic framing	date app by
P03-0159 Septic Tank Number  Temporary Power Under slab rough-in plui	BK  LU & Zoning checked by  FOR BUILDING & ZON  Foundation  date/app by  mbing sl  date/app by  we slab and below wood floor  Heat and Air Do	date/app. by  date/app. by  date/app. by	RJ Approved for Is  NT ONLY  Monolithic _ framing _	date app by
P03-0159 Septic Tank Number  Temporary Power Under slab rough-in plum Rough-in plumbing abo Electrical rough-in	FOR BUILDING & ZON  Foundation  date/app. by  mbing sl  date/app. by  ve slab and below wood floor  Heat and Air De  date/app. by	date/app. by  date/app. by  date/app. by	RJ Approved for Is  NT ONLY  Monolithic framing  Peri beam	date app by
P03-0159 Septic Tank Number  Temporary Power Under slab rough-in plum Rough-in plumbing abo Electrical rough-in	BK LU & Zoning checked by  FOR BUILDING & ZON  Foundation  date/app. by  mbing sl  date/app. by  we slab and below wood floor  Heat and Air Du  date/app. by  Final	date/app. by  date/app. by  date/app. by	RJ Approved for Is NT ONLY Monolithic framing Peril beam	date app by
P03-0159 Septic Tank Number  Temporary Power Under slab rough-in plum Rough-in plumbing abo Electrical rough-in	FOR BUILDING & ZON  Foundation  date/app by  mbing sl  date/app by  ve slab and below wood floor  Heat and Air De  date/app by  Final  date/app by	date/app. by  date/app. by  date/app. by  date/app. by  date/app. by	RJ Approved for Is NT ONLY Monolithic framing Peril beam	date app by  date app by  date app by
P03-0159  Septic Tank Number  Temporary Power  Under slab rough-in plum  Rough-in plumbing about  Electrical rough-in  Permanent power	BK LU & Zoning checked by  FOR BUILDING & ZON  Foundation  date/app. by  we slab and below wood floor  Heat and Air Du  date/app. by  Final  date/app. by  OTHER TYPE	date/app. by  date/app. by  date/app. by  date/app. by  date/app. by	RJ Approved for Is NT ONLY Monolithic framing Peril beam Pool date	date app by  date app by  date app by
P03-0159 Septic Tank Number  Temporary Power  Under slab rough-in plut Rough-in plumbing abot Electrical rough-in  Permanent power  COMMENTS: CK#10	BK LU & Zoning checked by  FOR BUILDING & ZON  Foundation  date/app. by  we slab and below wood floor  Heat and Air Du  date/app. by  Final  date/app. by  OTHER TYPE	date/app. by  date/app by  date/app by  date/app by  date/app by  date/app by	RJ Approved for Is NT ONLY Monolithic framing Peril beam Pool date	date app by  date app by  date app by
P03-0159 Septic Tank Number  Temporary Power Under slab rough-in plum Rough-in plumbing abo Electrical rough-in Permanent power  COMMENTS: CK#10 Culveri date	BK LU & Zoning checked by  FOR BUILDING & ZON Foundation date/app. by mbing sl date/app. by ve slab and below wood floor Heat and Air Du date/app. by Final date/app. by  OTHER TYPE M/H ti	date/app. by  date/app. by  date/app. by  date/app. by  date/app. by  date/app. by  CS OF INSPECTIC e downs, blocking, electricity	RJ Approved for Is NT ONLY Monolithic framing Peril beam Pool date	date app by  date app by  date app by  date app by
P03-0159 Septic Tank Number  Temporary Power  Under slab rough-in plut  Rough-in plumbing above  Electrical rough-in  Permanent power  COMMENTS: CK#10  Culvert  date  Utility Pole  date	BK LU & Zoning checked by  FOR BUILDING & ZON  Foundation  date/app. by  mbing sl  date/app. by  ve slab and below wood floor  Heat and Air Do  date/app. by  Final  date/app. by  OHER TYPE  M/H to  app. by  Pump pole	date/app. by  date/app by	Approved for Is  NT ONLY  Monolithic  framing  Peri beam  Pool  date  ONS y and plumbing  Reconnection	date app by  date app by
P03-0159  Septic Tank Number  Temporary Power  Under slab rough-in plum  Rough-in plumbing about  Electrical rough-in  Permanent power  COMMENTS: CK#10  Culvert  date  Utility Pole  date  BUILDING PERMIT F.	BK LU & Zoning checked by  FOR BUILDING & ZON  Foundation  date/app by  mbing	date/app. by  date/app by  CS OF INSPECTIC e downs, blocking, electricity  date/app by	Approved for Is  NT ONLY  Monolithic  framing  Peri_ beam  Pool  date  ONS y and plumbing Reconnection ion Fee S00	date app by  date app by
P03-0159 Septic Tank Number  Temporary Power  Under slab rough-in plut  Rough-in plumbing above Electrical rough-in  Permanent power  COMMENTS: CK#10  Culvert  date  Utility Pole  date	BK LU & Zoning checked by  FOR BUILDING & ZON  Foundation  date/app by  mbing sl  date/app by  ve slab and below wood floor  Heat and Air Do  date/app by  Final  date/app by  O438  OTHER TYPE  M/H ti  app by  Pump pole  app by  CULVERT FEE  CULVERT FEE	date/app. by  date/app by  CS OF INSPECTIC e downs, blocking, electricity  date/app by	Approved for Is  NT ONLY  Monolithic  framing  Peri beam  Pool  date  ONS y and plumbing  Reconnection	date app by  date app by

NOTICE IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

This Permit Must Be Prominently Posted on Premises During Construction
PLEASE NOTIFY THE COLUMBIA COUNTY BUILDING DEPARTMENT AT LEAST 24 HOURS IN ADVANCE OF EACH INSPECTION. IN ORDER
THAT IT MAY BE MADE WITHOUT DELAY OR INCONVIENCE, PHONE 758-1008. THIS PERMIT IS NOT VALID UNLESS THE WORK
AUTHORIZED BY IT IS COMMENCED WITHIN 6 MONTHS AFTER ISSUANCE.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions

# COLUMNIA COUNTY

# **Building Permit Application**

PAGE 01

Date 8-11-03	d Enniss	Applica	don No. 6368 - 72
Applicants Name & Address	Structures I	nc.	813 Hone 154-0033
2291 E AUIU 92 Prom	3 (LB 4 7) B	3563	
Owners Name & Address () 5\$ 5 4000 Lake	5, Richard Sca	144 1465	Phone 386/752-734
Fee Simple Owners Name & Address		P1	none
Contractors Name & Address Werrill #1/45	Vierce Universal	Structures 1	Phone <u>83 754-003</u>
Legal Description of Property			
Location of Property _ U.S., 441 M. 4 I	-10 , Sake ( Ety 7.		
Tax Parcel Identification No. 17-35-17-05-00-	- 003 Estimated Cor	st of Construction \$ _3	9,750=
Type of Development 24' X 109' Canada Gorge Comprehensive Plan Map Category A TOHWAY BAT	ERCHANGE Zoning Man Cu	isting Dwellings on Pro	perty
Building Height 16 Number of Stories 1			ment 1.26
Distance From Property Lines (Set Backs) Front	401 Side 757 30	otal Acreage in Develop	
Flood Zone Certification Date		Rear /50	Street 40
Bonding Company Name & Address 1/4	_	ÿ	
Architect/Engineer Name & Address	arter PE. 813	1264-7650	
Mortgage Landers Name & Address	. 7		
commenced prior to the issuance of a permit and that all we construction in this jurisdiction.  OWNERS AFFIDAVIT: I hereby certify that all the fewith all applicable laws regulating construction and zoning WARNING TO OWNER: YOUR FAILURE TO RESULT IN YOU PAYING TWICE FOR IMPRIFYOU INTEND TO OBTAIN FINANCING, CORPORTION OF THE PROPERTY OF THE PROPERT	oregoing information is accurate to O RECORD A NOTICE OF OVEMENTS TO YOUR PONSULT WITH YOUR LI	and all work will be don F COMMENCME	ne in compliance
Owner or Agent (including contractor)	Contractor	ull A. Pie	
	Contractor Licen		
STATE OF FLORIDA COUNTY OF COLUMBIA Sworn to (or affirmed) and subscribed before me this by by	STATE OF FLOI COUNTY OF CO Sworn to (or aff this 1144		before me by Monnell Posca
Personally KnownOR Produced Identification	Personally Kn	ownOR Produc	ed Identification

# Frank Carter, P.E.

14918 Knotty Pine Place ● Tampa, Florida 33625 ● (813) 264-7650 ● Fax: (813) 908-3396 Email: fcarter3@tampabay.rr. com

September 15, 2003

Mr. Randy Jones, Building Inspector Columbia County Building Department Lake City, Florida

Re: S & S Foods #37 Shell Gas Canopy Extension K.C. Petroleum Lake City, Fl. 32024 USI Project # 03-0882

Dear Mr. Jones

Please let this signed and sealed letter serve to reference my review and approval of the soil bearing capacity for the footer installation at the above referenced project.

The soil bearing capacity is a minimum of 1000 psf, which is sufficient for the canopy footer loads.

Should you have any questions, please contact me at my office.

Sincerely, LIM 7. Carten

William F. Carter, P.E.

Permit	No.	
--------	-----	--

# Tax Parcel No. 17 - 35-17-05000 - 003

# COLUMBIA COUNTY NOTICE OF COMMENCEMENT

STATE OF FLORIDA

inst:2003018493 Date:08/27/2003 Time:15:08
\_\_\_\_\_DC,P.DeWitt Cason,Columbia County B:993 P:14

# COUNTY OF COLUMBIA

THE UNDERSIGNED hereby gives notice that improvement will be made to certain real property, and in accordance with Chapter 713, Florida Statutes, the following information is provided in this Notice of Commencement.

1. Description of property: (legal description of the property, and street address if	
S&S FOOD STORE #37 Hay 441 & I-10 LAKECITY IFI.	
19NY 991 61-10	_
Extel-Elly IFT.	
	,
	,
2 0	
2. General description of improvement: CANON ADDITION WITH  (1) ADDITIONAL CAS DISPENSION	
(1) ADDITIONAL GAS DISPONSON WITH	
3. Owner Information:	
A. Name and address.	
LESTER & HONE SCORE DRA SESEDONOS	)
DEAT DUVAL ST LAKELY, FC. 32055  B. Interest in properties	.C.Z
B. Interest in property:	
parple	
C. Name and address of facility is the state of the state	
C. Name and address of fee simple titleholder (if other than owner):	
N/A	
4. Contractor: (name and address)	
- UNIVERSAL STRUCTURET TILC	
TAST MWY 72	
5. Surety 11.33563	
A. Name and address:	
B. Amount of bond:	
$\sim$	
6. Lender: (name and address)	
V/A	
- COURT WITHIN THE STORE OF Manifester 14 - 14 - C	
name and address)	
~/^	

8.	In addition to himself, owner design	ates
44 - 7 -	of	
tne Lie	enor's Notice as provided in Section 71	13.13 (1) (a) 7., Florida Statutes.
9. date of	Expiration date of notice of commen	cement (the expiration date is 1 year from the pecified)
	•	
		(Signature of Owner)
		•
sw IOO	ORN TO and subscribed before me the	nis 27 this of Ougust
<u>VVV</u>		0
		Floncile Dow
		Notary Public
NOTAL		,
SE.	AL)	My Commission Expires: 10/03/06
	F. VONCILE DOW MY COMMISSION # DD 154929 EXPIRES: October 3, 2006 Bonded Thru Notary Public Underwriters	

nst:2003018493 Date:08/27/2003 Time:15:08
\_\_\_\_\_DC,P.DeWitt Cason,Columbia County B:993 P:15

	AC	O	RD CE	RTIFIC	ATE OF LIABILIT	Y INSUR	ANCE	OP ID BC	DATE (MM/DD/YYYY)
Fl		la :	Insurance lexander S	Center, I	nc.	ONLY AN	D CONFERS NO THIS CERTIFICA	UNIVE-2 UED AS A MATTER OF RIGHTS UPON THE CE ATE DOES NOT AMENI AFFORDED BY THE PO	RTIFICATE D, EXTEND OR
Plant City FL 33563 Phone: 813-754-3561 Fax: 813-764-8402				13-764-8402	INSURERS	INSURERS AFFORDING COVERAGE			
INSU	RED					INSURER A	Westfield I	nsurance Company	24112
						INSURER B	Auto Owners	Insurance Co	18988
			Universal	Structure	s, Inc.	INSURER C	AmComp Pref	erred Ins Co.	
			P O Box 33	329 y FL 33566	•	INSURER D			
						INSURER E			
AI M	NY RE NY PE DLICIE	LICII QUIF RTA ES. A	ES OF INSURANCEMENT, TERM O	OR CONDITION O ICE AFFORDED I	W HAVE BEEN ISSUED TO THE INSUF F ANY CONTRACT OR OTHER DOCUM BY THE POLICIES DESCRIBED HEREI HAVE BEEN REDUCED BY PAID CLAI	MENT WITH RESPE N IS SUBJECT TO MS.	ECT TO WHICH THIS ALL THE TERMS, EX	CERTIFICATE MAY BE ISSU	ED OR
LTR	ADD'L INSRD		TYPE OF INSU	RANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)	LIMIT	5
		GEN	ERAL LIABILITY					EACH OCCURRENCE	s 1,000,000
A		X	COMMERCIAL GENE	RAL LIABILITY	CWP3915957	12/01/02	12/01/03	PREMISES (Ea occurence)	s 100,000
		Ш	CLAIMS MADE	X OCCUR				MED EXP (Any one person)	\$ 5,000
								PERSONAL & ADV INJURY	s 1,000,000
								GENERAL AGGREGATE	s 2,000,000
		GEN	LAGGREGATE LIMIT	0.				PRODUCTS - COMP/OP AGG	s 2,000,000
В			POUCY JE  OMOBILE LIABILITY  ANY AUTO	CT LOC	4214194900	12/01/02	12/01/03	COMBRNED SINGLE LIMIT (Ea accident)	s 1,000,000
			ALL OWNED AUTOS SCHEDULED AUTOS					BODILY INJURY (Per person)	s
		X	HIRED AUTOS	S				BODILY INJURY (Per accident)	s
								PROPERTY DAMAGE (Per accident)	s
		GAR	AGE LIABILITY					AUTO ONLY - EA ACCIDENT	s
			OTUS YAS					OTHER THAN EA ACC	s
		EVO	ESS/UMBRELLA LIAE	III 17V				EACH OCCURRENCE	5 1 000 000
В		X	OCCUR	CLAIMS MADE	4214194901	12/01/02	12/01/03	AGGREGATE	\$ 1,000,000 \$ 1,000,000
ם		•		COMIS INVOL	4214134301	12/01/02	12/01/03	AGGREGATE	· · · · · · · · · · · · · · · · · · ·
			DEDUCTION E						\$
			DEDUCTIBLE	s 10000					S
_		X						WC STATU OTH-	\$
~			COMPENSATION AND S'LIABILITY	,	7707770.0.4.4.0.1	04/05/00	04/05/04	TORY LIMITS ER	F00 000
С			ETOR/PARTNER/EXE	CUTIVE	WCV7034421	04/05/03	04/05/04	E.L. EACH ACCIDENT	s 500,000
	If yes,	descrit	se under					EL DISEASE - EA EMPLOYEE	s 500,000
	OTHE		OVISIONS below					E L DISEASE - POLICY LIMIT	s 500,000
DESO	RIPTIO	N OF	PERATIONS / LOCA	TIONS / YEHICLES / E	XCLUSIONS ADDED BY ENDORSEMENT / SPEC	CIAL PROVISIONS	<u></u>		
- E	TIE	CAT	E HOLDER			CANCELLA	TION		·····
-=1	CHE	CAI	L HOLDER						
					COLU529			POLICIES BE CANCELLED BEFORE	4.0
			Columbia C	County			THE ISSUING INSURER W		
			Building D					MED TO THE LEFT, BUT FAILURE	
		1	P.O. Drawe	r 1529		1		ANY KIND UPON THE INSURER, IT	AGENTS OR
		3	Lake City	FL 32056		REPRESENTATIV	E8.		
						m	uc. K	rounder	•
	VBD 1	25 /	2004/063			1	- 1,50		CORPORATION 40
IC(	טאי :	ZD (2	2001/08)					© ACORD	CORPORATION 1



Log On

→ Public Services





DBPR Home | Online Services Home | Help | Site Map

02:35:58 PI

#### Licensee Details

## Search for a Licensee Apply for a License View Application Status Apply to Retake Exam Find Exam Information

File a Complaint ☐ User Services

Renew a License

Change License Status

Maintain Account

Change My Address

View Messages Change My PIN

View Continuing Ed

Term Glossary

🕡 Online Help

**Licensee Information** 

PIERCE, MERRILL ATLAS (Primary Name) Name:

UNIVERSAL STRUCTURES INC (Alternate Nat

2291 US HWY 92

PLANT CITY, Florida 33563

#### **License Information**

License Type:

Address:

**Certified Building Contractor** 

Rank:

License Number:

**Cert Building** CBC057671

Status:

**Current, Active** 

Licensure Date:

03/27/1996

Expires:

08/31/2004

View Related License Information

View License Complaint

| Terms of Use | | Privacy Statement |

2002-2003 HILLSBOROUGH COUNTY OCCUPATIONAL LICENSE **EXPIRES 9-30-2003** FACILITIES OR MACHINES EMPLOYEES 0 10 RENEWAL 30614.0000 H. WASTE TAX

OCC. CODE

**BUSINESS TYPE** 

190.000

MANUFACTURER - METAL CANOPIES

SURCHARGE

40.00

30.00

BUSINESS LOCATION PLANT CITY 33563

UNIVERSAL STRUCTURES INC 2291 E HWY 92 PLANT CITY FL 33563

IS HEREBY LICENSED TO ENGAGE IN BUSINESS, PROFESSION, OR OCCUPATION SPECIFIED HEREON.

DOUG BELDEN, TAX COLLECTOR 813-635-5200 THIS BECOMES A TAX RECEIPT WHEN VALIDATED. (SEE REVERSE SIDE)

PAID - 27613 - 15 10/01/2002 \*\*\* 70.00

#### LIMITED POWER OF ATTORNEY

DATE 8/25/03	
I hereby name and appoint KICHARD ENA	
lawful attorney in fact to act for me and apply to	COLUMBIA COUNTY
for a PERMIT for	or work to be performed at a
location described as: Section	Township
Range Lot B	lock
Subdivision	
S\$5 FOOD STORE #37 (Address of Jo	
(Address of Jo	ob)
I-10 © US 441 / (AKECITY, Owner of Property an	2.
1-10 0 US 441 / CAKE-CITY,	1011
(Owner of Property an	d Address
and to sign my name and do all things necessary	to this appointment.
K.C. PETROWM, Inc	2
K.C. PETROWM, INC	1CC 047153
Type or Print name of Certified C	Contractor, License #
S.C. 7.	ulds
Signature of Certified	Contractor
Acknowledged:	A + = = =
Sworn to and subscribed before me this d	Notary Public, State of
Florida	Notary Fublic, State of
(Seal)  CYNTHIA K. MITCHEL  Notary Public - State of Florida  My Commission Expires Apr 24, 2004  Commission # CC931032	

My Commission Expires:

# DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION SEQ#L0208120:

BATCH NUMBER LICENSE NBR DATE

08/12/2002 200032093 PCC047153

The POLLUTANT STORAGE SYSTEMS CONTRACTOR

Named below IS CERTIFIED

Under the provisions of Chapter 489 FS.

Expiration date: AUG 31, 2004

FIELDS, GRETHEL CLAYTON K C PETROLEUM INC 422 COPELAND STREET JACKSONVILLE

FL 32204

JEB BUSH GOVERNOR

DISPLAY AS REQUIRED BY LAW

KIM BINKLEY-SEYER SECRETARY

AC# 0524749

#### STATE OF FLORIDA

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION SEQ#L020812029!

DATE BATCH NUMBER TITGENSE NER

08/12/2002 200032093 CMC036774

The MECHANICAL CONTRACTOR Named below IS CERTIFIED

Under the provisions of Chapter 489 FS.

Expiration date: AUG 31, 2004

FIELDS, GRETHEL CLAYTON K C PETROLEUM INC 422 COPELAND STREET

JACKSONVILLE FL 32204

JEB BUSH GOVERNOR

DISPLAY AS REQUIRED BY LAW

KIM BINKLEY-SEYER SECRETARY

AC# 0523942

#### STATE OF FLORIDA

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION CONSTRUCTION INDUSTRY LICENSING BOARD SEQ#L0208120214:

BATCH NUMBER TATCENSE NBR DATE

08/12/2002 200032093 CBC027604

The BUILDING CONTRACTOR Named below IS CERTIFIED

Under the provisions of Chapter 489 FS.

Expiration date: AUG 31, 2004

FIELDS, GRETHEL CLA C PETROLEUM INC 22 COPELAND STREET GRETHEL CLAYTON JACKSONVILLE

FL 32204

JEB BUSH GOVERNOR

KIM BINKLEY-SEYER SECRETARY

# LYNWOOD ROBERTS

## OFFICE OF THE TAX COLLECTOR

CITY OF JACKSONVILLE and/or COUNTY OF DUVAL, FLORIDA

231 EAST FORSYTH STREET ROOM 130, JACKSONVILLE, FL 32202 PHONE: (904)630-2080 FAX: (904)630-1432 Note - A penalty is imposed for failure to keep this license exhibited conspicuously at your establishment or place of business. This license is furnished in pursuance of chapter 770-772 City ordinance codes...

FIELDS, GRETHEL CLAYTON K C PETROLEUM INC PO BOX 60742 JACKSONVILLE, FL 32236

06

ACCOUNT NUMBER:

108993-0000-4

LOCATION ADDRESS:

422 COPELAND ST

32204-2720

DESCRIPTION:

QUALIFYING AGENT, CONTRACTORS

County License Code:

770.000-005

County Tax:

N/A

Municipal License Code:

772.325

Municipal Tax:

\$100.00

Total Tax Paid:

\$100.00

VALID FROM OCTOBER 1, 2002 TO SEPTEMBER 30, 2003

RCPT# : 001/26/9064/0265/09302002 DATE:

9/30/2002 AMT:

\$100.00

#### ATTENTION

\*\*\*The Following Construction Contractors Require Additional Licensure\*\*\*

ALARM RESIDENTIAL ELECTRICAL MECHANICAL GENERAL UNDERGROUND UTILITY REFRIGERATION

POOL

BUILDING SHEET METAL

PLUMBING **CARPENTRY** 

**HEATING** 

**ALUMINUM/VINYL** 

ROOFING SOLAR

**IRRIGATION** 

WATER TREATMENT AIR CONDITIONING

This is an occupational license tax only. It does not permit the licensee to violate any existing regulatory or zoning laws of the County or City. Nor does it exempt the licensee from any other license or permit required by law. This is not a certification of the licensee's qualification.

TAX COLLECTOR

THIS BECOMES A RECEIPT AFTER VALIDATION

	ACORD	CERT	<b>IFICATE OF LI</b>	ABILITY I	NSURA	NCE	DATE (MM/DD/YY) 04/29/2003
PR	ODUCER (904)35		FAX (904)353-5722			JED AS A MATTER OF I	
	ecil W. Powel		1701 (304)333 3722	ONLY AND	D CONFERS NO F	RIGHTS UPON THE CER	TIFICATE
	9. Drawer 41			HOLDER.	THIS CERTIFICA	TE DOES NOT AMEND,	EXTEND OR
	Newnan St.			ALIEKIN	IE COVERAGE A	FFORDED BY THE POLI	CIES BELOW.
	acksonville,	FL 32203-	1490			AFFORDING COVERAG	GE
INS	URED KC Petrol			INSURER A:		surance Company	
	P 0 Box 6			INSURER B;	Auto Owners	Insurance Co	
	Jacksonvi	lle, FL 3	2236	INSURER C:	FCCI Insura	nce Company	
				INSURER D:			
L				INSURER E:			
_	VERAGES				22		
	INY REQUIREMENT, MAY PERTAIN, THE IN	TERM OR CONI ISURANCE AFF	D BELOW HAVE BEEN ISSUED TO TH DITION OF ANY CONTRACT OR OTHE ORDED BY THE POLICIES DESCRIBE WN MAY HAVE BEEN REDUCED BY PA	R DOCUMENT WITH RES D HEREIN IS SUBJECT T	SPECT TO WHICH T	HIS CERTIFICATE MAY BE	ISSUED OR
INSF	TYPE OF INS	SURANCE	POLICY NUMBER	POLICY EFFECTIVE	POLICY EXPIRATION DATE (MM/DD/YY)	LIMI	TS
	GENERAL LIABILITY		02PKG00783	09/11/2002		EACH OCCURRENCE	\$ 2,000,000
	X COMMERCIAL G	ENERAL LIABILITY	,			FIRE DAMAGE (Any one fire)	\$ 50,000
	CLAIMS MA	DE X OCCU				MED EXP (Any one person)	\$ 5,000
A						PERSONAL & ADV INJURY	\$ 2,000,000
			-			GENERAL AGGREGATE	\$ 2,000,000
	GEN'L AGGREGATE L	IMIT APPLIES DES	; <u> </u>				
	1	RO- CT LOC	"			PRODUCTS - COMP/OP AGG	\$ 2,000,000
	AUTOMOBILE LIABILI X ANY AUTO		4203213900	09/11/2002	09/11/2003	COMBINED SINGLE LIMIT (Ea accident)	\$ 1,000,000
В	ALL OWNED AUT SCHEDULED AUT					BODILY INJURY (Per person)	\$
	HIRED AUTOS NON-OWNED AU	TOS				BODILY INJURY (Per accident)	s
						PROPERTY DAMAGE (Per accident)	\$
	GARAGE LIABILITY		1			AUTO ONLY - EA ACCIDENT	\$
	ANY AUTO					OTHER THAN EA ACC	\$
						AUTO ONLY: AGG	\$
	EXCESS LIABILITY	٦				EACH OCCURRENCE	\$
	OCCUR	CLAIMS MADE				AGGREGATE	\$
	<u> </u>						\$
	DEDUCTIBLE						\$
	RETENTION \$						\$
	WORKERS COMPENSA EMPLOYERS' LIABILIT		001WC03A42788	05/06/2003	05/06/2004	X WC STATU- TORY LIMITS OTH- ER	
C		•				E.L. EACH ACCIDENT	\$ 1,000,000
						E.L. DISEASE - EA EMPLOYEE	s 1,000,000
						E.L. DISEASE - POLICY LIMIT	s 1,000,000
	OTHER Contractor's	Pollution	02PKG00783	09/11/2002	09/11/2003	\$2,000,000 Each	Poll Condition
Α						Claims Ma	de Form
					_	\$10,000 De	ductible
DESC	सार HON OF OPERATIO	NS/LOCATIONS/V	EHICLES/EXCLUSIONS ADDED BY ENDORS	EMENT/SPECIAL PROVISIO	ons		
	**************************************						
CER	TIFICATE HOLDEI	K ADI	DITIONAL INSURED; INSURER LETTER:	CANCELLATION	ON		
				1		RIBED POLICIES BE CANCELLE	
	Columbia C	ountv				SUING COMPANY WILL ENDEA	
	Building &			_30_ DAYS	WRITTEN NOTICE TO	THE CERTIFICATE HOLDER NA	MED TO THE LEFT,
	Attention:		:ks	1		E SHALL IMPOSE NO OBLIGATI	
	35 N. Hern	ando St		OF ANY KIND	UPON THE COMPANY,	ITS AGENTS OR REPRESENTA	TIVES.
	Lake City,		1529	AUTHORIZED REP		/ .	
				Susan Jord	an/HJS	Sucan fordan	'
ACO	RD 25-S (7/97)			, 545411 5014	,	@ACORD C	ORPORATION 1988



# K.C. Petroleum, Inc.

P.O. Box 60742 Jacksonville, FL 32236 (904) 693-3200 (904) 786-8441







CBC-027604 CMC-036774 PCC-047153

Date: 06/04/03

RICHARD SCAFF S&S FOOD STORES 134 S.E. COLBURN AVE LAKE CITY, FL 32025

Job #: 320220 S&S #37 I10 @ 441 LAKE CITY, FL 32025

K.C Petroleum is pleased to provide the following proposal on the above referenced project:

#### **COMBINED MATERIALS & EQUIPMENT**

Manufacturer	Description Petro Fiberglass PF1E-W Encore Disp. Box Petro Fiberglass CB Shear Bar Bracket	<b>Quantity</b> 4.00 10.00	Unit EA EA
FIBERGLASS F	PIPING & FITTINGS		
AO SMITH	2" RED THREAD IIA PIPE 2" RED THREAD IIA FITTINGS (90 ELBOW) 2" RED THREAD IIA FITTINGS-(45 ELBOW) 2" RED THREAD IIA FITTINGS (SLEEVE) 2x1.5 Female NPT Reducer Bushing 2" RED THREAD IIA FITTINGS (TEE) DS-8000 Series Adhesive	300.00 23.00 9.00 16.00 10.00 3.00 20.00	FT EA EA EA EA Kit
FLEXIBLE PIPII OPW OPW Pisces	NG & FITTINGS 2" ENTRY .75" Rigid Conduit Entry Fitting	10.00 12.00	EA. EA.
FLEX CONNECT FLEXING OPW	TORS & SHEAR VALVES  1.5" X 18" FLEXHOSE  1.5 Shear Valve	10.00 10.00	EA EA

#### **SCOPE OF WORK**

Provide uncertified drawings by K.C. Petroleum, Inc. for permitting.

Obtain permitting with local authorities.

Saw-cut, remove and, dispose of 26'x28' area of existing asphalt.

Saw-cut, breakout and, remove (3) existing island forms.



Job #: 320220 S&S #37 Proposal, Page #: 2

Date: 06/04/03

Furnish and install (4) new Petro Fiberglass dispenser sumps mounted flush on grade. (No Islands)

Connect product piping to existing SW fiberglass material, two outside dispensers to have Diesel product.


Fabricate, form and, pour (2) 5'x5'x5' canopy footers.

Form and pour (1) 26'x28'x6" 3500LB Fibermesh concrete drive apron and (3) 8'x24' areas at old islands. Dispose of all uncontaminated debris.

Install (4) customer furnished Gilbarco Encore dispensers.

Purge and calibrate equipment by KC service dept.

Precision test (3) lines for tightness.



SELIM EDUIPMENT IN

AUTHORIZED FABRICATOR


# 

Quality Products For The Petroleum, Hydraulic and Cryogenic Industries

the COLVANI



Flexible Connector



One Less Thing To Worry About

• Fire Proof

• UL Listed, Flexible Connector for Above and Below Ground Use

O→ Strength → O

1-800-333-3599 • Fax 1-800-765-4801

2828 FALLON DRIVE • SHERMAN, TEXAS 75090

# the FIREMAN

UL

Flexible Connector

3Y

# COFIEXING CO

Quality Products For The Petroleum, Hydraulic and Cryogenic Industries

#### Feature

- · All Metal Construction
- UL Approved For Both Above and Below Ground Use.
- One Specification For Both Above and Below Ground.
- 316L Stainless Construction .020 Wall Thickness
- · More Corrugations
- · Schedule 80 Ends
- Beveled Seat on Ends to Match Bevel on Adapter Swivel
- 100% Pressure Tested
- Braid Limited
- · One Less Thing to Worry About

#### Benefit

Fireproof - Crush, Kink Resistant

No Confusion - Specify and Stock One For Both Applications

No Confusion - Specify and Stock One For Both Applications

Longer Service Life in Terms of Chemical Resistance and Service Life

Extra Flexibility

No "Egging" of Pipe With Pipe Wrench

Makes a Dry Mechanical Seal

Installation and Line Testings Simplified

Hose Will Hold Liquid And Pressure Even When Braid Is Destroyed

One Less Thing to Worry About

#### Payoff

Safer - Satisfy Code Requirements

Satisfy All Code Requirements

Less Inventory Dollars.

Longer Predictive Life - Fewer Replacements - Less Maintenance Downtime.

Easier to Install

Easier to Install

Less Maintenance Down Time Due to Problems With O-Ring Seal

Quality is Built In And Assured

Environmentally Safe

One Less Thing to Worry About

#### TERMS AND CONDITIONS

Prices and terms are subject to change without notice. All new accounts must receive credit approval prior to shipping. Terms are 1% - 10 - Net 30 days. Prices contained herein and merchandise sold are FOB Sherman with freight allowed on shipments of 200 lengths of curb, 1,000 lbs. or \$2,000.00. Products are warranted to be free from defects in material and workmanship, liability under any expressed or implied warranty is limited to purchase price only. Merchandise may be replaced or credited after making a prorata charge for services rendered. All returns must be shipped pre-paid. A restocking charge may be applied.

Fireman 0696


1-800-333-3599 · Fax 1-800-765-4801

2828 FALLON DRIVE . SHERMAN, TEXAS 75090

# Flexible Entry Boot




The pipe and conduit entry seals designed to provide universal flexibility for the pipe or conduit entries into a containment sump by providing up and down, side-to-side, back-to-front movement, as well as, angled pipe entries. They have no metal components exposed to the environment and firmly fasten and seal to the sump wall by means of stainless steel stud fasteners and compression ring.




Refer to Product Price List for a listing of available models.

## Double Entry Boot




These pipe and conduit entry seals are designed to seal the sump penetration. These entry boots incorporate both internal and external band clamps to provide additional sealing in harsh environments. Boots firmly fasten and seal to the sump wall by means of stainless steel studs, fasteners and a galvanized compression ring.



Refer to Product Price List for a listing of available models.


# **GeoDuct™ Entry Boots**




Parent Granted

A large double clamped, entry boot designed to seal the  $\mathsf{GeoDuct}^{\mathsf{T}}$ Conduit entry into the side wall of a Tank Sump or Dispenser Sump. These entry boots are used when the in-ground replaceability feature of the GeoFlex® piping is desired. This entry boot includes band clamps for sealing off the GeoDuct Conduit as well as the GeoFlex Piping.

PART NO.	SIZE	DESCRIPTION
GD8-4515	4" x 1.5"	A A IN I C Class
GD8-4520	4" x 2"	Seals 4" GeoDuct to 2" GeoFlex
GDB-4530	4" × 3"	Seeks 4" Good Lat to 1-12" Geoffer with ax (Dirut)
GDB-7450	4"	Used for 3/4" and 1" application only




### Rubber Reducer Donuts




A rubber donut used to seal off GeoFlex pipe in various. Refer to chart below for various donut configuration.

Control of the contro
DESCRIPTION
Used in GDB-4530 to reduce to 1-1/2" GeoFlex-S & V w/ Coax fitting
Used in GDB-4530 to reduce to 1-1/2" GeoFlex-D, M w/ Coax fitting
· Used in GDB-7450 for fuel oil 1" supply and 1" return
Used in GDB-7450 for fuel oil 3/4" supply and 1" return
Used in GDB-7450 for fuel oil 3/4" supply and 3/4" return
Reducer Donut Plug used to plug one opening in SRD-4077



# OPW 10 SERIES EMERGENCY SHUT-OFF VALVES

OPW 10 Series Emergency Shut-off Valves are installed on fuel supply lines beneath dispensers at grade level to minimize hazards associated with collision or fire at the dispenser. If the dispenser is pulled over or dislodged by collision, the top of the valve breaks off at the integral shear groove, activating poppets and shutting off the flow of fuel. Single-poppet models shut off supply flow, while double-poppet models shut off supply as well as prevent release of fuel from the dispenser's internal piping. The base of the Emergency Valve is securely anchored to the concrete dispenser island through a stabilizer bar system within the dispenser sump or pan to ensure proper shearing action. The valve base is secured to the stabilizer bar using a three-point boss mount system or with a U-Bolt Kit (not included), 10UBK-015 sold separately. Valve inlet (bottom) connections are female pipe threads and outlet (top) connections are available with female threads, male threads, or a union fitting. Other options include suction system models with a normally closed secondary poppet which maintains prime, and models with external threads on the inlet body which connect to secondary containment systems.



#### Features

- ♦ High Flow Capacity The primary poppet is held out of the flow stream while the secondary poppet is held normally open to minimize head loss across the valve and to protect the poppet seals from damage and erosion. True 1½" and 2" body sizes ensure maximum flow.
- ♦ Fire Protection –A fusible link trips the valve closed at 165° F to shut off fuel supply to the dispenser.
- Main Poppet Seat Integral to the Top Assembly - Having the main poppet seat as an integral part of the valve top assures a new, clean seating surface is installed each time the top is replaced. This design also ensures that the integrity of the seal between the valve top and bottom is verified during line testing and allows full inspection of the main poppet when the top is removed.

#### Materials

Top: cast iron\* Body: cast iron\* Disc: M-19

Carrier: zinc plated steel

Stem: copper-nickel-chrome plated

Poppet spring: stainless steel

Seal: M-19 O-ring

Packing nut: brass, Teflon® coated Inlet and outlet thread: 11/2" NPT (British threads available) \*With black Duragard? coating

- Reliable Shut-off A Stainless Steel Main Spring, a Tellon-Coated Brass Packing Nut, and a Copper-Nickel-Chrome Plated Brass Stem are designed to prevent tar build-up and corrosion from interfering with poppet operation after long periods of normal service without activation.
- ♦ Integral Test Port A ½" Test Port allows the piping system to be air tested without breaking any piping connections.
- Patented Thermal Relief Valve -Relieves excessive pressure build-up caused by thermal expansion of fuel in the dispenser piping system in the event of fire (double-poppet models only).
- Low-Profile Tops Female and Union-top double-poppet valves have a low-profile top to allow upgrading from OPW single-poppet valves without changing existing piping.

- Multiple Mounting Options Valves are boss-mounted to stabilizer bars in sumps and pans or mounted to bars embedded in the island with optional U-Bolt kits 10UBK-015 (not included). Versatile Combination Body (boss mount/U-Bolt mount) models are available to accommodate most mounting applications with one valve style.
- Underwriters Laboratories --Listed for use with gasoline and 85% and 100% methanol. All OPW 10 Emergency Shut-Off Valves meet requirements of UL STANDARD 842.
- ◆ Duragard<sup>5</sup>-Coat Finish Provides superior corrosion resistance.

#### NOTICE:

As per NFPA 30A, electrical supply to the submersible pump must always be disconnected before servicing meters, dispensers or emergency shut-off valves.

#### **IMPORTANT NOTICE:**

When mounting the OPW 10 Series Emergency Shut-off Valves, the anchoring system employed must withstand a force greater than 650 ft. pounds per valve.

NFPA Code 30A, Automotive and Marine Service Station Code, requires that the automatic closing feature of emergency shut-off valves be checked at least once per year by manually tripping the hold-open linkage.

OPW recommends the use of PISCES® Stabilizer Bar Support System for proper mounting of 10 Series Valves

#### OPW 10S Stabilizer Bar Assembly

The OPW 10S Stabilizer Bar Assembly is used in installations where no valve mounting system exists. When properly imbedded into the island concrete, 10S holds the OPW 10 Series valves rigidly in place to assure proper shearing action. The 10S assembly includes all necessary installation hardware.

Part No.	List Price
10S-4771	\$75.85

#### OPW 10RW Wrench

The OPW 10RW Wrench is used to install and remove 12" OPW 10 Series Emergency Shut-off valves and is designed to prevent stress to the shear section of the valve during installation.

This wrench is made of ductile iron and has a 11/1" diameter boss for use with a pipe wrench, and a hole for a 1/2" diameter rod.


Part No.	List Price
10RW-4735	\$51.10








# PITTRO PETRICIENSS INC



Eibenglass Tank Sump



Eilherglass Dispenser Sump



The Fiberglass Advantage

# SPENSER SUMPS


You'll find a wide range of dispenser sump sizes and heights for almost every specification and applicat Each sump allows flexibility in placement of piping, shear valves and leak detection accessories.


# Alkorei indes

- Wide range of sizes and heights in dispenser sumps to accommodate the majority of dispensers.
- Constructed of isophthalic polyester resin and 100% fiberglass reinforcement.
- Interior coated with white gelcoat which improves visibility during maintenance.
- Dispenser sump mounting frames are constructed of heavy gauge aluminum boxes with pre-drilled holes to match the dispenser's mounting holes.
- Dispenser comes equipped with splash guards to help eliminate the encroachment of surface water.
- Cross bars for safety valve mounting are required and sold separately.
- Shallow Burial available.
- Wide Bottom available.
- Deep Burial available.




Compatible with all penetration seals. Use penetration seals with the seal on the inside of the sump for future ease of maintenance.






Wide Bottom Burial



Standard Burial





AHD: Building Dept. Januar 21095

## Universal Structures, Inc.

P.O. Box 3329 Plant City, Florida 33566 (813) 754-0033 1-800-444-4021 Fax (813) 752-8230

#### **AUTHORIZATION LETTER**

1, Merrill Atlas Pierce, contractor license number <u>CBC057671</u>, hereby authorize the following to act as my agent in obtaining permits in Columbia County:

Richard Enniss
AGENT'S NAME

E-520-748-57-281-0 DRIVER LICENSE NUMBER

This authorization is to remain in effect indefinitely, unless canceled by me in writing.

CONTRACTOR'S SIGNATURE

Sworn to and subscribed to before me this 19<sup>th</sup> day of <u>September</u>, 2003 by

<u>Richard Enniss</u>, who is personally known to me or has produced

<u>a Florida Drivers License</u> as identification and who did (did not) take an oath.

Notary Public

My commission expires 9 33, 2005

Vitness

C PURE E





r Commission DD059684 pires September 23, 2005