

Columbia County BUILDING DEPARTMENT

Revised 12/2023

COMMERCIAL MINIMUM PLAN CHECKLIST

MINIMUM PLAN REQUIREMENTS AND CHECKLIST FOR THE 2023 FLORIDA BUILDING CODE ,FLORIDA PLUMBING CODE,FLORIDA MECHINICAL CODE,FLORIDA FUEL AND GAS CODE 2023 EFFECTIVE 1 JAN 2023 AND 2020 NATIONAL ELECTRICAL

ALL REQUIREMENTS ARE SUBJECT TO CHANGE

ALL BUILDING PLANS MUST INDICATE COMPLIANCE WITH THE CURRENT FLORIDA BUILDING CODES. ALL PLANS OR DRAWING SHALL PROVIDED CALCULATIONS AND DETAILS THAT HAVE THE SEAL AND SIGNATURE OF A CERTIFIED ARCHITECT OR ENGINEER REGISTERED IN THE STATE OF FLORIDA, OR ALTERNATE METHODOLOGIES, APPROVED BY THE STATE OF FLORIDA BUILDING COMMISSION.

FOR DESIGN PURPOSES THE FOLLOWING BASIC WIND SPEEDS ARE PER FLORIDA BUILDING CODE FIGURE 1609.3 (1) THROUGH (4) ULTIMATE DESIGN WIND SPEEDS FOR RISK CATEGORY AND BUILDINGS AND OTHER STRUCTURES

	GENERAL REQUIREMENTS:	Box	to Incl shall be Appli	ude Each Marked cable	
1	All drawings must be clear, concise and drawn to scale, details that are not used shall be marked void.	YES	NO	N/A	Yes
2	If the design professional is an architect or engineer legally registered under the laws of this state regulating the practice of architecture as provided for in Chapter 481, Florida Statutes, Part I, or engineering as provided for in Chapter 471, Florida Statutes, then he or she shall affix his or her official seal to said drawings, specifications and accompanying data, as required by Florida Statute.	YES	NO	N/A	Yes
3	The design professional signature shall be affixed to the plans	YES	NO	N/A	Yes
4	Two (2) complete sets of plans with the architecture or engineer signature and the date the affix embossed official seal was placed on the plans	YES	NO	N/A	Yes

Two (2) complete sets of plans containing the following information:

	Büllding Site Plan Requirements	Eac			
4	Parking, including provision Florida Building Code Accessibility Code	Yes	No	N/A	Yes
5	Fire access, showing all drive way which will be accessible for emergency vehicles	Yes	No	N/A	N/A
6	Driving/turning radius of parking lots	Yes	No	N/A	N/A
7	Vehicle loading include truck dock loading or rail site loading	Yes	No	N/A	N/A
8	Nearest or number of onsite Fire hydrant/water supply/post indicator valve (PIV)	Yes	No	N/A	N/A
9	Set back of all existing or proposed structures from each structure and property boundaries, Show all separation including assumed property lines	Yes	No	N/A	N/A
0	Location of specific tanks(above or under grown ,water lines and sewer lines and septic tank and drain fields	Yes	No	N/A	N/A

11	All structures e	exterior vie	ws include	finished flo	or elevation	n			T	Yes	No	N/A	N/A
12	Total height of	structure(s	s) form esta	blished grad	le					Yes	No	N/A	N/A
	Revio	ew require	ed by the C (We Cont	olumbia Co act the Fire	ounty Fire Inspector	Departmei For You.)	nt Items 13	Th 43					
i La d	Occupancy group use circle all uses:	Group A	Group B	Group E	Group F	Group H	Group	Group M	Grou R	p Gre	oup		roup D
13	Special	occupancy	requireme	nts.						Yes	TN	lo N/	A N/A
14	Inciden	tal use area	ıs (total squ	are footage	for each ro	om of use a	rea)			Yes	N	lo N/	21/2
15	Mixed o	occupancie	s							Yes	N	o N/	A N/A
16	REQUI	RED SEPA	RATION (OF OCCUP	ANCIES II	N HOURS I	BC TABLE	E 707.3.10		Yes	N	o N/	A N/A
17	(FBC:602.2	(FE	oe II BC:602.2)	(FBC:6	02.3) Ty	or occupan pe IV BC:602.4)	Type (FBC	e V C:602.5)				13.47	
	«Fire				ents shall	be shown,	include the	following	compo	nents :	1 777		
18			sistant sepa							Yes	No	N/A	
19				ction for ty						Yes	No	N/A	
20						f rated wall				Yes	No	N/A	
21	Protection of corridors and penetrations of rated walls Yes No N/A Fire blocking and draftstopping and calculated fire resistance Yes No N/A						_						
22	* * * * * * * * * * * * * * * * * * *	fire blo	cking and c	lraftstoppin re suppress	g and calcu ion system	lated fire re	sistance hown inclu	de Not	. Sq. 7.	Yes	No	N/A	N/A
3	Early warning smoke evacuation systems Schematic fire sprinklers Standpipes Yes					Yes	No	N/A	N/A				
4		Standpi								Yes	No	N/A	N/A
5		Pre-eng	ineered sys	tems						Yes	No	N/A	N/A
6		Riser di								Yes	No	N/A	N/A
7	rughtur.					he followin	g requirem	ents:	A U.S		15.5	235	
8				egress capa	cities					Yes	No	N/A	N/A
9		Early wa								Yes	No	N/A	N/A
0		Smoke c					_			Yes	No	N/A	N/A
1			ssurization							Yes	No	N/A	N/A
	4.X. • O	Systems ecupancy.	schematic load/egress	requireme	nts shall h	e shown in	lude:	1. Caption	1500/E	Yes	No	N/A	N/A
2			ncy load		TO DESMENT O	- 0410 17 61 611			T	Yes	No	N/A	N/A
3			ccupancy lo	ad		-				Yes	No	N/A	N/A
1			upancy loa							Yes	No	N/A	N/A
5			of egress							Yes	No	N/A	N/A
5		Exit acc								Yes	No	N/A	N/A
7		Exit disc						-			No	N/A	N/A
3				eometry an	d protection	1				Yes	No	N/A	N/A
		Doors			7						No	N/A	N/A
			cy lightino	and exit sign	ns						No	N/A	N/A
				equirement							No	N/A	N/A

42	Construction requirements	Yes	No	N/A	N/A
43	Horizontal exits/exit passageways	Yes	No	N/A	N/A

Items to Include
Each Box shall be
Marked as

ACT I		Appl	icable	3. 6	*.
44	Structural requirements shall be shown include:				N/A
45	Soil conditions/analysis	Yes	No	N/A	N/A
46	Termite protection	Yes	No	N/A	N/A
47	Design loads	Yes	No	N/A	-
48	Wind requirements	Yes	No	N/A	N/A
49	Building envelope	Yes	No	N/A	N/A
50	Structural calculations (if required) Foundation For structures with foundation which establish new electrical utility companies service connection a Concrete Encased Electrode will be required within the foundation to serve as an grounding electrode system. Per the National Electrical Code article 250.52.3	Yes Yes	No No	N/A N/A	N/A
51	Wall systems	Yes	No	N/A	N/A
52	Floor systems	Yes	No	N/A	N/A
53	Roof systems	Yes	No	N/A	N/A
54	Threshold inspection plan	Yes	No	N/A	N/A
55	Stair systems	Yes	No	N/A	N/A
-	Materials shall be shown include the following	Les avec	1110	1 20121	
56	Wood	Yes	No	N/A	N/A
57	Steel	Yes	No	N/A	N/A
58	Aluminum	Yes	No	N/A	N/A
59	Concrete	Yes	No	N/A	Yes
60	Plastic	Yes	No	N/A	N/A
61	Glass	Yes	No	N/A	N/A
62	Masonry	Yes	No	N/A	N/A
63	Gypsum board and plaster	Yes	No	N/A	N/A
64	Insulating (mechanical)	Yes	No	N/A	N/A
65	Roofing	Yes	No	N/A	N/A
66	Insulation	Yes	No	N/A	N/A
67	Accessibility requirements shall be shown include the following	P154	155		
68	Site requirements	Yes	No	N/A	N/A
69	Accessible route	Yes	No	N/A	N/A
70	Vertical accessibility	Yes	No	N/A	N/A
_	Toilet and bathing facilities	Yes	No	N/A	N/A
71	Drinking fountains	Yes	No	N/A	N/A
72	Equipment	Yes	No	N/A	N/A
73	Special occupancy requirements	Yes	No	N/A	N/A
74	Fair housing requirements	Yes	No	N/A	N/A

1	Interior requirements shall include the following	Taraffilliana	1.75	1 Title	
75	Review required by the Columbia County Fire Department Items 75 Th 80 Interior finishes (flame spread/smoke development)	Yes	No	N/A	N/A
76	Light and ventilation	Yes	No	N/A	N/A
77	Sanitation	Yes	No	N/A	N/A
	Special systems		0.00	LI ST	
78	Elevators	Yes	No.	N/A	N/A
79	Escalators	Yes	No	N/A	N/A
30	Lifts	Yes	No	N/A	N/A
a Priest Euro	Swimming pools		12.12	0160813111	
31	Barrier requirements	Yes	No	N/A	N/A
32	Spas and Wading pools	Yes	No	N/A	N/A
33	Access required per Florida Building Code 454.1.2.5	Yes	No	N/A	N/A

	Electrical			District Control	
84	Wiring	Yes	No	N/A	-
85	Services For structures with foundation which establish new electrical utility companies service connection a Concrete Encased Electrode will be required within the foundation to serve as an grounding electrode system. Per the National Electrical Code article 250.52.3	Yes	No	N/A	N/A
86	Feeders and branch circuits	Yes	No	N/A	-
87	Overcurrent protection	Yes	No	N/A	-
88	Grounding	Yes	No	N/A	-
89	Wiring methods and materials	Yes	No	N/A	-
90	GFCIs	Yes	No	N/A	1-
91	Equipment	Yes	No	N/A	-
92	Special occupancies	Yes	No	N/A	-
93	Emergency systems	Yes	No	N/A	-
94	Communication systems	Yes	No	N/A	-
95	Low voltage	Yes	No	N/A	-
96	Load calculations	Yes	No	N/A	-
97	Plumbing	A Starte	ALL PARTY		
	Minimum plumbing facilities	Yes	No	N/A	Yes
8	Fixture requirements	Yes	No	N/A	Yes
)9	Water supply piping	Yes	No	N/A	Yes
100	Sanitary drainage	Yes	No	N/A	N/A
01	Water heaters	Yes	No	N/A	N/A
02	Vents	Yes	No	N/A	N/A
03	Roof drainage	Yes	No	N/A	N/A
04	Back flow prevention	Yes	No	N/A	Yes

	Irrigation	Yes	No	N/A	N/A
106	Location of water supply line	Yes	No	N/A	Yes
107	Grease traps	Yes	No	N/A	N/A
108	Environmental requirements	Yes	No	N/A	N/A
109	Plumbing riser	Yes	No	N/A	N/A
110	Mechanical.		1,797,63		8
110	Energy calculations	Yes	No	N/A	N/A
111	Review required by the Columbia County Fire Department Items 111 Th 114 Exhaust systems	Yes	No	N/A	N/A
12	Clothes dryer exhaust	Yes	No	N/A	N/A
13	Kitchen equipment exhaust	Yes	No	N/A	N/A
14	Specialty exhaust systems	Yes	No	N/A	N/A
200	Equipment location		ELLER	1000	VI
15	Make-up air	Yes	No	N/A	N/A
16	Roof-mounted equipment	Yes	No	N/A	N/A
17	Duct systems	Yes	No	N/A	N/A
18	Ventilation	Yes	No	N/A	N/A
19	Laboratory	Yes	No	N/A	N/A
20	Combustion air	Yes	No	N/A	N/A
21	Chimneys, fireplaces and vents	Yes	No	N/A	N/A
22	Appliances	Yes	No	N/A	N/A
23	Boilers	Yes	No	N/A	N/A
24	Refrigeration	Yes	No	N/A	N/A
25	Bathroom ventilation	Yes	No	N/A	N/A
	Gás. Artis y	Each I Marke Applie	able		
26	Review required by the Columbia County Fire Department Items 126Th 134	Yes		1427.7513160	
	Gas piping	165	No	N/A	N/A
	Gas piping Venting	ļ	+		N/A N/A
27	Gas piping	Yes	No	N/A	-
27 28 29	Gas piping Venting	Yes Yes	No No	N/A N/A	N/A N/A
27 28 29	Venting Combustion air	Yes Yes Yes	No No No	N/A N/A N/A	N/A N/A
27 28 29 30	Combustion air Chimneys and vents	Yes Yes Yes Yes	No No No	N/A N/A N/A N/A	N/A N/A N/A N/A
27 28 29 30 31	Combustion air Chimneys and vents Appliances	Yes Yes Yes Yes Yes Yes	No No No No	N/A N/A N/A N/A	N/A N/A N/A N/A
27 28	Combustion air Chimneys and vents Appliances Type of gas Fireplaces	Yes Yes Yes Yes Yes Yes Yes	No No No No No	N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A
27 28 29 30 31 32	Combustion air Chimneys and vents Appliances Type of gas	Yes Yes Yes Yes Yes Yes Yes Yes	No No No No No No	N/A N/A N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A
27 28 29 30 31 31 32 33 33 34	Gas piping Venting Combustion air Chimneys and vents Appliances Type of gas Fireplaces LP tank location Riser diagram/shutoffs	Yes Yes Yes Yes Yes Yes Yes	No No No No No	N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A
27 28 29 30 31 32	Gas piping Venting Combustion air Chimneys and vents Appliances Type of gas Fireplaces LP tank location Riser diagram/shutofis	Yes Yes Yes Yes Yes Yes Yes Yes	No No No No No No	N/A N/A N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A

136	Horse power of pump motor			7		
		SEE PAGE 7- ON HOW	Yes	No	N/A	N/A
137	Capacity of pressure tank	TO PROVIDE THIS DOCUMENTATION.	Yes	No	N/A	N/A
138	Cycle stop valve if used	DOCUMENTATION.	Yes	No	N/A	
			ltems Each Mark Appli	Box sha ed as	ide- ill be	

	T		A Building Permit Application is to be completed by	T	1	Т	7
139	Building Pern Application	nit	The \$15.00 application fee.		No	N/A	Yes
140	Parcel Number		The parcel number (Tax ID number) from the Property Appraiser is required. A copy of property deed is also required. (386) 758-1084	Yes	No	N/A	Yes
141	Environmental Health Permit or Sewer Tap Approval	disposal perm sewer tap lette Toilet facilit	A copy of an approved Environmental Health (386) 758-1058 waste water disposal permit or an approved City of Lake City(386) 752-2031 OR Count sewer tap letter is required before a building permit can be issued. Y Toilet facilities shall be provided for construction workers		No	N/A	N/A
142	Driveway Connection	If the property application fo Works Dept. of instillation and granted. Culve shall conform registered eng Florida Depa to be located of	f the property does not have an existing access to a public road, then an pplication for a culvert permit must be made (\$25.00). County Public Works Dept. determines the size and length of every culvert before instillation and completes a final inspection before permanent power is ranted. Culvert installation for commercial, industrial and other uses shall conform to the approved site plan or to the specifications of a egistered engineer. Use or joint use of driveways will comply with clorida Department of Transportation specifications. If the project is to be located on an F.D.O.T. maintained road, then an F.D.O.T. access ermit is required.		No	N/A	N/A
43	Suwannee River Water Management District Approval	All commercian exemption	All commercial projects must have an SRWMD permit issued or an exemption letter, before a building permit will be issued.		No	N/A	N/A
44	Flood Management	shall require portion of Columbia Columbia Coulocated within a flood been established Columbia Coulocated within flood) has not of Columbia Coulocated within flood) has not columbia C	All projects within the Floodway of the Suwannee or Santa Fe Rivers shall require permitting through the Suwannee River Water Management District, before submitting application to this office. Any project located within a flood zone where the base flood elevation (100 year flood) has been established shall meet the requirements of section 8.8 of the Columbia County Land Development Regulations. Any project that is located within a flood zone where the base flood elevation (100 year flood) has not been established shall meet the requirements of section 8.7 of Columbia County Land Development Regulations. A development permit will also be required. The development permit cost is \$50.00		No	N/A	N/A
45	Flood Management	REQUIRED O ELEVATION	D FINISHED FLOOR ELEVATIONS WILL BE N ANY PROJECT WHERE THE BASE FLOOD (100 YEAR FLOOD) HAS BEEN ESTABLISHED OR IT ETERMINED BY THE PLAT	Yes	No	N/A	N/A
46	911 Address	received thro	An application for a 91 laddress must be applied for and received through the Columbia County 911 Addressing Department by applying online.		No	N/A	N/A

ONCE ZONING HAS BEEN APPROVED FOR THIS PROJECT.

Private Potable Water

City of Lake City Utilities Department (386-752-2031) Letter of Availability OR

Ellisville/County Utilities (386-758-1019) Letter of Availability.

Sewage Disposal

Septic System - An approved signed site plan from Environmental Health (386-758-1058)

City OR County Sewage- A Letter of Availability from either department. (See above contact numbers.)

Pursuant to Chapter one (administration) section 101.2 of the Florida Building Code: Section 105.3.2 Time limitation of application. An application for a permit for any proposed work shall be deemed to have been abandoned 180 days after the date of filing, unless such application has been pursued in good faith or a permit has been issued; except that the building official is authorized to grant one or more extensions of time for additional periods not exceeding 90 days each. The extension shall be requested in writing and justifiable cause demonstrated.

Pursuant to Chapter one (administration) section 101.2 of the Florida Building Code: Section 105.4.1 Permit intent. A permit issued shall be constructed to be a license to proceed with the work and not as authority to violate, cancel, alter or set aside any of the provisions of the technical codes, nor shall issuance of a permit prevent the building official from thereafter requiring a correction of errors in plans, construction or violations of this code. Every permit issued shall become invalid unless the work authorized by such permit is commenced within six months after its issuance, or if the work authorized by such permit is suspended or abandoned for a period of six months after the time the work is commenced.

Section 105.4.1.1: If work has commenced and the permit is revoked, becomes null and void, or expires because of lack of progress or abandonment, a new permit covering the proposed construction shall be obtained before proceeding with the work.

Section 105.4.1.2: If a new permit is not obtained within 180 days from the date the initial permit became null and void, the building official is authorized to require that any work which has been commenced or completed be removed from the building site. Alternately, a new permit may be issued on application, providing the work in place and required to complete the structure meets all applicable regulations in effect at the time the initial permit became null and void and any regulations which may have become effective between the date of expiration and the date if issuance of the new permit.

Section 105.4.1.3: Work shall be considered to be in active progress when the permit has received an approved inspection within 180 days. This provision shall not be applicable in case of civil commotion or strike or when the building work is halted due directly to judicial injunction, order or similar process.

Section 105.4.1.4: The fee for renewal reissuance and extension of a permit shall be set forth by the administrative authority.

Ordinance Sec. 90-75. - Construction debris. (e) It shall be unlawful for any person to dispose of or discard solid waste, including construction or demolition debris at any place within the county other than on an authorized disposal site or at the county's solid waste facilities. The temporary storage, not to exceed seven days of solid waste (excluding construction and demolition debris) on the premises where generated or vegetative trash pending disposition as authorized by law or ordinance, shall not be deemed a violation of this section. The temporary storage of construction and demolition debris on the premises where generated or vegetative trash pending disposition as authorized by law or ordinance shall not be deemed in violation of this section; provided, however, such construction and demolition debris must be disposed of in accordance with this article prior to the county's issuance of a certificate of occupancy for the premises. The burning of lumber from a construction or demolition project or vegetative trash when done so with legal and proper permits from the authorized agencies and in accordance with such agencies' rules and regulations, shall not be deemed a violation of this section. No person shall bury, throw, place, or deposit, or cause to be buried, thrown, placed, or deposited, any solid waste, special waste, or debris of any kind into or on any of the public streets, road right-of-way, highways, bridges, alleys, lanes, thoroughfares, waters, canals, or vacant lots or lands within the county. No person shall bury any vegetative trash on any of the public streets, road right-of-way, highways, bridges, lanes, thoroughfares, waters, canals, or lots less than ten acres in size within the county.

When the submitted application is approved for permitting the applicant will be notified by email as to the date and time a building permit will be prepared and issued by the Columbia County Building & Zoning Department.

As required by Florida Statute 553.842 and Florida Administrative Code 9B-72, please provide the information and approval numbers on the building components listed below if they will be utilized on the construction project for which you are applying for a building permit. We recommend you contact your local product supplier should you not know the product approval number for any of the applicable listed products. Statewide approved products are listed online @ www.floridabuilding.org

Category/Subcategory	Manufacturer	Product Description	Approval Number(s)
1. EXTERIOR DOORS			
A. SWINGING			
B. SLIDING			
C. SECTIONAL/ROLL UP			
D. OTHER			
2. WINDOWS			
A. SINGLE/DOUBLE HUNG	<u> </u>		
B. HORIZONTAL SLIDER			
C. CASEMENT			
D. FIXED			
E. MULLION			
F. SKYLIGHTS			
G. OTHER			
3. PANEL WALL			
A. SIDING			
B. SOFFITS			
C. STOREFRONTS			
D. GLASS BLOCK			
E. OTHER			
4. ROOFING PRODUCTS			
A. ASPHALT SHINGLES			
B. NON-STRUCT METAL			
C. ROOFING TILES			
D. SINGLE PLY ROOF			
E. OTHER			
S. STRUCT COMPONENTS			
A. WOOD CONNECTORS	7		
B. WOOD ANCHORS			
C. TRUSS PLATES			
D. INSULATION FORMS			
E. LINTELS			
F. OTHERS			
S. NEW EXTERIOR			
ENVELOPE PRODUCTS			

The products listed below did not demonstrate product approval at plan review. I understand that at the time of inspection of these products, the following information must be available to the inspector on the jobsite; 1) copy of the product approval, 2) performance characteristics which the product was tested and certified to comply with, 3) copy of the applicable manufacturers installation requirements.

Further, I understand these products may have to be removed if approval cannot be demonstrated during inspection.

(AM) / /W/	-
Contractor or Owner Signature	NOTES: