

BEARING HEIGHT SCHEDULE

8'-0"

10'-0"

6/12 PITCH
1'-6" OH

NOTES:

- 1) REFER TO HD 91 RECOMMENDATIONS FOR HANDLING INSTALLATION AND TEMPORARY BI REFER TO ENGINEERED DRAWINGS FOR PERMA BRACING REQUIRED
- 2) ALL TRUSSES (INCLUDING TRUSSES UNDER VALLEY FRAMING) MUST BE COMPLETELY DECKED OR REFER TO DETAIL VWS FOR ALTERNATE BRACING REQUIREMENTS
- 3) ALL VALLEYS ARE TO BE CONVENTIONALLY FRAMED BY BUILDER
- 4) ALL TRUSSES ARE DESIGNED FOR 2' OC MAXIMUM SPACING, UNLESS OTHERWISE NOTED
- 5) ALL WALLS SHOWN ON PLACEMENT PLAN ARE CONSIDERED TO BE LOAD BEARING, UNLESS OTHERWISE NOTED
- 6) 5x42 TRUSSES MUST BE INSTALLED WITH THE TOP BEING UP
- 7) ALL ROOF TRUSS HANGERS TO BE SHOWN UNLESS OTHERWISE NOTED. ALL FLOOR TRUSS HANGERS TO BE SHOWN UNLESS OTHERWISE NOTED
- 8) BEARING ADJER. INTEL. (NDR) TO BE FURNISHED BY BUILDER

SHOP DRAWING APPROV.

THIS LAYOUT IS THE SOLE SOURCE FOR FABRICATING TRUSSES AND VARIOUS ALL PREVIOUS ARCHITECTURAL OR TRUSS LAYOUTS. REVIEW AND APPROVAL OF THIS LAYOUT BE RECEIVED BEFORE ANY TRUSSES WILL BE BUILT. YES CONDITIONS TO INCREASE AGAINST CHANGES THAT WILL IN EXTRA CHARGES TO YOU

Request Billing Date _____

Approved by _____ Date _____



PHONE 904-437-3349 FAX 904-437-3349

PHONE 904-772-6100 FAX 904-772-6100

PHONE 904-755-6894 FAX 904-755-6894

PHONE 407-322-0059 FAX 407-322-0059

BUILDER
HUGO ESCALANT

LEGAL ADDRESS
LOT 23 ROLLING MEADOW

OWNER
NICOLAS

DATE 12-8-05 JRD L142

