



Columbia County

BUILDING DEPARTMENT

Revised March 2021

COMMERCIAL MINIMUM PLAN CHECKLIST

MINIMUM PLAN REQUIREMENTS AND CHECKLIST FOR THE 2020 FLORIDA BUILDING CODE ,FLORIDA PLUMBING CODE,FLORIDA MECHINICAL CODE,FLORIDA FUEL AND GAS CODE 2020 EFFECTIVE 1 JAN 2021 AND 2017 NATIONAL ELECTRICAL

ALL REQUIREMENTS ARE SUBJECT TO CHANGE

ALL BUILDING PLANS MUST INDICATE COMPLIANCE WITH THE CURRENT FLORIDA BUILDING CODES. ALL PLANS OR DRAWING SHALL PROVIDED CALCULATIONS AND DETAILS THAT HAVE THE SEAL AND SIGNATURE OF A CERTIFIED ARCHITECT OR ENGINEER REGISTERED IN THE STATE OF FLORIDA, OR ALTERNATE METHODOLOGIES, APPROVED BY THE STATE OF FLORIDA BUILDING COMMISSION.

FOR DESIGN PURPOSES THE FOLLOWING BASIC WIND SPEEDS ARE PER FLORIDA BUILDING CODE FIGURE 1609.3 (1) THROUGH (4) ULTIMATE DESIGN WIND SPEEDS FOR RISK CATEGORY AND BUILDINGS AND OTHER STRUCTURES

GENERAL REQUIREMENTS:		Items to Include Each Box shall be Marked as Applicable			
1	All drawings must be clear, concise and drawn to scale, details that are not used shall be marked void.	YES	NO	N/A	Yes <input type="checkbox"/>
2	If the design professional is an architect or engineer legally registered under the laws of this state regulating the practice of architecture as provided for in Chapter 481, Florida Statutes, Part I, or engineering as provided for in Chapter 471, Florida Statutes, then he or she shall affix his or her official seal to said drawings, specifications and accompanying data, as required by Florida Statute.	YES	NO	N/A	Yes <input type="checkbox"/>
3	The design professional signature shall be affixed to the plans	YES	NO	N/A	Yes <input type="checkbox"/>
4	Two (2) complete sets of plans with the architecture or engineer signature and the date the affix embossed official seal was placed on the plans	YES	NO	N/A	Yes <input type="checkbox"/>

Two (2) complete sets of plans containing the following information:

Building Site Plan Requirements		Items to Include- Each Box shall be Marked as Applicable			
4	Parking, including provision Florida Building Code Accessibility Code	Yes	No	N/A	N/A <input type="checkbox"/>
5	Fire access, showing all drive way which will be accessible for emergency vehicles	Yes	No	N/A	Yes <input type="checkbox"/>
6	Driving/turning radius of parking lots	Yes	No	N/A	N/A <input type="checkbox"/>
7	Vehicle loading include truck dock loading or rail site loading	Yes	No	N/A	N/A <input type="checkbox"/>
8	Nearest or number of onsite Fire hydrant/water supply/post indicator valve (PIV)	Yes	No	N/A	N/A <input type="checkbox"/>
9	Set back of all existing or proposed structures from each structure and property boundaries, Show all separation including assumed property lines	Yes	No	N/A	N/A <input type="checkbox"/>
10	Location of specific tanks(above or under grown ,water lines and sewer lines and septic tank and drain fields	Yes	No	N/A	N/A <input type="checkbox"/>

11	All structures exterior views include finished floor elevation							Yes	No	N/A	N/A	
12	Total height of structure(s) form established grade							Yes	No	N/A	Yes	
Review required by the Columbia County Fire Department Items 13th 43 (We Contact the Fire Inspector For You.)												
	Occupancy group use circle all uses:	Group A	Group B	Group E	Group F	Group H	Group I	Group M	Group R	Group S	Group U D	
13	Special occupancy requirements.							Yes	No	N/A	N/A	
14	Incidental use areas (total square footage for each room of use area)							Yes	No	N/A	Yes	
15	Mixed occupancies							Yes	No	N/A	N/A	
16	REQUIRED SEPARATION OF OCCUPANCIES IN HOURS FBC TABLE 707.3.10							Yes	No	N/A	N/A	
Minimum type of permitted construction by code for occupancy use circle the construction type FBC 602												
17	Type I (FBC:602.2)	Type II (FBC:602.2)	Type III (FBC:602.3)	Type IV (FBC:602.4)	Type V (FBC:602.5)							
Fire-resistant construction requirements shall be shown, include the following components												
18	Fire-resistant separations							Yes	No	N/A	N/A	
19	Fire-resistant protection for type of construction							Yes	No	N/A	N/A	
20	Protection of openings and penetrations of rated walls							Yes	No	N/A	N/A	
21	Protection of corridors and penetrations of rated walls							Yes	No	N/A	N/A	
22	Fire blocking and draftstopping and calculated fire resistance							Yes	No	N/A	N/A	
Fire suppression systems shall be shown include:												
23	Early warning smoke evacuation systems Schematic fire sprinklers Standpipes							Yes	No	N/A	N/A	
24	Standpipes							Yes	No	N/A	N/A	
25	Pre-engineered systems							Yes	No	N/A	N/A	
26	Riser diagram							Yes	No	N/A	N/A	
Life safety systems shall be shown include the following requirements:												
27	Occupant load and egress capacities							Yes	No	N/A	N/A	
28	Early warning							Yes	No	N/A	N/A	
29	Smoke control							Yes	No	N/A	N/A	
30	Stair pressurization							Yes	No	N/A	N/A	
31	Systems schematic							Yes	No	N/A	N/A	
Occupancy load/egress requirements shall be shown include:												
32	Occupancy load							Yes	No	N/A	N/A	
33	Gross occupancy load							Yes	No	N/A	N/A	
34	Net occupancy load							Yes	No	N/A	N/A	
35	Means of egress							Yes	No	N/A	Yes	
36	Exit access							Yes	No	N/A	Yes	
37	Exit discharge							Yes	No	N/A	N/A	
38	Stairs construction/geometry and protection							Yes	No	N/A	N/A	
39	Doors							Yes	No	N/A	Yes	
40	Emergency lighting and exit signs							Yes	No	N/A	Yes	
41	Specific occupancy requirements							Yes	No	N/A	N/A	

42	Construction requirements	Yes	No	N/A	N/A	▼
43	Horizontal exits/exit passageways	Yes	No	N/A	N/A	▼

Items to Include
Each Box shall be
Marked as
Applicable

Structural requirements shall be shown include:						
44	Soil conditions/analysis	Yes	No	N/A	Yes	▼
45	Termite protection	Yes	No	N/A	Yes	▼
46	Design loads	Yes	No	N/A	Yes	▼
47	Wind requirements	Yes	No	N/A	Yes	▼
48	Building envelope	Yes	No	N/A	N/A	▼
49	Structural calculations (if required)	Yes	No	N/A	Yes	▼
50	Foundation For structures with foundation which establish new electrical utility companies service connection a Concrete Encased Electrode will be required within the foundation to serve as an grounding electrode system. Per the National Electrical Code article 250.52.3	Yes	No	N/A	N/A	▼
51	Wall systems	Yes	No	N/A	Yes	▼
52	Floor systems	Yes	No	N/A	N/A	▼
53	Roof systems	Yes	No	N/A	Yes	▼
54	Threshold inspection plan	Yes	No	N/A	N/A	▼
55	Stair systems	Yes	No	N/A	N/A	▼
Materials shall be shown include the following						
56	Wood	Yes	No	N/A	Yes	▼
57	Steel	Yes	No	N/A	Yes	▼
58	Aluminum	Yes	No	N/A	No	▼
59	Concrete	Yes	No	N/A	Yes	▼
60	Plastic	Yes	No	N/A	No	▼
61	Glass	Yes	No	N/A	No	▼
62	Masonry	Yes	No	N/A	No	▼
63	Gypsum board and plaster	Yes	No	N/A	Yes	▼
64	Insulating (mechanical)	Yes	No	N/A	No	▼
65	Roofing	Yes	No	N/A	Yes	▼
66	Insulation	Yes	No	N/A	Yes	▼
Accessibility requirements shall be shown include the following						
67	Site requirements	Yes	No	N/A	Yes	▼
68	Accessible route	Yes	No	N/A	Yes	▼
69	Vertical accessibility	Yes	No	N/A	N/A	▼
70	Toilet and bathing facilities	Yes	No	N/A	No	▼
71	Drinking fountains	Yes	No	N/A	No	▼
72	Equipment	Yes	No	N/A	No	▼
73	Special occupancy requirements	Yes	No	N/A	No	▼
74	Fair housing requirements	Yes	No	N/A	No	▼

Interior requirements shall include the following						
75	Review required by the Columbia County Fire Department Items 75 th 80	Yes	No	N/A	N/A	
	Interior finishes (flame spread/smoke development)					
76	Light and ventilation	Yes	No	N/A	Yes	
77	Sanitation	Yes	No	N/A	N/A	
Special systems						
78	Elevators	Yes	No	N/A	N/A	
79	Escalators	Yes	No	N/A	N/A	
80	Lifts	Yes	No	N/A	N/A	
Swimming pools						
81	Barrier requirements	Yes	No	N/A	N/A	
82	Spas and Wading pools	Yes	No	N/A	N/A	
83	Access required per Florida Building Code 454.1.2.5	Yes	No	N/A	N/A	

Items to Include-Each Box shall be Circled as Applicable						
Electrical						
84	Wiring	Yes	No	N/A	Yes	<input type="checkbox"/>
85	Services For structures with foundation which establish new electrical utility companies service connection a Concrete Encased Electrode will be required within the foundation to serve as an grounding electrode system. Per the National Electrical Code article 250.52.3	Yes	No	N/A	N/A	<input type="checkbox"/>
86	Feeders and branch circuits	Yes	No	N/A	Yes	<input type="checkbox"/>
87	Overcurrent protection	Yes	No	N/A	N/A	<input type="checkbox"/>
88	Grounding	Yes	No	N/A	Yes	<input type="checkbox"/>
89	Wiring methods and materials	Yes	No	N/A	Yes	<input type="checkbox"/>
90	GFCIs	Yes	No	N/A	N/A	<input type="checkbox"/>
91	Equipment	Yes	No	N/A	N/A	<input type="checkbox"/>
92	Special occupancies	Yes	No	N/A	N/A	<input type="checkbox"/>
93	Emergency systems	Yes	No	N/A	N/A	<input type="checkbox"/>
94	Communication systems	Yes	No	N/A	N/A	<input type="checkbox"/>
95	Low voltage	Yes	No	N/A	N/A	<input type="checkbox"/>
96	Load calculations	Yes	No	N/A	N/A	<input type="checkbox"/>
Plumbing						
97	Minimum plumbing facilities	Yes	No	N/A	No	<input type="checkbox"/>
98	Fixture requirements	Yes	No	N/A	No	<input type="checkbox"/>
99	Water supply piping	Yes	No	N/A	No	<input type="checkbox"/>
100	Sanitary drainage	Yes	No	N/A	No	<input type="checkbox"/>
101	Water heaters	Yes	No	N/A	No	<input type="checkbox"/>
102	Vents	Yes	No	N/A	No	<input type="checkbox"/>
103	Roof drainage	Yes	No	N/A	Yes	<input type="checkbox"/>
104	Back flow prevention	Yes	No	N/A	No	<input type="checkbox"/>

105	Irrigation	Yes	No	N/A	No	
106	Location of water supply line	Yes	No	N/A	N/A	
107	Grease traps	Yes	No	N/A	N/A	
108	Environmental requirements	Yes	No	N/A	N/A	
109	Plumbing riser	Yes	No	N/A	N/A	
Mechanical						
110	Energy calculations	Yes	No	N/A	N/A	
111	Review required by the Columbia County Fire Department Items 111th 114 Exhaust systems	Yes	No	N/A	N/A	
112	Clothes dryer exhaust	Yes	No	N/A	N/A	
113	Kitchen equipment exhaust	Yes	No	N/A	N/A	
114	Specialty exhaust systems	Yes	No	N/A	N/A	
Equipment location						
115	Make-up air	Yes	No	N/A	N/A	
116	Roof-mounted equipment	Yes	No	N/A	N/A	
117	Duct systems	Yes	No	N/A	N/A	
118	Ventilation	Yes	No	N/A	N/A	
119	Laboratory	Yes	No	N/A	N/A	
120	Combustion air	Yes	No	N/A	N/A	
121	Chimneys, fireplaces and vents	Yes	No	N/A	N/A	
122	Appliances	Yes	No	N/A	N/A	
123	Boilers	Yes	No	N/A	N/A	
124	Refrigeration	Yes	No	N/A	N/A	
125	Bathroom ventilation	Yes	No	N/A	N/A	
					Items to Include- Each Box shall be Marked as Applicable	
Gas						
126	Review required by the Columbia County Fire Department Items 126th 134 Gas piping	Yes	No	N/A	N/A	
127	Venting	Yes	No	N/A	N/A	
128	Combustion air	Yes	No	N/A	N/A	
129	Chimneys and vents	Yes	No	N/A	N/A	
130	Appliances	Yes	No	N/A	N/A	
131	Type of gas	Yes	No	N/A	N/A	
132	Fireplaces	Yes	No	N/A	N/A	
133	LP tank location	Yes	No	N/A	N/A	
134	Riser diagram/shutoffs	Yes	No	N/A	N/A	
Notice of Commencement						
135	A recorded (in the Columbia County Clerk Office) notice of commencement is required to be on file with the building department . <i>Before Any Inspections Will Be Done</i>	Yes	No	N/A	Yes	
	Disclosure Statement for Owner Builders	Yes	No	N/A	Yes	

Private Potable Water						
136	Horse power of pump motor	SEE PAGE 7- ON HOW TO PROVIDE THIS DOCUMENTATION.	Yes	No	N/A	N/A <input type="button" value="v"/>
137	Capacity of pressure tank		Yes	No	N/A	N/A <input type="button" value="v"/>
138	Cycle stop valve if used		Yes	No	N/A	
			Items to Include- Each Box shall be Marked as Applicable			

THE FOLLOWING ITEMS MUST BE SUBMITTED WITH BUILDING PLANS

139	Building Permit Application	A Building Permit Application is to be completed by following the checklist all supporting documents must be submitted. Completed Applications can be mailed with The \$15.00 application fee.	Yes	No	N/A	Yes <input type="button" value="v"/>
140	Parcel Number	The parcel number (Tax ID number) from the Property Appraiser is required. A copy of property deed is also required. (386) 758-1084	Yes	No	N/A	Yes <input type="button" value="v"/>
141	Environmental Health Permit or Sewer Tap Approval	A copy of an approved Environmental Health (386) 758-1058 waste water disposal permit or an approved City of Lake City(386) 752-2031 OR County sewer tap letter is required before a building permit can be issued. Toilet facilities shall be provided for construction workers	Yes	No	N/A	Yes <input type="button" value="v"/>
142	Driveway Connection	If the property does not have an existing access to a public road, then an application for a culvert permit must be made (\$25.00). County Public Works Dept. determines the size and length of every culvert before instillation and completes a final inspection before permanent power is granted. Culvert installation for commercial, industrial and other uses shall conform to the approved site plan or to the specifications of a registered engineer. Use or joint use of driveways will comply with Florida Department of Transportation specifications. If the project is to be located on an F.D.O.T. maintained road, then an F.D.O.T. access permit is required.	Yes	No	N/A	N/A <input type="button" value="v"/>
143	Suwannee River Water Management District Approval	All commercial projects must have an SRWMD permit issued or an exemption letter, before a building permit will be issued.	Yes	No	N/A	N/A <input type="button" value="v"/>
144	Flood Management	All projects within the Floodway of the Suwannee or Santa Fe Rivers shall require permitting through the Suwannee River Water Management District, before submitting application to this office. Any project located within a flood zone where the base flood elevation (100 year flood) has been established shall meet the requirements of section 8.8 of the Columbia County Land Development Regulations. Any project that is located within a flood zone where the base flood elevation (100 year flood) has not been established shall meet the requirements of section 8.7 of Columbia County Land Development Regulations. A development permit will also be required. The development permit cost is \$50.00	Yes	No	N/A	N/A <input type="button" value="v"/>
145	Flood Management	A CERTIFIED FINISHED FLOOR ELEVATIONS WILL BE REQUIRED ON ANY PROJECT WHERE THE BASE FLOOD ELEVATION (100 YEAR FLOOD) HAS BEEN ESTABLISHED OR IT HAS BEEN DETERMINED BY THE PLAT	Yes	No	N/A	N/A <input type="button" value="v"/>
146	911 Address	An application for a 911 address must be applied for and received through the Columbia County Emergency Management Office of 911 Addressing Department (386) 758-1125.	Yes	No	N/A	N/A <input type="button" value="v"/>