



Arrow Exterminators, Inc.  
5602 NW 13th St  
Gainesville, FL 32653  
352-373-3642

## Service Inspection Report

**ORDER #: 54380652**

WORK DATE: 11/09/2023

**BILL-TO 3000348**

House Craft Homes  
Stephanie Harrington  
12501 NW US Highway 441  
Alachua, FL 32615-8507  
Email: housecrafthomes@yahoo.com

Phone: 386-462-5323  
Alt. Phone: 386-000-0000

**LOCATION 3000348**

House Craft Homes  
Schoening  
1574 Sw Newark Dr  
Fort White, FL 32038-1710  
Email: housecrafthomes@yahoo.com

Phone: 386-462-5323  
Alt. Phone: 386-000-0000

**Time In:** 11/9/2023 10:09:11 AM  
**Time Out:** 11/9/2023 10:32:17 AM

**Customer Signature**

Customer is unavailable to sign  
**Technician Signature**

Taylor Farr  
**License #:**

Purchase Order	Terms	Service Description	Quantity
None	DUE UPON RECEIPT	Sentricon Service (Builder)	1.00

### GENERAL COMMENTS / INSTRUCTIONS

None Noted.

CONDITIONS / OBSERVATIONS	Reported	Severity	Responsibility	Reviewed
---------------------------	----------	----------	----------------	----------

None Noted.

### CUSTOMER INSTRUCTIONS & PRECAUTIONS

Contact Treated Areas - Do not allow unprotected persons, children, or pets to touch, enter, or replace items or bedding, to contact or enter treated area(s) until dry.

Ventilation/Re-Occupying - Vacate & keep area(s) closed up to 30 minutes after treatment, then ventilate area(s) for up to 2 hours before re-occupying.

Equipment/Processing/Food - Thoroughly wash dishes, utensils, food preparation/processing equipment & surfaces with an effective cleansing compound & rinse with clean water, if not removed or covered during a treatment. The area should be odor free before food products are placed in the area.

Exterior Applications (baits) - Do not allow grazing of feed, lawn, or sod clippings by livestock after bait applications.

Do not burn treated firewood for 1 month after treatment.

PEST ACTIVITY	# Areas	# Devices	Pest Totals
---------------	---------	-----------	-------------

None Noted.

### DEVICE INSPECTION SUMMARY

Device Type	# Inspected	Inspected w/Activity	# Skipped	# Replaced
Sentricon Always-Active	19 of 19 (100.00%)	0 of 19 (0.00%)	0	0
<b>-Totals:</b>	19 of 19 (100.00%)	0 of 19 (0.00%)	0	0

### AREA COMMENTS

None Noted.

### DEVICE INSPECTION EXCEPTIONS

None Noted.



Arrow Exterminators, Inc.  
5602 NW 13th St  
Gainesville, FL 32653  
352-373-3642

## Service Inspection Report

**ORDER #: 54380652**

WORK DATE: 11/09/2023

### INSPECTION DETAIL

Area	Time	Device	Type	Status	Pest Findings
	10:21:48 AM	1	Sentricon Always-Active	No Activity	
	10:22:19 AM	2	Sentricon Always-Active	No Activity	
	10:23:01 AM	3	Sentricon Always-Active	No Activity	
	10:23:33 AM	4	Sentricon Always-Active	No Activity	
	10:24:02 AM	5	Sentricon Always-Active	No Activity	
	10:24:33 AM	6	Sentricon Always-Active	No Activity	
	10:25:05 AM	7	Sentricon Always-Active	No Activity	
	10:25:36 AM	8	Sentricon Always-Active	No Activity	
	10:25:59 AM	9	Sentricon Always-Active	No Activity	
	10:26:38 AM	10	Sentricon Always-Active	No Activity	
	10:27:04 AM	11	Sentricon Always-Active	No Activity	
	10:27:30 AM	12	Sentricon Always-Active	No Activity	
	10:28:02 AM	13	Sentricon Always-Active	No Activity	
	10:28:49 AM	14	Sentricon Always-Active	No Activity	
	10:29:46 AM	15	Sentricon Always-Active	No Activity	
	10:30:16 AM	16	Sentricon Always-Active	No Activity	
	10:30:52 AM	17	Sentricon Always-Active	No Activity	
	10:31:28 AM	18	Sentricon Always-Active	No Activity	
	10:31:40 AM	19	Sentricon Always-Active	No Activity	

### PRODUCTS APPLIED

*None Noted.*