

WILLIAMS
SCOTSMAN

WILLSCOT JACKSONVILLE
325 CLARK RD
JACKSONVILLE, FLORIDA 32218
OFFICE (904) 378-0500
WWW.WILLSCOT.COM

(24 X 36)

Digitally signed
by Julio Orbegoso
Date: 2021.12.03
16:38:39 -05'00'



THIS ITEM HAS BEEN ELECTRONICALLY SIGNED AND SEALED BY JUAN ORRIGOZO P.E. ON THE DATE AND/OR THE STAMP SHOWN USING A DIGITAL SIGNATURE. PRINTED COPIES OF THIS DOCUMENT ARE NOT CONSIDERED SIGNED AND SEALED AND THIS SIGNATURES MUST BE VERIFY ON ANY ELECTRIC COPIES.

* NOTICE *

REVISION DATE	DATE	12-03-2007
	DRAWN	M.C.S.
	JOB #	CL 4024
	SHEET NO.	C1

© Copyright 2004 by John Wiley & Sons, Inc.

ELECTRICAL NOTES

[illegible][illegible]

INVESTIGATIONS OF THE BUILDING IS SUBJECT TO THE APPROVAL OF THE LOCAL AUTHORITIES. THESE PLANS HAVE NOT BEEN PREPARED BASED ON THE CURRENT CODES, AND THE DESIGNER TAKES FULL RESPONSIBILITY FOR ANY DAMAGE TO OR DESTRUCTION OF THE BUILDING. THE USER OF THE PLANS MUST BE AWARE THAT THE PLANS ARE NOT TO BE USED AFTER THE FINAL APPROVAL OF THE BUILDING.

[illegible]

SEE CROSS SECTION FOR METHOD OF ROOF VENTILATION. HANGING MASSES, STAIRS, AND HALLWAYS ARE TO BE DESIGNED AND SITE INSTALLED BY OTHERS, SUBJECT TO LOCAL JURISDICTION AND APPROVAL. FOUNDATION ENGINEER (WHEN PROVIDED) MUST HAVE 1 SQUARE FOOT NET VENT AREA PER 100 CU. YD. OF THE 5,000 AREA, AND A 12" X 12" MINIMUM CLIMATE SPACE ACCESS, IF INSTALLED BY OTHERS, SUBJECT TO LOCAL JURISDICTION.

54	COVER SHEET
55	FLOOR PLAN
56	ELEVATIONS
57	CROSS SECTION
58	FOUNDATION PLAN

[illegible]

STATE CODES

FLORIDA MED-UNICA CODE 7TH EDITION (2020)
FLORIDA PLUMBING CODE 7TH EDITION (2020)
FLORIDA PURE GAS CODE 7TH EDITION (2020)
2017 NATIONAL ELECTRIC CODE
FLORIDA ACCESSIBILITY CODE 7TH EDITION (2020)
FLORIDA FIRE PREVENTION CODE 7TH EDITION (2020)
DOCUMENTARY EVIDENCE

54	COVER SHEET
55	FLOOR PLAN
56	ELEVATIONS
57	CROSS SECTION
58	FOUNDATION PLAN

[illegible]

WILLSCOT JACKSONVILLE
325 CLARK RD
JACKSONVILLE, FLORIDA 32218
OFFICE (904) 378-0500
WWW.WILLSCOT.COM



ELECTRICAL SCHEDULE			
CIRCUIT	NONDEGRADABLE	BREAKER (AMPS)	WIRE SIZE CU. MM M/C
1 & 3	HVAC	PER MFR. SPECS.	
2 & 4	LIGHTING	250A 1P	12-2
6, 7	RECEPTS	250A 1P	12-2
ALL PORTABLE APPLIANCES, INCLUDING MAIN TO HAVE DISCONNECT IF NOT WITHIN VIEW OF ELECTRICAL PANEL			

[illegible]

Digitally signed
by Julio Orbegoso
Date: 2021.12.03
16:38:52 -05'00'

THIS ITEM HAS BEEN ELECTRONICALLY SIGNED AND SEALED
BY JUDITH CROCCIO P.E. ON THE DATE AND/OR TIME STAMP
SHOWN USING A DIGITAL SIGNATURE. PRINTED COPIES OF
THIS DOCUMENT ARE NOT CONSIDERED SIGNED AND SEALED
AND THE SIGNATURES MUST BE VERIFIED ON ANY ELECTRIC
COPIES.

*** NOTICE ***
THESE DOCUMENTS WILL NO LONGER BE
VALID 21 DAYS AFTER THE DATE SIGNED
VALID THRU: DECEMBER 24TH, 2021

REVISION DATE

CO-ORDINATOR

WILLSCOT JACKSONVILLE
325 CLARK RD
JACKSONVILLE, FLORIDA 32218
OFFICE: (904) 378-0500
WWW.WILLSCOT.COM



MODULAR STRUCTURE FOR:
WILLSCOT
(24' X 36')

Digitally signed
by Julio Orbegoso
Date: 2021.12.03
16:39:02 -05'00'











THIS ITEM HAS BEEN ELECTRONICALLY SIGNED AND SEALED
BY JULIO ORBEGOSO, PRESIDENT OF WILLSCOT, INC. THE
SIGNATURE AND SEAL ARE PRINTED ON THE FRONT AND
BACK OF THE DOCUMENT. THE ORIGINAL DOCUMENT IS
STOCKED IN THE WILLSCOT ARCHIVE. PRINTED COPIES OF
THIS DOCUMENT ARE AVAILABLE FOR PURCHASE. THE
ORIGINAL DOCUMENT MUST BE KEPT IN THE ARCHIVE.

CONSULTING ENGINEER
JULIO ORBEGOSO, P.E.
202 DORRIS DR.
LAKE LAND FL 32073
FL LICENSE #83878

NOTICE
THIS DOCUMENT IS NOT VALID
UNTIL THE DATE SIGNED
AND THE DATE SIGNED
IS WITHIN THE EXPIRATION DATE

DATE	12/03/2021
DRAWN	WILLSCOT
JOB #	CLJ024
SHEET NO.	A2





GENERAL NOTES:
1. ALUMINUM RAMP, LANDING AND STAIR SECTIONS SHALL BE A RIGID, FREE-Span SECTION.
2. DESIGN OF THE ALUMINUM STRUCTURES SHALL CONFORM TO THE CURRENT EDITION OF THE
3. ALUMINUM CONSTRUCTION USING THE 6061-T6 ALUMINUM ALLOY. STRUCTURAL MEMBERS
4. ALUMINUM SHALL BE STAINLESS STEEL FINISH. FINISHES SHALL BE AS SHOWN ON DRAWING.
5. ALL FASTENERS TO BE 304 STAINLESS STEEL. FINISHES SHALL BE AS SHOWN ON DRAWING.
6. LANDING AND STAIR SECTIONS ARE TO BE 304 STAINLESS STEEL. FINISHES SHALL BE AS SHOWN ON DRAWING.
7. LANDING AND STAIR SECTIONS ARE TO BE 304 STAINLESS STEEL. FINISHES SHALL BE AS SHOWN ON DRAWING.
8. LANDING AND STAIR SECTIONS ARE TO BE 304 STAINLESS STEEL. FINISHES SHALL BE AS SHOWN ON DRAWING.
9. LANDING AND STAIR SECTIONS ARE TO BE 304 STAINLESS STEEL. FINISHES SHALL BE AS SHOWN ON DRAWING.
10. LANDING AND STAIR SECTIONS ARE TO BE 304 STAINLESS STEEL. FINISHES SHALL BE AS SHOWN ON DRAWING.
11. HANDRAIL ASSEMBLY AND GUARDRAIL SHALL BE ABLE TO RESIST A SINGLE
12. TOP OF THE RAIL SHALL BE 42 INCHES ABOVE FINISHED GRADE. REQUEST FOR
13. INTERMEDIATE RAILS SHALL BE 36 INCHES ABOVE FINISHED GRADE. REQUEST FOR
14. RAIL SPACING SHALL BE 4 INCHES. REQUEST FOR
15. RAIL SPACING SHALL BE 4 INCHES. REQUEST FOR
16. RAIL SPACING SHALL BE 4 INCHES. REQUEST FOR
17. RAIL SPACING SHALL BE 4 INCHES. REQUEST FOR
18. RAIL SPACING SHALL BE 4 INCHES. REQUEST FOR
19. RAIL SPACING SHALL BE 4 INCHES. REQUEST FOR
20. RAIL SPACING SHALL BE 4 INCHES. REQUEST FOR




ISSUED FOR
PERMIT
OBJECT NUMBER
00034-09
DATE
02.14.22

A102

- A. RESCUE/RECOVERY FROM THE LIFE SAFETY PLAN INDICATES CLASS/50 REQUIREMENTS, THIS INFORMATION IS NOT REQUIRED TO SPECIFY RESULTS.
- B. FIRE ALARM DIVISION SEARCH FOR RESCUE ONLY. THE ALARM DESIGN TO BE SUBMITTED UNDER SEPARATE PERMIT APPLICATION.
- C. PER FIRE 42.3.31.2(2), CLASS/500'S WITH A 2008 EXISTING TO THE EXTENSIVE ARE NOT REQUIRED TO HAVE EXISTING RESCUE WINDOW.
- D. PER FIRE 42.3.31.2, SINGLE DET. CLASS/500'S ALLOWED WITH A MINIMUM OCCUPANCY OF 40 PEOPLE AND COMMON PART OF TRAVEL LESS THAN 7'-0".

BUILDING CODE	FLORIDA BUILDING CODE, 7TH EDITION (2009)
FLORIDA FIRE PREVENTION CODE	FLORIDA FIRE PREVENTION CODE, 7TH EDITION (2009)
FLORIDA FIRE PROTECTION CODE	FLORIDA FIRE PROTECTION CODE, 7TH EDITION (2009)
LIFE SAFETY CODE	NFPA 10 (2008 EDITION)

[illegible][illegible]

LIFE SAFETY PLAN
SCALE: 1/4" = 1'-0"