DATE 03/20/2007 Columbia Coul This Permit Expires O	ne Year From the Date of		PERMIT 000025633
APPLICANT ALAN CHADWICK	PHONE	229-482-2600	
ADDRESS P.O. BOX 218	LAKELAND		GA 31635
OWNER GEORGE HUNTER(LAND O SUN MGT CORP	PHONE	352 333-3011	
ADDRESS 4008 W US 90	LAKE CITY	·	FL 32055
CONTRACTOR BI-STATE ROOFING, INC	PHONE	229 482-2600	
LOCATION OF PROPERTY 90W, PAST I-75, 1 MILE O	ON LEFT (FAST TRACK)		
TYPE DEVELOPMENT RE-ROOF ON COMM	ESTIMATED COST OF CO	NSTRUCTION	8100.00
HEATED FLOOR AREA TOTA	AL AREA	HEIGHT	STORIES
FOUNDATION WALLS	ROOF PITCH	FLO	OOR
LAND USE & ZONING	MAX	. HEIGHT _	
Minimum Set Back Requirments: STREET-FRONT	REAR		SIDE
NO. EX.D.U. FLOOD ZONE NA	DEVELOPMENT PERM	MIT NO.	
PARCEL ID 34-3S-16-02491-005 SUBDI	IVISION		
LOT BLOCK PHASE UN	TOTA	L ACRES	
CCC044922	1 00.	CD 1	
Culvert Permit No. Culvert Waiver Contractor's Licen	se Number	Applicant/Owner/O	Contractor
EXISTING X07-125 BK			N
Driveway Connection Septic Tank Number LU &	& Zoning checked by App	roved for Issuance	New Resident
COMMENTS:		Check # or Ca	sh 12494
FOR BUILDING & Z	ONING DEPARTMENT	ONLY	(footer/Slab)
Temporary Power Foundation		Monolithic	
date/app. by	date/app. by		
	Slab		date/app. by
Jaka/ 1		Sheathing/N	failing
date/app. by	date/app. by	_	
Framing Rough-in plum		_	date/app. by
Framing Rough-in plum date/app. by	date/app. by bing above slab and below wood	floor	date/app. by
Framing Rough-in plum date/app. by	date/app. by bing above slab and below wood	_	date/app. by
Framing Rough-in plum date/app. by Electrical rough-in date/app. by Permanent power C.O. Final	date/app. by bing above slab and below wood	floor	date/app. by
Framing Rough-in plum date/app. by Electrical rough-in date/app. by Permanent power C.O. Final date/app. by	date/app. by bing above slab and below wood	floor Peri. beam (Lintel)	date/app. by
Framing Rough-in pluming date/app. by Electrical rough-in Heat & Air Dudate/app. by Permanent power C.O. Final date/app. by M/H tie downs, blocking, electricity and plumbing	date/app. by bing above slab and below wood act date/app. by date/app. by	floor Peri. beam (Lintel)	date/app. by date/app. by date/app. by date/app. by
Framing Rough-in plum date/app. by Electrical rough-in date/app. by Permanent power C.O. Final date/app. by M/H tie downs, blocking, electricity and plumbing	date/app. by bing above slab and below wood act date/app. by date/app. by ate/app. by	floor Peri. beam (Lintel) Culvert Pool	date/app. by date/app. by date/app. by
Framing Rough-in plum date/app. by Electrical rough-in date/app. by Permanent power C.O. Final date/app. by M/H tie downs, blocking, electricity and plumbing Reconnection Pump pole	date/app. by bing above slab and below wood act date/app. by date/app. by	floor Peri. beam (Lintel) Culvert Pool e date/app. by	date/app. by date/app. by date/app. by date/app. by date/app. by date/app. by
Framing Rough-in plum date/app. by Electrical rough-in date/app. by Permanent power C.O. Final date/app. by M/H tie downs, blocking, electricity and plumbing Reconnection Pump pole	date/app. by bing above slab and below wood act date/app. by date/app. by tility Pole	floor Peri. beam (Lintel) Culvert Pool	date/app. by date/app. by date/app. by date/app. by date/app. by date/app. by
Framing Rough-in plum date/app. by Electrical rough-in Heat & Air Du date/app. by Permanent power C.O. Final date/app. by M/H tie downs, blocking, electricity and plumbing date/app. by Reconnection Pump pole date/app. by M/H Pole date/app. by Travel Trailer date/app. by	date/app. by bing above slab and below wood act	floor Peri. beam (Lintel) Culvert Pool date/app. by Re-roof	date/app. by date/app. by date/app. by date/app. by date/app. by date/app. by date/app. by
Framing Rough-in plum date/app. by Electrical rough-in Heat & Air Du date/app. by Permanent power C.O. Final date/app. by M/H tie downs, blocking, electricity and plumbing date/app. by Reconnection Pump pole date/app. by M/H Pole date/app. by Travel Trailer date/app. by	date/app. by bing above slab and below wood act	floor Peri. beam (Lintel) Culvert Pool e date/app. by	date/app. by date/app. by date/app. by date/app. by date/app. by date/app. by date/app. by
Framing Rough-in plum date/app. by Electrical rough-in date/app. by Permanent power C.O. Final date/app. by M/H tie downs, blocking, electricity and plumbing determined atte/app. by M/H Pole Travel Trailer date/app. by BUILDING PERMIT FEE \$ 45.00 CERTIFICATION	date/app. by bing above slab and below wood act	Peri. beam (Lintel) Culvert Pool date/app. by Re-roof SURCHARGE WASTE	date/app. by date/app. by date/app. by date/app. by date/app. by date/app. by date/app. by

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

This Permit Must Be Prominently Posted on Premises During Construction

PLEASE NOTIFY THE COLUMBIA COUNTY BUILDING DEPARTMENT AT LEAST 24 HOURS IN ADVANCE OF EACH INSPECTION, IN ORDER THAT IT MAY BE MADE WITHOUT DELAY OR INCONVIENCE, PHONE 758-1008. THIS PERMIT IS NOT VALID UNLESS THE WORK AUTHORIZED BY IT IS COMMENCED WITHIN 6 MONTHS AFTER ISSUANCE.

Columbia County Building Permit Application

For Office Use Only Application # 0703 - 52 Date Rece	ived 3/20/07 By 67 Permit # 25633
Application Approved by - Zoning Official Date	
Flood Zone Development Permit Zoning	Land Use Plan Map Category
Comments	
	Road Info Parent Parcel # Development Permit
The delication	Fax 229-482-2470
Name Authorized Person Signing Permit Alan Chank	UICK Phone <u>229-482-2600</u>
Address POBOX 218 712 SOAKST	LAKeland, GA 31635
Owners Name Land O Sun Mgt Corp (Grestge)	Fhone 352 333 3011
911 Address 4008 W US 90 LAKE CITY FL	320
Contractors Name Bi-State Roofing, Inc	Phone 229-482-2600
Address PO Box 218 712 South O	nk St. Lakeland GA 31635
Fao Simple Owner Name & Address George W Hunter Po	1 Box 958 Lake City FL
Bonding Co. Name & Address N Pg	
Architect/Engineer Name & Address // / / / / / / / / / / / / / / / / /	
Morigage Lenders Name & Address N/A	
Circle the correct power company - Ft. Power & Light - Clay I	Hec Suwannee Valley Flec Progrettive Fneray
Property ID Number 34-35-16-02491-005	//
• •	LotBlockUnit Phase
Driving Directions US 90 West of I-75	I mile Fast Track
Food Store on Left	
10001 2)010	
Type of Construction Reroof on Comm. No	umber of Evisting Dwellings on Branchy
Total Acreage Lot Size Do you need a - <u>Cuive</u>	<u> </u>
	150
Actual Distance of Structure from Property Lines - Front	and the Area 2100 Best Black 1141
total building height Number of Stotles no	ROOF FIRCH
Application is hereby made to obtain a permit to do work and installation has commenced prior to the issuance of a permit and	italiations as indicated. I certify that no work or
all laws regulating construction in this jurisdiction.	that all work be performed to meet the standards of
OWNERS AFFIDAVIT: I hereby certify that all the foregoing inform	
compliance with all applicable laws and regulating construction	•
WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTI	JF COMMENCMENT MAY RESULT IN YOU PAYING END TO OBTAIN FINANCING. CONSULT WITH YOUR
LENDER OR ATTORNEY BEFORE RECORDING YOUR NOTICE OF	
and the second	ilan (harkunk)
Owner Builder or Authorized Person by Notarized Letter	Contractor Signature
STATE OF FLORIDA	Contractors License Number CCC 044922 Competency Card Number
COUNTY OF COLUMBIA	NOTARY STAMP/SEAL
Sworn to (or affirmed) and subscribed before me	
this 20th day of March 20 07.	me hely
Personally known or Produced Identification	Notary Signature (Revised Sept. 2009
	· unminume.

STATE OF FLORIDA



DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

CONSTRUCTION INDUSTRY LICENSING BOARD 1940 NORTH MONROE STREET TALLAHASSEE FL 32399-0783

(850) 487-1395

CHADWICK, WILLIAM WAYNE BI-STATE ROOFING INC POST OFFICE BOX 218 LAKELAND GA 31635-1602



STATE OF FLORIDA AC# 26 146 30
DEPARTMENT OF BUSINESS AND
PROFESSIONAL REGULATION

CCC044922

06/15/06 058093552

CERTIFIED ROOFING CONTRACTOR CHĂDWICK, WILLIAM WAYNE BI-STATE ROOFING INC

IS CERTIFIED under the provisions of Ch. 489 FS.
Expiration date: AUG 31, 2008 L06061500807

DETACH HERE

AC# 2618630

STATE OF FLORIDA

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION CONSTRUCTION INDUSTRY LICENSING BOARD

SEQ#106061500807

DATE BATCH NUMBER LICENSE NBR
06/15/2006 058093552 CCC044922

The ROOFING CONTRACTOR Named below IS CERTIFIED Under the provisions of Chapter 489 FS. Expiration date: AUG 31, 2008

CHADWICK, WILLIAM WAYNE BI-STATE ROOFING INC 712 S OAK ST LAKELAND GA 31635

JEB BUSH GOVERNOR SIMONE MARSTILLER SECRETARY

DISPLAY AS REQUIRED BY LAW

PERMIT AUTHORIZATIONS

					• • • • • • • • • • • • • • • • • • • •	
I hereby authorize	the following person	on(s) to apply for pe	· zmits,	••.		
DBA;	Bi-State	Roofing	Inc.			
License holder:		Noughe Chad	*			
License number:	•			· : .· .		
Business address:	PO Box	218 7125C	ble St ha	keland	GA E	3163
Phone number:		•	•			
Authorized personn	e i:				•	
i. Alan Cha		4		:		
2 Benny Fi	_	5.				
3. Vascoe C	40	6.	•			
Effective Dates:	From:	To:				
Signature of license	holder:	1/1				
SWORN to and subs	cribed before me t	his 30 day of	August	2006:		
· ' .		٠.			:7	
- July	Dayway A B	PHILIPPING	.•	:		
Notary Public, State a My commission expir	GEO	RGIA				
	Se Car	C. C. Hall		550		



mlamidade.gov

Resident

Visitor

Business

Employee

Product Control Search Results

Query Parameters File Classification: Applicant: Category: Subcategory: Material:

Firestone Building Products Co. Roofing Modified Bitumen Roof Systems APP/SBS [None] 0.00

Material: impact Rate: Maximum Design Pressure(+): Maximum Design Pressure(-):

NOA	APPLICANT	CATEGORY	SUBCATEGORY	MATERIAL	EXPIRES	IMPACT	MDP_POSITIVE	MDP_NEGATIVE	DESCRIPTION
05-0830.06	Firestone Building Products Co.	Roofing	Modified Bitumen Roof Systems	APP/SBS	March 8 2011	[None]	0	82.5	Firestone Modified Bitumen Roofing Systems for Lightweight Insulating Concrete Decks
05-0830.07	Firestone Building Products Co.	Roofing	Modified Bitumen Roof Systems	APP/SBS	March 8 2011	[None]	o	45	Modified Bitumen Roofing Systems for Cemetitious Wood Fiber Decks
05-0830.08	Firestone Building Products Co.	Roofing	Modified Bitumen Roof Systems	APP/SBS	March 8 2011	[None]	0	45	Firestone APP/SBS Modified Bitumen Roofing System for Recover Deck
05-0830.09	Firestone Building Products Co.	Roofing	Modified Bitumen Roof Systems	APP/SBS	March 8 2011	[None]	o	45	Firestone APP/SBS Modified Bitumen Roofing System for Gypsum Deck
05-0830.10	Firestone Building Products Co.	Roofing	Modified Bitumen Roof Systems	APP/SBS	March 8 2011	[None]	o	52.5	Firestone Modified Bitumen Roof System over Wood Decks
05-0830.11	Firestone Building Products Co.	Roofing	Modified Bitumen Roof Systems	APP/SBS	March 8 2011	[None]	0	82.5	Firestone Modified Bitumen Roof System over Steel Decks
05-0830.12	Firestone Building Products Co.	Roofing	Modified Bitumen Roof Systems	APP/SBS	March 8 2011	[None]	0	547.5	Firestone Modified Bitumen Roof Systems over Concrete Decks
06-0425.05	Firestone Building Products Co.	Roofing	Modified Bitumen Roof Systems	APP/SBS	March 8 2011	[None]	0	67.5	Firestone APP/SBS Modified Bitumen Roofing System for Gypsum Deck
06-0425.06	Firestone Building Products Co.	Roofing	Modified Bitumen Roof Systems	APP/SBS	March 8 2011	[None]	0	72.5	Modified Bitumen Roofing Systems for Cemetitious Wood Fiber Decks
06-0425.07	Firestone Building Products Co.	Roofing	Modified Bitumen Roof Systems	APP/SBS	March 8 2011	[None]	0	82.5	Firestone Modified Bitumen Roofing Systems for Lightweight Insulating Concrete Decks

Home | Using Our Site | About | Phone Directory | Privacy | Disclaimer

E-mail your comments, questions and suggestions to Webmaster This page was last edited on: January 18, 2007

> Website © 2002 Miami-Dade County. All rights reserved.

PRODUCT APPROVAL SPECIFICATION SHEET

As required by Florida Statute 553.842 and Florida Administrative Code 98-72, please provide the information and approval numbers on the building components listed below if they will be utilized on the construction project for which you are applying for a building permit. We recommend you contact your local product supplier should you not know the product approval pro. Dolor de serve floridabuilding.org

umber for any of the applicable	Heted products. Statewic	le approved products are listed online (2 www.hono	Approval Number(s)
who gory Subcategory	Manufacturer		
EXTERIOR DOORS			
SWINGING			
SUITING			
C. SECTIONAL/ROLL UP			
D. OTHER			
2. WINDOWS			
A. SINGLE/DOUBLE HUNG B. HORIZONTAL SLIDER			
B. HORIZONTAL SLIDER			
C. CASEMENT			
D. FIXED			
E. MULLION			
F. SKYLIGHTS			
G. OTHER			
TO BOOK WALL			
3. PANEL WALL			
A. SIDING			
B. SOFFITS C. STOREFRONTS			
D. GLASS BLOCK			
E. OTHER			
E OTTES			
4. ROOFING PRODUCTS			
A ASPHALT SHINGLES			
B. NON-STRUCT METAL			
C ROOFING TILES			
D. SINGLE PLY ROOF		CAC ACT FILE I WE SHIP IN	05-0830,10
E OTHER	Firestone	SBS Modificel Bitumon	00-00-00
S. STRUCT COMPONENTS			
A. WOOD CONNECTORS			
B. WOOD ANCHORS			
C. TRUSS PLATES			
D. INSULATION FORMS			
E. LINTELS	_		
F. OTHERS			
6. NEW EXTERIOR			
ENVELOPE PRODUCTS	Z.,		
<u>A</u>			-

products, the following information must be a	te product approval at plan review. I understand that at the time available to the inspector on the jobsite; 1) copy of the product a land certified to comply with, 3) copy of the applicable manufact roducts may have to be removed if approval cannot be demonstrated.	turers installation
	ala Chadrick	3-20-07
	APPLICANT SIGNATURE	DATE

ROOFING SYSTEM APPROVAL

Category:

Roofing

Sub-Category:

Modified Bitumen

Material:

APP/SBS

Deck Type:

Wood

Maximum Design Pressure

-52.5 psf

Fire Classification:

See General Limitation #1

TRADE NAMES OF PRODUCTS MANUFACTURED OR LABELED BY APPLICANT: TABLE 1

	Product	<u>Dimensions</u>	Test Specification	Product <u>Description</u>
	APP 180	39.4" x 32'10"	ASTM D 5147	Polyester reinforced modified bitumen, granule surfaced membrane. Torch applied.
	APP 180 FR	39.4" x 32'10"	ASTM D 5147	Polyester reinforced, fire regardant modified bitumen, granule surfaced membrane. Torch applied.
	APP 170	39.4" x 33'6"	ASTM D 5147	Polyester reinforced modified bitumen membrane. Torch applied.
	APP 160	39.4" x 32'10"	ASTM D 5147	Polyester reinforced modified bitumen membrane. Torch applied.
•	MB Base Sheet	36" x 108'	ASTM D 5147	Fiberglass reinforced base sheet, asphalt coated on both sides. Applied in hot asphalt or mechanically attached.
	SBS	39.4" x 33'10"	ASTM D 5147	Granule surfaced, modified bitumen membrane reinforced with non-woven polyester mat.
	SBS FR	39.4" x 33'10"	ASTM D 5147	Ceramic granule surface, modified bitumen membrane reinforced with non-woven polyester mat.
	SBS Premium FR	39.4" x 33'10"	ASTM D 5147	Ceramic granule surface, fire rated, modified bitumen membrane reinforced with non-woven polyester mat.
	SBS Base Sheet	39.4" x 50'	ASTM D 5147	Fiberglass reinforced SBS base sheet. Applied in hot asphalt or mechanically attached.
	SBS Smooth	39.4" x 33'10"	ASTM D 5147	Smooth surfaced, modified bitumen membrane reinforced with non-woven polyester mat. Applied in hot asphalt.
	SBS Premium	39.4" x 33'10"	ASTM D 5147	Granule surfaced, modified bitumen membrane reinforced with polyester mat. Applied in hot asphalt.



NOA No.: 05-0830.10 Expiration Date: 03/08/11 Approval Date: 12/29/05 Page 2 of 34 Membrane Type: SBS

Deck Type 1I:

Wood, Non-insulated

Deck Description:

¹⁹/₃₂" or greater plywood or wood plank decks

System Type E:

Base sheet mechanically fastened.

All General and System Limitations apply.

Base Sheet:

One ply of Firestone MB, Firestone SBS Base Sheet, Manville GlasBase, GAF GAFglas or Perma Ply 28 with a 4" side lap mechanically fastened to the deck as described below:

Fastening:

Base sheet shall be lapped 4" and fastened with approved roofing nails and tin caps 9" o.c. in the lap and two rows staggered in the center of the sheet 18" o.c.

Ply Sheet:

(Optional) One or more plies of SBS Smooth or SBS Base sheet or Firestone Type IV or VI ply sheet adhered in a full mopping of approved asphalt applied within the EVT range and at a rate of 20-40 lbs./sq.

Membrane:

One ply of Firestone SBS, SBS FR, SBS Smooth, SBS Premium, Premium FR, SBS Glass or SBS Glass FR adhered in a full mopping of approved asphalt applied within the EVT range and at a rate of 20-40 lbs./sq.

Surfacing:

(Optional) Install one of the following:

- 1. Gravel or slag at 400 lb. and 300 lb., respectively, set in a flood coat of type III or IV asphalt at 60 lb./sq..
- 2. Karnak No. 97, No. 97 AF at an application rate of 1½ gal./sq..

Maximum Design

Pressure:

-45 psf (See General Limitation #9)



NOA No.: 05-0830.10 Expiration Date: 03/08/11 Approval Date: 12/29/05 Page 31 of 34

Year T Property 2007 R 34-38-16-0	CamaUSA Appraisal Legal Description 2491-005 SWIFTY #299 RGE W	Maintenance Sel	AG 97952 Bldg	Coun 001 000 001 002
3 957.38 FT FO 5 309.62 FT, S 7 SUWANNEE SWI 9 11 13 15 17 19 21 23 25	POB, RUN NW LY 69.30 FT, SW FTY) ORB 673-403,	Mnt 11/19/	US-90, SE 4 SE TO 6 8 10 12 14 16 18 20 22 24 26	

B*

Signature of Notary

P. 002/002

FROM : COLUMBIA CO BUILDING + ZONING FAX NO. :386-758-2160

Mar. 15 2007 12:36PM P4

NOTICE OF COMMENCEMENT FORM **COLUMBIA COUNTY, FLORIDA**

THIS DOCUMENT MUST BE RECORDED AT THE COUNTY **CLERKS OFFICE BEFORE YOUR FIRST INSPECTION**

My Commission DD464251

Expires 09/27/2009

THE UNDERSIGNED hereby gives notice that improvement will be made to certain real property, and inaccordance with Chapter 713, Florida Statutes, the following information is provided in this Notice of Commencement.

IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.

Tax Parcel ID Number 34-35-16-02491-005 Permit Number
1. Description of property: (legal description of the property and street address or 911 address). FAST Track Food Store 4008 W US 90 Lake City F
See Attached Exhibit "A"
2. General description of improvement: <u>Frstall ation</u> of New Roof Removal of Existing
3. Owner Name & Address Land O'Sun Management Corp., 3715 NW 97th. Blud., SteA. Gainesville, FL 32606 Interest in Property Tenant
4. Name & Address of Fee Simple Owner (If other than owner): George W. Hunter, P.O. Box 958, Lake City, 5. Contractor Name Bi-State Roofing Inc. Phone Number 229-482-260 Address PO Box 218/ 712 Sonk St. Lake and GA 31635
6. Surety Holders Name N/A Phone Number
Address
Amount of Bond
7. Lender Name
Address
8. Persons within the State of Florida designated by the Owner upon whom notices or other documents may be
served as provided by section 718.13 (1)(a) 7; Florida Statutes:
Name Alay 5. Fogg Jr. Phone Number 352-333-3011 x 19 Address 3715 Nw 97+4 Blud. Suite A, Gainesville FL 32606
Address 3715 NW 97th Blud. Suite A, Gainesville FL 32606
9. In addition to himself/herself the owner designatesof
to receive a copy of the Lien Notice as provided in Section 713.13 (1)
(a) 7. Phone Number of the designee
10. Expiration date of the Notice of Commencement (the expiration date is 1 (one) year from the date of recording, (Unless a different date is specified)
THE OWNER MUST SIGN THE NOTICE OF COMMENCEMENT AND NO ONE ELSE MAY BE PERMITTED TO SIGN IN HIS/HER STEAD. Land D'Sun, Management Corp.
Signature of Owner Tr. President
Swern to (or affirmed) and subscribed before day of
NOTARY STAMP/SEAL Notary Public State of Florida Ruth A Wohelski Ruth A Wohelski

Sag

EXHIBIT "A"

Inst:2007006950 Date:03/26/2007 Time:13:56 ___DC,P.DeWitt Cason,Columbia County B:1115 P:2130

COMMENCE at a point on the West line of the Southwest 1/4 of the Southeast 1/4 of Section 34, Township 3 South, Range 16 East, Columbia County, Florida where it intersects the Northerly Right-of-Way line of County Road No. along said Northerly Right-of-Way line 300.00 feet to the Point of Curve of a curve concave to the South having a radius of 1004.93 feet and a total central angle of 21°44'30", said curve also having a Chord bearing of N.74°00'16"E. and a Chord distance of 379.05 feet; thence Easterly along the arc of said curve, being also said Northerly Right-of-Way line of County Road No. 252 a distance of 381.33 feet to the Point of Tangency of said curve; thence N.84°52'29"E. still along said Northerly Right-of-Way line 276.05 feet to the POINT OF BEGINNING; thence N.05°07'31"W. 171.57 feet to a point on the Southerly Right-of-Way line of U.S. Highway No. 90 (State Road No. 10); thence S.71°40'01"E. along said Southerly Right-of-Way line 309.62 feet to a point on a curve concave to the west having a radius of 25.00 feet and a total central angle of 158°50'00", said curve also having a Chord bearing of and a chord distance of 49.15 feet; thence Southerly along the arc of said curve 69.30 feet to the Point of Tangency of said curve, said point being on the Northerly Right-of-Way line of said County Road No. 252; thence S.84°52'29"W. along said Northerly Right-of-Way line 275.00 feet to the POINT OF BEGINNING. Containing 0.73 acres, more or less.