APPLICANT RODNEY DOUGLASS PHONE 386 984-0502 ADDRESS 510 SW BRODERICK DRIVE LAKE CITY FL 32025	
OWNER VICKI POLLICK PHONE 386 497-2692	_
ADDRESS SW CR 138 FT. WHITE FL 32038	_
CONTRACTOR MELVIN SHEPPARD PHONE 623-2203	
LOCATION OF PROPERTY 47S, TL ON CR 138, FIRST MAILBOX ON LEFT, TAKE DRIVEWAY	
TOTHE RIGHT, AND FOLLOW TO THE BACK	
TYPE DEVELOPMENT MH,UTILITY ESTIMATED COST OF CONSTRUCTION .00	
HEATED FLOOR AREA TOTAL AREA HEIGHT .00 STORIES	
FOUNDATION WALLS ROOF PITCH FLOOR	
LAND USE & ZONING A-3 MAX. HEIGHT	
Minimum Set Back Requirments: STREET-FRONT 30.00 REAR 25.00 SIDE 25.00	
NO. EX.D.U. 0 FLOOD ZONE X DEVELOPMENT PERMIT NO.	
PARCEL ID 20-7S-16-04264-006 SUBDIVISION	
LOT BLOCK PHASE UNIT TOTAL ACRES	
HICCORDS (Raham K) Lange	TE COLUMN
Culvert Permit No. Culvert Waiver Contractor's License Number Applicant/Owner/Contractor	
EXISTING 05-0682-N Y	
Driveway Connection Septic Tank Number LU & Zoning checked by Approved for Issuance New Resident	
COMMENTS: ONE FOOT ABOVE THE ROAD	
COMMENTS: ONE FOOT ABOVE THE ROAD	
COMMENTS: ONE TOOT ABOVE THE KOAD	
Check # or Cash 1381	_
	_
Temporary Power Foundation Check # or Cash I381 Check # or Cash I381 (footer/Slab)	_
Temporary Power Foundation Monolithic date/app. by Check # or Cash 1381 Check # or Cash 1381 (footer/Slab) (footer/Sl	
FOR BUILDING & ZONING DEPARTMENT ONLY Temporary Power Foundation Monolithic date/app. by date/app. by Under slab rough-in plumbing Slab Sheathing/Nailing	
FOR BUILDING & ZONING DEPARTMENT ONLY Temporary Power Foundation Monolithic date/app. by date/app. by date/app. by Under slab rough-in plumbing Slab Sheathing/Nailing date/app. by date/app. by	
FOR BUILDING & ZONING DEPARTMENT ONLY Foundation Monolithic date/app. by date/app. by Under slab rough-in plumbing Slab Sheathing/Nailing date/app. by date/app. by Rough-in plumbing above slab and below wood floor date/app. by date/app. by	
FOR BUILDING & ZONING DEPARTMENT ONLY Foundation Monolithic date/app. by date/app. by Under slab rough-in plumbing Slab Sheathing/Nailing date/app. by date/app. by Gate/app. by Gate/app. by Framing Rough-in plumbing above slab and below wood floor date/app. by Electrical rough-in Heat & Air Duct Peri. beam (Lintel)	by
For Building & Zoning Department Only Temporary Power Foundation Monolithic date/app. by Gate/app. by Under slab rough-in plumbing Slab Sheathing/Nailing date/app. by Gate/app. by Gate/app. by Heat & Air Duct date/app. by Gate/app. by Gate/app. by Heat & Air Duct date/app. by Gate/app. by	by
FOR BUILDING & ZONING DEPARTMENT ONLY Foundation Monolithic date/app. by date/app. by Under slab rough-in plumbing Slab Sheathing/Nailing date/app. by date/app. by Gate/app. by Gate/app. by Framing Rough-in plumbing above slab and below wood floor date/app. by Electrical rough-in Heat & Air Duct Peri. beam (Lintel)	by
FOR BUILDING & ZONING DEPARTMENT ONLY Foundation Monolithic date/app. by date/app. by date/app. by Sheathing/Nailing date/app. by date/app. by date/app. by Framing Rough-in plumbing above slab and below wood floor date/app. by Gate/app. by Electrical rough-in date/app. by Electrical rough-in date/app. by C.O. Final Culvert date/app. by M/H tie downs, blocking, electricity and plumbing Monolithic Monolithic Monolithic Adate/app. by date/app. by date/app. by Cate/app. by Clovert date/app. by Adate/app. by Adate/app. by Adate/app. by Permanent power Adate/app. by Monolithic Monolithic Monolithic Adate/app. by date/app. by Cate/app. by Adate/app. by Adate/app. by Monolithic Monolithic Adate/app. by Adate/app. by Adate/app. by Adate/app. by Adate/app. by Monolithic Adate/app. by Adate/app. by Adate/app. by Adate/app. by Adate/app. by Adate/app. by	by
FOR BUILDING & ZONING DEPARTMENT ONLY Foundation Temporary Power Foundation Gate/app. by Framing Gate/app. by Gate/app. by Gate/app. by Electrical rough-in Gate/app. by Gate/app. by Gate/app. by Gate/app. by C.O. Final Gate/app. by M/H tie downs, blocking, electricity and plumbing Gate/app. by M/H tie downs, blocking, electricity and plumbing Reconnection Pump pole Utility Pole (footer/Slab) Monolithic Monolithic Monolithic Adate/app. by date/app. by date/app. by date/app. by Adate/app. by Gate/app. by Gate/app. by date/app. by Culvert date/app. by M/H tie downs, blocking, electricity and plumbing Reconnection Pump pole Utility Pole	by
FOR BUILDING & ZONING DEPARTMENT ONLY Temporary Power Foundation Monolithic date/app. by Gate/app. by Gate/a	by
FOR BUILDING & ZONING DEPARTMENT ONLY Foundation Temporary Power Foundation Monolithic date/app. by date/app. by date/app. by	by
FOR BUILDING & ZONING DEPARTMENT ONLY Temporary Power Foundation Monolithic date/app. by Gate/app. by Gate/app. by Gate/app. by Gate/app. by Gate/app. by Gate/app. by Electrical rough-in date/app. by Gate/app. by Gate/app. by Gate/app. by Electrical rough-in date/app. by Gate/app. by Gate/app. by Gate/app. by Electrical rough-in Gate/app. by Electrical rough-in Plumbing Gate/app. by Electrical rough-in Plumbing Gate/app. by Electrical rough-in Gate/app. by Electrical rough-in Plumbing Gate/app. by Electrical rough-in Plumb	by
FOR BUILDING & ZONING DEPARTMENT ONLY Foundation Monolithic date/app. by date/app. by date/app. by Under slab rough-in plumbing Slab Sheathing/Nailling date/app. by Framing Rough-in plumbing above slab and below wood floor date/app. by Electrical rough-in date/app. by Heat & Air Duct Peri. beam (Lintel) date/app. by Permanent power Acade/app. by date/app. by M/H tie downs, blocking, electricity and plumbing date/app. by Reconnection Pump pole Acade/app. by M/H Pole Travel Trailer Acade/app. by date/app. by Travel Trailer Acade/app. by Monolithic Monolithic Mate/app. by Adate/app. by Adate/app. by Monolithic Monolithic Mate/app. by Adate/app. by	by
FOR BUILDING & ZONING DEPARTMENT ONLY Foundation Monolithic date/app. by date/app. by Gate/app. by Under slab rough-in plumbing Slab Sheathing/Nailing date/app. by Gate/app. by Framing Rough-in plumbing above slab and below wood floor date/app. by Electrical rough-in date/app. by Gate/app. by Gate/app. by Framanent power C.O. Final Culvert date/app. by M/H tie downs, blocking, electricity and plumbing date/app. by Gate/app. by Reconnection Pump pole Gate/app. by Gate/app. by M/H Pole Gate/app. by Gate/app. by Gate/app. by BUILDING PERMIT FEE \$.00 CERTIFICATION FEE \$.00 SURCHARGE FEE \$.00	by

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

This Permit Must Be Prominently Posted on Premises During Construction

PLEASE NOTIFY THE COLUMBIA COUNTY BUILDING DEPARTMENT AT LEAST 24 HOURS IN ADVANCE OF EACH INSPECTION, IN ORDER THAT IT MAY BE MADE WITHOUT DELAY OR INCONVIENCE, PHONE 758-1008. THIS PERMIT IS NOT VALID UNLESS THE WORK AUTHORIZED BY IT IS COMMENCED WITHIN 6 MONTHS AFTER ISSUANCE.

PERMIT APPLICATION / MANUFACTURED HOME INSTALLATION APPLICATION

	Office Use Only Zoning Official COKONO Building Official HD 6-30-05
P	AP# 0506-69 Date Received 6/22/05 By LIT Permit # 23366
Flo	ood Zone Development Permit Zoning
	Comments Division of Estate
	- 911 ADDRESS-
CCI	
FEI	MA Map # Elevation Finished Floor River In Floodway
	Site Plan with Setbacks shown Denvironmental Health Signed Site Plan Denv. Health Release
<u> </u>	Nell letter provided
_ 1	Dramarty ID 20 - 00 - 1/2 0//3 / // - 201
	Property ID 20-15-16-04264-006 Must have a copy of the property deed
	New Mobile Home <u>yes</u> Used Mobile Home <u>N/A</u> Year <u>2005</u>
	Subdivision Information//P
• /	Applicant Rodney Douglass Phone # 386-984-0502
• /	Address 510 SW Broderick Dr Lake City F1 32025
	11 1 2 1 1 2 1 2 2 1 2 2 1 2 2 2 2 2 2
	Name of Property Owner <u>Uicki Pollack</u> Phone# 386-497-2692
	100 100 100 100 100 100 100 100 100 100
- (Circle the correct power company - FL Power & Light - Clay Electric
- 1	(Circle One) - Suwannee Valley Electric - Progressive Energy
- 1	Name of Owner of Mobile Home Uicki Pollack Phone # 386-497-2693
- /	Address 6/29 SW Cty Rd 138 Ft. Wh.tc F1
- 1	Relationship to Property Owner # N/A
= (Current Number of Dwellings on Property
	Lot Size Total Acreage 2,96 Acres
- [Do you : Have an Existing Drive or need a Culvert Permit or a Culvert Waiver Permit
- [Oriving Directions 47 South to Cty Rd 138 (2)
2	Goto First mailbox on the Left, Take driveway to
	the right and follow back to cleared grayeity on a
	s this Mobile Home Replacing an Existing Mobile Home
- 1	Name of Licensed Dealer/Installer Melvin Shepped Phone # 623-2263
- 1	Name of Licensed Dealer/Installer Melvin Shepped Phone # 623-2003 nstallers Address 6355 SECT 243 LIZ FL 32055
	icense Number IH 0000035 Installation Decal # 28547
	installation Decal # 60000 17
	CALLED RODNEY 7-1-05 (JUL)

1500

Debris and organic material reproved.

Water drainage: Natural _____ Swale

Swale

Pad

Other

Site Preparation

x 1500

Roof: Walls Floor:

Type Fastener.

Type Fastener.

Screus

Length:

Length:

Spacing: Spacing: Spacing

> 16" 00 ,,

000

6406

144 511

Fastening multi wide units

will be centered over the peak of the roof and fastened with galv Type Fastener: 1 495 Length: 64 Spacing: 167
For used homes a min. 30 gauge, 8" wide, galvanized metal strip

roofing nails at 2" on center on both sides of the centerline

Gasket (weatherproofing requirement)

PERMIT NUMBER

Date Tested Installer Name Note: A state approved lateral arm system is being used and 4 ft. showing 275 inch pounds or less will require 4 foot anchors. The results of the torque probe test is 290 here if you are declaring 5' anchors without testing or check here to declare 1000 lb. soil The pocket penetrometer tests are rounded down to _ ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER requires anchors with 4000 lb holding capacity Instal anchors are required at all centerline tie points where the torque test anchors are allowed at the sidewall locations. I understand 5 ft reading is 275 or less and where the mobile home manufacturer may x 1500 1500 3. Using 500 lb. increments, take the lowest Test the perimeter of the home at 6 locations. POCKET PENETROMETER TESTING METHOD Take the reading at the depth of the footer reading and round down to that increment 6-71-05 Mewin POCKET PENETROMETER TEST TORQUE PROBE TEST Electrical x 1500 x 1500 without testing.

1500

a result of a poorly installed or no gasket being installed. I understand a strip

homes and that condensation, mold, meldew and buckled marriage walls are I understand a properly installed gasket is a requirement of all new and used

of tape will not serve as a gasket

inch pounds or check

Type gasket

Installed

Installer's initials

Weatherproofing

Bottom of ridgebeam Yes Between Walls Yes Between Floors Yes

Installer Signature Melin Skylind Date 621-05	"
manufacturer's installation instructions and or Rule 15C-1 & 2	
is accurate and true based on the	
Installer verifies all information given with this permit worksheet	
Other:	
Electrical crossovers protected. Yes	
Range downflow vent installed outside of skirting. Yes N/A	
Dryer vent installed outside of skirting. Yes N/A	
Skirting to be installed. Yes No	
Miscellaneous	
Fireplace chimney installed so as not to allow intrusion of rain water. Yes	
The bottomboard will be repaired and/or taped. Yes Pg. 29 Siding on units is installed to manufacturer's specifications. Yes	

Installer's initials

Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg. _______

Connect all sewer drains to an existing sewer tap or septic tank. Pg.

29


source.

Connect electrical conductors between multi-wide units, but not to the main power


This includes the bonding wire between mult-wide units. Pg.

Plumbing

SITE PLAN EXAMPLE / WORKSHEET




Use this example to draw your own site plan. Show all existing buildings and any other homes on this property and show the distances between them. Also show where the road or roads are around your property.



LOT 2, RUN E	OF S1/2 OF GOVT 487.52 FT FOR	PO 61	LLACK VICK	I L		20-75-16-			Columbia Co			
POB, CONT E 521.48 FT, S 41 DEG W 563.48 FT, N 48 DEG W						FL 32028-2384			9/10/20	02 TERF	R	
USE MOD EXW %	BATH FIXT BDRM	AE?		HTD AREA EFF AREA RCN %GOOD	.000	INDEX E-RATE BLDG VAL	20716.00	NBHD INDX AYB EYB	PRO STR 20- 7 MKT AREA 0 (PUD1	P USE S- 16 2		
RSTR RCVR % INT % FLR % HTTP A/C	RMS UNTS C-W% HGHT PMTR STYS ECON FUNC SPCD		FIELD CK: LOC: 3 3 3 3 3 3 3 3					3 3 3 3 3	AC 2 NTCD APPR CD CNDO SUBD BLK LOT MAP# 33	.960		
QUAL FNDN SIZE CEIL ARCH FRME KTCH WNDO CLAS	DEPR UD-1 UD-2 UD-3 UD-4 UD-5 UD-6 UD-7 UD-8 UD-9		3 3 3 3 3 3 3 3 3 3					38	TXDT 00		TR	
FOTAL	% E-AREA SUB	VALUE	3 3 3 3 3 3 3 3				-	3 NL 3 3 3 3 5 6 6 6 7 7 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7	NTEE	ESC DATE 8/19/ N BROWN POLLAC	SAL E /20 N E CK	
AE BN CODE	FEATURES DESC L	EN WI	D HGHT QTY	QL YR	ADJ	UNITS U		CE AL		SPCD %		
LAND DI AE CODE	ESC ZONE DO	AD {UD1 IL {UD2 13	LIIDS ERON	T DEPTH K DT		NTS	UN:	ITS UT	PRICE	ADJ t	JT E	

 $http://www.appraiser.columbia county fla.com/GIS/Show_Field Card.asp?PIN = 20-7S-16-04... \end{6/15/2005}$



WARRANTY DEED

This Warranty Deed made this 19th day of August, 2002 by:

Sharon M. Brown SSN: 265-04-6228

3500 S. Ocean Shore Boulevard, #209

Flagler Beach, Florida 32136

James S. McQuaig SSN: 261-84-3638 1135 Brookpath Trail Denver, NC 28037

Sandra L. Jefferson (fka Sandra L. LaMountain)

SSN: 265-88-7587

6159 S.W. County Rd. 138 Ft. White, Florida 32038

Daniel R. McQuaig SSN: 261-78-5915

925 Josephine Crescent Virginia Beach, VA 23464

hereinafter called the Grantors, to

Vicki L. Pollack SSN: 266-23-8614 1715 Hodges Blvd., #2805 Jacksonville, Florida 32224

Inst: 2002016761 Date: 08/23-2002 Time: 10: 04:03

DEC Staud-Deed : 59.50
DC.F.Dewitt Cason.Columbia County B:960 P:2375

hereinafter called the Grantee;

Witnesseth: That the Grantors, for and in consideration of the sum of \$10.00 and other valuable consideration, receipt of which is hereby acknowledged, hereby grants, bargains, sells, aliens, remises, releases, conveys and confirms unto the Grantee, all that certain land situated in Columbia County, Florida, and more particularly described on Exhibit A attached hereto.

Grantors and Grantee herein constitute all the heirs at law of Mack A. McQuaig.

Together with all the tenements, hereditament and appurtenances thereto belonging or in anywise appertaining.

To Have and to Hold, the same in fee simple forever. And the Grantors hereby covenant with said Grantee that the Grantors are lawfully seized of said land in fee simple: that the Grantors have good right and lawful authority to sell and convey said land: that the Grantors hereby fully warrant the title to said land and will defend the same against the lawful claims of all persons whomsoever; and that said land is free of all encumbrances, except taxes accruing subsequent to December 31, 2002. The described property herein is not the constitutional homestead property of the grantors.

In Witness Whereof, the said Grantors have signed and sealed these presents the day, and year indicated below.

Inst: 2002016761 Date: 08/23/2002 Time: 10: 04: 03
Doc Stamp-Deed: 59.50
DC.F. DeWitt Cason. Columbia County B: 960 F: 2376

Witness EXYESTEVEZ

Signature

Witness Michael J. Com

STATE OF FLORIDA COUNTY OF COLUMBIA

I HEREBY CERTIFY that on this day, before me, an officer duly authorized in the State and County last aforesaid to take acknowledgments personally appeared Sandra L. Jefferson, known to me personally and/or who produced identification and who executed before me the foregoing deed and acknowledged before me that she executed the same.

Michael J. Carr
Commission & DD093756
Expires Reb. 19, 2006
Bonded Thru
Bonding Co., Inc.

Notary Public, State of Florida

My commission expires: 2/19/06

Witness

I-st:2002016761 Date:08/23/2002 Time:10:04:03

Doc Stamp-Deed:

59.50 DC.P.DeWitt _ason,Columbia County B:960 P:237

STATE OF FLORIDA . COUNTY OF FLAGLER

> I HEREBY CERTIFY that on this day, before me, an officer duly authorized in the State and County last aforesaid to take acknowledgments personally appeared Sharon M. Brown, known to me personally and/or who produced identification and who executed before me the foregoing deed and acknowledged before me that she executed the same.

> WITNESS my hand and official seal in the County and State last aforesaid this 5 day of August, 2002.

My commission expires: W

NANCY C. WHITE Notary Public - State of Finitia My Commission Expires May 31, 2003 Commission # CC 825011

STATE OF VIRGINIA

COUNTY OF _ NIA.

I HEREBY CERTIFY that on this day, before me, an officer duly authorized in the State and County last aforesaid to take acknowledgments personally appeared Daniel R. McQuaig, known to me personally and/or who produced identification and who executed before me the foregoing deed and acknowledged before me that he executed the same.

WITNESS my hand and official seal in the County and State last aforesaid this LOLL day of August, 2002.

Notary Public, State of Virginia

My commission expires:

Inst:2002015761 Date:08/23/2002 Time:10:04:03

Doc Stamp-Deed: 59.50

DC,P.DeWitt Cason,Columbia County B:960 P:2378

Trius (Fesperman)

STATE OF NORTH CAROLINA COUNTY OF Juedell

I HEREBY CERTIFY that on this day, before me, an officer duly authorized in the State and County last aforesaid to take acknowledgments personally appeared James S. McQuaig, known to me personally and/or who produced identification and who executed before me the foregoing deed and acknowledged before me that he executed the same.

WITNESS my hand and official seal in the County and State last aforesaid this 8 day of August, 2002.

My commission expires: NOV. 6th 2004

Inst:7002016761 Date:08/23/2002 Time:10:04:03

Dcc Stame-Deed: 59.50
DC.P.DeWitt Cason.Columbia County B:960 P:2379

EXHIBIT A

Commence at the NW corner of the South-Half (S½) of Government Lot 2, Section 20, T7S, R16E, for a point of reference. Thence run along the North line of S½ of said Government Lot 2, N 89°11'00' E, 487.52 feet to the Point of Beginning. Thence continue N 89°11'00" E, 521.48 feet; thence run S 41°35'36" W, 563.48 feet; thence run N 48°35'04" W, 191.64 feet; thence run N 00°43'43" W, 287.23 feet to the Point of Beginning. Containing 2.96 acres more or less, all lying and being in Columbia County, Florida.

SUBJECT TO a Florida Power Corporation Transmission Line Easement

AND

TOGETHER WITH AND SUBJECT TO an easement for the purpose of ingress-egress and public utilities over and across the following described lands:

Commence at the NW corner of the South-Half (S½) of Government Lot 2, Section 20, T7S, R16E, for a point of reference. Thence run along the North line of S½ of said Government Lot 2, N 89°11'00" E, 487.52 feet; thence run S 00°43'43" E, 253.51 feet to the Point of Beginning. Thence run S 48°35'04" E, 214.34 feet; thence run S 41°35'36" W, 557.04 feet to the Northerly right-of-way line of County Road No. C-138; thence run along said right-of-way line, N 46°58'52" W, 25.01 feet; thence departing from said right-of-way line, run N 41°35'36" E, 531.34 feet; thence run N 48°35'04" W, 166.64 feet; thence run N 00°43'43" W, 33.72 feet to the Point of Beginning.

COUNTY OF COLUMBIA

COUNTY OF COLUMBIA

FEREBY CERTIFY; that the above and foregoing

Figure copy of the original filled in this office.

Figure County

Deputy Cierk


Deputy Cierk

A COUNTING STATE OF FLORIDA, COUNTY OF COLUMBIA

Deputy Cierk


Deputy Cierk

Deputy Cierk



This information, GIS Map Updated: 6/2/2005, was derived from data which was compiled by the Columbia County Property Appraiser
Office solely for the governmental purpose of property assessment. This information should not be relied upon by anyone as a
determination of the ownership of property or market value. No warranties, expressed or implied, are provided for the accuracy of the data
herein, it's use, or it's interpretation. Although it is periodically updated, this information may not reflect the data currently on file in the
Property Appraiser's office. The assessed values are NOT certified values and therefore are subject to change before being finalized for ad
valorem assessment purposes.

http://www.appraiser.columbiacountyfla.com/GIS/Print_Map.asp?pjbnlkplhgmeclpofffddh... 6/15/2005



LIMITED POWER OF ATTORNEY

I, Melvin Shepperd, license # IH0000035 hereby authorize

Rodney Douglass to be my representative and

act on my behalf in all aspects of applying for a mobile

home permit to be placed on the following described

property located in Columbia County, Florida.

	Property owner: Vicki Pollack	
	911 Address : 6129 SW County Rd 138	
	Parcel ID #: 20-7S 16-04264-006	
Nelvon	Sect: 20 Twp: 78 Rge: 16 Mela Stephen Date Mobile Home Installer Signature Date	
	Sworn to and subscribed before me this 22 day of Jon 2005. Chery Saxders- Heron Notary Public My Commission expires: 8/22/06	Cheryl Sanders-Gerov Commission # DD13235 Expires Ang. 22, 2006 Bonded Thru Ariantic Bonding Co., Inc.
	Commission Number: Personally known: XXX	
	Produced ID (type):	

Gaylord Pump & Irrigation Inc.



P.O. Box 548 Branford, Fl. 32008 386-935-0932 Fax 386-935-0778

06/21/05

We will be drilling a well for Vicki Pollack. The property ID number is 20-7S-16-04264-006. The following equipment will be used.

4" Steel Casing

1 Hp Submersible pump

1-1/4" Galvanize drop pipe

81 Gallon diaphragm tank with 24.9 gallons of draw down

This equipment meets or exceeds the Florida building code, plumbing section 612 table 612.1

Sincerely,

Donal Maylord

Donald Gaylord

Licensed Well Driller Florida License 2630

SECTION 3 – BLOCKING AND LEVELING PROCEDURE GENERAL NOTES AND TABLES

TABLE 2

PIER SPACING TABLES - FIXED SIZE FOOTING PAD I-BEAM PIERS WITH PERIMETER BLOCKING - SEE NOTE (1)

PIER	ROOF	SOIL	SPANS									
LOCATION	LIVE LOAD	CAPACITY	16"x16"x4" C	R DOUBLE 8	'x16"x4" (NOT	E 5)	DOUBLE 16"x16"x4" (SEE NOTE 5)					
	(PSF)	(PSF)	12-WIDE	14-WIDE	16-WIDE	18-WIDE	12-WIDE	14-WIDE	16-WIDE	18-WIDE		
		1000	5'-11"	5'-1"	4'-6"	4'-0"	12'-0"	10'-7"	9'-4"	8'-3"		
		1500	9'-2"	7'-10"	6'-11"	6'-2"	12'-0"	12'-0"	12'-0"	12'-0"		
I-BEAM	20	2000	12'-0"	10'-7"	9'-4"	8'-3"	12'-0"	12'-0"	12'-0"	12'-0"		
•		2500	12'-0"	12'-0"	11'-9"	10'-5"	12'-0"	12'-0"	12'-0"	12'-0"		
J		3000	12'-0"	12'-0"	12'-0"	12'-0"	12'-0"	12'-0"	12'-0"	12'-0"		
		1000	5'-8"	4'-8"	4'-5"	3'-10"	8'-0"	8'-0"	8'-0"	8'-0"		
1	R 20	1500	8'-0"	7'-3"	6'-10"	6'-0"	8'-0"	8'-0"	8'-0"	8'-0"		
PERIMETER		2000	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"		
(SEE NOTE 2)		2500	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"		
		3000	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"		
		1000	5'-11"	5'-1"	4'-6"	4'-0"	12'-0"	10'-7"	9'-4"	8'-3"		
X		1500	9'-2"	7'-10"	6'-11"	6'-2"	12'-0"	12'-0"	12'-0"	12'-0"		
I-BEAM	30	2000	12'-0"	10'-7"	9'-4"	8'-3"	12'-0"	12'-0"	12'-0"	12'-0"		
		2500	12'-0"	12'-0"	11'-9"	10'-5"	12'-0"	12'-0"	12'-0"	12'-0"		
		3000	12'-0"	12'-0"	12'-0"	12'-0"	12'-0"	12'-0"	DE 16-WIDE 18-N " 9'-4" 8' " 12'-0" 12	12'-0"		
		1000	4'-7"	3'-10"	3'-8"	3'-2"	8'-0"	8'-0"	7'-8"	6'-8"		
	30	1500	7'-0"	5'-10"	5'-8"	5'-0"	8'-0"	8'-0"	8'-0"	8'-0"		
PERIMETER		2000	8'-0"	8'-0"	7'-8"	6'-8"	8'-0"	8'-0"		8'-0"		
(SEE NOTE 2)	1000	2500	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"		8'-0"		
		3000	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"		
100		1000	5'-11"	5'-1"	4'-6"	4'-0"	12'-0"	10'-7"	9'-4"	8'-3"		
		1500	9'-2"	7'-10"	6'-11"	6'-2"	12'-0"	12'-0"	12'-0"	12'-0"		
I-BEAM	40	2000	12'-0"	10'-7"	9'-4"	8'-3"	12'-0"	12'-0"	12'-0"	12'-0"		
0	1133770	2500	12'-0"	12'-0"	11'-9"	10'-5"	12'-0"	12'-0"	12'-0"	12'-0"		
3		3000	12'-0"	12'-0"	12'-0"	12'-0"	12'-0"	12'-0"	2'-0" 12'-0" 1 2'-0" 12'-0" 1 2'-0" 12'-0" 1 3'-0" 8'-0" 8'-0" 8 3'-0" 8'-0" 8'-0" 8 3'-0" 8'-0" 8'-0" 1 3'-0" 8'-0" 1 2'-0" 12'-0" 1 2'-0" 12'-0" 1 2'-0" 12'-0" 1 2'-0" 12'-0" 1 2'-0" 12'-0" 1 2'-0" 12'-0" 1 2'-0" 12'-0" 1 2'-0" 12'-0" 1 2'-0" 12'-0" 1 2'-0" 12'-0" 1 3'-0" 8'-0" 8'-0" 8'-0" 8'-0" 8'-0" 8'-0" 8'-0" 1 2'-0" 12'-0"	12'-0"		
		1000	3'-10"	3'-3"	3'-2"	2'-9"	8'-0*	6'-9"	6'-6"	5'-8"		
		1500	5'-11"	5'-0"	4'-10"	4'-3"	8'-0"	8'-0"	8'-0"	8'-0"		
PERIMETER	40	2000	8'-0"	6'-9"	6'-6"	5'-8"	8'-0"	8'-0"		8'-0"		
(SEE NOTE 2)	2050	2500	8'-0"	8'-0"	8'-0"	7'-2"	8'-0"	8'-0"		8'-0"		
		3000	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"	8'-0"		8'-0"		

TABLE 2.1

PIER SPACING TABLES - FIXED SIZE FOOTING PAD I-BEAM PIERS WITH PERIMETER BLOCKING - SEE NOTE (1)


- 1	PIER	ROOF	PIER			FOOT	ER LOAD (PC	DUNDS)					
١,	LOCATION	LIVE LOAD	SPACING	10 11/105	*******	40 1180	10,000						
200		(PSF)	W-189	12-WIDE	14-WIDE	16-WIDE	18-WIDE						
	I-BEAM	20	4'- 0"	965	1060	1150	1240	-					
	1	-	6'- 0"	1450	1585	1715	1855			20			
))		1	8'- 0*	1925	2115	2285	2475		IE PIERS FOR	Printer Add	F		
			10'- 0"	2405	2645	2860	3095	DOUBLEWIDES (SEE NOTE 3					
J			12'- 0"	2890	3170	3430	3710	12-WIDE	14-WIDE	16-WIDE	18-WIDE		
T H	PERIMETER (see Note2)	20	4'- 0"	1190	1360	1550	1760	2055	2475	2860	3280		
		1 1	6'- 0"	1780	2035	2325	2640	3080	3710	4290	4920		
			8'- 0"	2375	2715	3100	3520	4110	4950	5720	6560		
	I-BEAM	30	4'- 0"	965	1060	1150	1240						
1			6'- 0"	1450	1585	1715	1855	1					
		1 1	8'- 0*	1925	2115	2285	2475		ENTERLINE PIERS FOR		e e		
)			10'- 0"	2405	2645	2860	3095	DOUBLEWIDES (SEE NO	OTE 3)				
)			12'- 0"	2890	3170	3430	3710	12-WIDE	14-WIDE	16-WIDE	18-WIDE		
	PERIMETER	30	4'- 0"	1475	1670	1900	2150	2520	3020	3480	3980		
	(see Note2)	1	6'- 0"	2210	2505	2850	3225	3780	4530	5220	5970		
			8'- 0"	2950	3340	3800	4300	5040	6040	6960	7960		
	I-BEAM	40	4'- 0"	965	1060	1150	1240			110			
	Market Market			6'- 0"	1450	1585	1715	1855	1				
1				4	8'- 0"	1925	2115	2285	2475	CENTERLINE PIERS FOR			
o	1	[10'- 0"	2405	2645	2860	3095	DOUBLEW	IDES (SEE NO	OTE 3)			
3			12'- 0"	2890	3170	3430	3710	12-WIDE	14-WIDE	16-WIDE	18-WIDE		
Г	PERIMETER	40	4'- 0"	1760	1985	2250	2540	2990	3570	4100	4680		
1	(see Note2)		6'- 0"	2640	2975	3375	3810	4480	5350	6150	7020		
		1 1	8'- 0"	3520	3970	4500	5080	5975	7135	8200	9360		



Section 3, Blocking and Leveling

Page 3 COPYRIGHT © 2000 BY PALM HARBOR HOMES, INC. All Rights Reserved.

SECTION 4 - MULTI WIDE INSTALLATION




NOTES

- The above detail is meant to be typical. For model specific pier locations, perimeter blocking requirements (if applicable), refer to the DATA PLATE and pier plans supplied with the home.
- 2.) Pier spacing is based on each section's floor width, I-beam spacing and Roof Load Zone and soil bearing capacity. Refer to applicable tables in this manual.
- For piers required at sidewall for openings larger than 4'-0", use a minimum 16x16x4 footer or equivalent.
- 4.) To determine the locations of centerline columns and the associated loads with these locations, refer to the model specific pier- or floor plan, included with this manual. If a specific pier- or floor plan has not been provided, use the column span tables in Section 3. If not already identified on the perimeter joist at the marriage line, mark these locations on the bottom of the interior perimeter joist with a nail or light color chalk or paint, so that they can be easily visible under the home after the sections are put together. Use the FOOTING CAPACITY table in Section 3 to determine the correct footing size for the associated load at the marriage line. EXAMPLE: A 14-wide section without perimeter blocking may, per print, have a 4000 lbs. column load at the marriage line. If the soil capacity at the installation site is 2000 PSF, in the FOOTING CAPACITY table read down the 2000 lbs. column until the footing capacity meets or exceeds the 4000 lb. load. The associated footing size in this example is an 18" x 18" x 4"footing (4192lbs). If the soil bearing capacity were 2500 lbs. or higher, a 16" x 16" x 4" footing would be sufficient at the 4000 lbs. column condition.

Section 4, Multi Wide Installation,

Page 1 COPYRIGHT © 2000 BY PALM HARBOR HOMES, INC. All Rights Reserved.



BUYER:

By_

Approved

Copyright € 1983, 1991 JENKINS BUSINESS FORMS • MASCOUTAH, IL • Rev. 01.00

Ironwood Homes of Lake City LLC

4109 U.S. 90 West LAKE CITY, FLORIDA 32055 (386) 754-8844

DRIVER'S LICENSE BUYER: CO-BUYER:

CO-BUYER:		(386)	754-88	344	44 CO-BUYER:								
BUYER(S) VICC. POL	lack	···					386-497-269		- U	are ula	clo	_	
ADDRESS 6129 SW	Cty Ro	138		and the second			386-491-269	SALESPERSONLIC	アモ	RRY	25/0	3	
DELIVERY ADDRÉSS 1		100							9-2	10.07			
Palm Harbo	-/ N.	ew port		200 S	>	BEDROOM 3	order remotes						
SERIAL NUMBER TBA		NEW	, 🖂	USED	COLOR			SAP		KEY NUM	BERS		
LOCATION	R-VALUE			OF INSU	LATIO		110		T .	200	1		
	CEILING					N.	ORTIONAL FOLUEN	BASE PRICE OF UN	T \$	787	00.	00	
EXTERIOR		-					OPTIONAL EQUIPM	TENT			-		
FLOORS								0110 7071			N 43	0.0	
	WIEACTUE	255 AND 10	21221 21	255.01		SUB-TOTA	L \$	787	00.	00			
THIS INSULATION INFORMATIO COMPLIANCE WITH THE FEDER				SEDIN	CALECTAY			110	07	00			
OPTIONAL E	16CHF, St	ECTION 460.	.16.		SALES TAX			47	66.	00			
Delivered & Set-up.	ACCE				NON-TAXABLE ITEM	Sur-Tax			0.				
Delivered & Cet up.	-	\$		-	VARIOUS FEES AND		-	70	00.	06			
Connect water & sewer v	vithin 20 fee	t to existing	facilities				VARIOUS FEES AND	DINSURANCE					
only.	THE LO TOO	to existing	idellities				1. CASH PURCHAS	CE DDICE	\$	an u	-2	00	
Furnished				\$				\$		90,4	12.	шш	
Unfurnished.				φ			LESSBAL DUE ON ABOVE	\$					
Customer responsible for	any wrecker	fees incurred	d on lot				NET ALLOWANCE		$-\parallel$			HIIII	
Wheels & axles deleted fr									$-\parallel$			IIIIII	
for a local move.			1111 10110					\$	$-\parallel$				
Customer responsible for	any gas or	electrical hoc	okups.				2. LESS TOTAL CF	— II.	300	ЖH	йШп		
(Not licensed.)	, ,							SUB-TOTA	L \$	300	0:		
Customer responsible for	releveling	of home after	er initial				SALES TAX (If Not II				-		
setup. Can not be respon					-		3. Unpaid Balance		\$	874	72.	00	
do again, but there will be	a charge.						REMARKS:			0 . 1	101		
Options include extra: (L	ist)						NO VERBAL AGR	EEMENTS WILL B	E HON	IORED.			
			1.4				Initial:						
	, ,						STANDONES N. PERIOD STANDONES N. P. S.						
Well, Septic	E +	over			000.	00							
All'ow	ance											- (
												(P)	
DALANOT CARRIED	TO OPTION			_									
BALANCE CARRIED	AND DESCRIPTIONS OF THE PROPERTY OF THE PARTY OF THE PART	Diffus 225 Selected Charles Constitution of the	200	\$.									
NOTE: WARRANTY, EXCLUSI DESCRIPTION OF TRADE-IN	ONS AND LIM	TATIONS OF DA	MAGES OF	N THE REV	ERSE SI	DE.							
MAKE	MODEL		BEU	ROOMS	X								
TITLE NO.	SERIAL NO.		COLOR										
AMOUNT OWING TO WHOM							Liquidated Damages	s are agreed to be \$				or	
ANY DEBT BUYER OWES ON	THE TRADE-II	VIS TO BE PAIR	RV 🗆	DEALER	□ RII	YER	10% of the cash pric	e, whichever is grea	er.				
THIS AGREEMENT CONTAINS THE ENTIRE	UNDERSTANDING E	BETWEEN DEALER AND	BUYER AND N	IO OTHER REPR	ESENTATION	ON OR INC	REFER TO PARAGRAPH	N HAS BEEN MADE WHICH IS	NOT CONT	AINED IN THE	SCONT	DACT	
Dealer and Buyer certify that the addition described trailer, manufactured home or BUYER ACKNOWLEDGES I	al terms and condi- vehicle; the option	tions printed on the ot nal equipment and ac	ther side of thit cessories, the	s contract are a e insurance as	agreed to a described	as a part of has bee	of this agreement, the same as n voluntary; that Buyer's trade	if printed above the signature in is free from all claims w	es. Buye	r is purchasi	ing the a	above	
					SIG	NED X	e				BUYE	R	
Not Valid Unless Signed and Accepted by			DEAL.	ER	SO	CIAI SE	CURITYNO	/ /					

SOCIAL SECURITY NO.



STATE OF FLORIDA DEPARTMENT OF HEALTH

APPLICATION FOR ONSITE SEWAGE DISPOSAL SYSTEM CONSTRUCTION PERMIT

Permit Application Number 05-0 - PART II - SITE PLAN - --Scale: Each block represents 5 feet and 1 inch = 50 feet. 521.48 House - 138 -House closes + Lot cone 80' Notes: Well to closes + 150 clasest Land tacked b4 cours Site Plan submitted by: Signature Title Plan Approved Date Not Approved County Health Department ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT

DH 4015, 10/96 (Replaces HRS-H Form 4015 which may be used) (Stock Number: 5744-002-4015-6)

6-11-25

Page 2 of 3

