

Columbia County BUILDING DEPARTMENT

Revised March 2021

COMMERCIAL MINIMUM PLAN CHECKLIST

MINIMUM PLAN REQUIREMENTS AND CHECKLIST FOR THE 2020 FLORIDA BUILDING CODE, FLORIDA PLUMBING CODE, FLORIDA MECHINICAL CODE, FLORIDA FUEL AND GAS CODE 2020 EFFECTIVE 1 JAN 2021 AND 2017 NATIONAL ELECTRICAL

ALL REQUIREMENTS ARE SUBJECT TO CHANGE

ALL BUILDING PLANS MUST INDICATE COMPLIANCE WITH THE CURRENT FLORIDA BUILDING CODES. ALL PLANS OR DRAWING SHALL PROVIDED CALCULATIONS AND DETAILS THAT HAVE THE SEAL AND SIGNATURE OF A CERTIFIED ARCHITECT OR ENGINEER REGISTERED IN THE STATE OF FLORIDA, OR ALTERNATE METHODOLOGIES, APPROVED BY THE STATE OF FLORIDA BUILDING COMMISSION.

FOR DESIGN PURPOSES THE FOLLOWING BASIC WIND SPEEDS ARE PER FLORIDA BUILDING CODE FIGURE 1609.3 (1) THROUGH (4) ULTIMATE DESIGN WIND SPEEDS FOR RISK CATEGORY AND BUILDINGS AND OTHER STRUCTURES

	GENERAL REQUIREMENTS:	Box s	SPOON PRINTED	ude Each Marked cable	
1	All drawings must be clear, concise and drawn to scale, details that are not used shall be marked void.	YES	NO	N/A	-
2	If the design professional is an architect or engineer legally registered under the laws of this state regulating the practice of architecture as provided for in Chapter 481, Florida Statutes, Part I, or engineering as provided for in Chapter 471, Florida Statutes, then he or she shall affix his or her official seal to said drawings, specifications and accompanying data, as required by Florida Statute.	YES	NO	N/A	-
3	The design professional signature shall be affixed to the plans	YES	NO	N/A]-
4	Two (2) complete sets of plans with the architecture or engineer signature and the date the affix embossed official seal was placed on the plans	YES	NO	N/A	-

Two (2) complete sets of plans containing the following information:

	Building Site Plan Requirements	Building Site Plan Requirements Each Box shall be Marked as Applicable							
4	Parking, including provision Florida Building Code Accessibility Code	Yes	No	N/A	-				
5	Fire access, showing all drive way which will be accessible for emergency vehicles	Yes	No	N/A	-				
6	Driving/turning radius of parking lots	Yes	No	N/A	-				
7	Vehicle loading include truck dock loading or rail site loading	Yes	No	N/A	-				
8	Nearest or number of onsite Fire hydrant/water supply/post indicator valve (PIV)	Yes	No	N/A	-				
9	Set back of all existing or proposed structures from each structure and property boundaries, Show all separation including assumed property lines	Yes	No	N/A	-				
10	Location of specific tanks(above or under grown ,water lines and sewer lines and septic tank and drain fields	Yes	No	N/A	-"				

11	All str	ructures	exterior	views inc	lude f	inished floo	or elevat	ion						Yes		No	1	N/A	-
12	Total	height o	f structu	re(s) form	estab	lished grad	le							Yes		No	1	N/A	-
		Rev	iew req			olumbia Co			Departmen For You.)	t Iten	ıs 13 ^T	Th 43							
	Occup group circle uses:	use	Group	Grov B	ир	Group E	Group)	Group H	Gro	oup	Group M	Gro R	oup	Gro	oup	1	Group U D	
13		Specia	l occup	ancy requi	remer	nts.				-					Yes	s N	lo	N/A	-
14		Incide	ntal use	areas (tota	ıl squ	are footage	for each	roc	om of use a	rea)					Yes	s N	Io	N/A	-
15		1	occupa												Yes	s N	lo	N/A	-
16					ION (OF OCCUI	ANCIE	S IN	N HOURS	FBC T	ABL	E 707.3.10	í		Yes	s N	lo	N/A	-
e de la		Minim		of permi		onstructio	n by coo	le f	or occupan		e circ	le the con		tion t	ype	FBC	602	2	
17		ype I FBC:602	.2)	Type II (FBC:60	2.2)	Type I (FBC:			pe IV BC:602.4)		Typ (FB	C:602.5)							
		Fi	re-resis	tant const	ructi	on require	ments s	hall	be shown,	inclu	de the	e followin	g con	ipone	ents				
18			Fi	re-resistan	t sepa	rations									Yes	No	,	N/A	-
19			Fi	re-resistan	t prot	ection for t	ype of c	onst	ruction						Yes	No)	N/A	Ē
20			Pr	otection o	f oper	nings and p	enetratio	ns o	of rated wa	lls					Yes	No)	N/A	-
21			Pr	otection o	f corr	idors and p	enetratio	ns o	of rated wa	lls					Yes	No)	N/A	=
22			Fi	re blockin					ulated fire i			lude:			Yes	No	<u>, </u>	N/A	-
23			Ea	arly warnii					s Schematic				oipes		Yes	No	,	N/A	-
24			St	andpipes											Yes	No)	N/A	-
25			Pr	e-enginee	red sy	stems									Yes	No)	N/A	-
26	PIER PER CO	Racaca Modern		iser diagra						a templa			COMP	* C. (*))))))))))))))))))))))))))))))))))	Yes	No		N/A	-
27	S. S. O'S LOVE	A 20 4 20 10			60		400 STG-71	ide	the follow	ing re	quire	ments:	Met 3	10000		1	562.03	1200000	<u></u>
28			79.50	777		d egress ca	pacities								Yes	1	\neg	N/A	_
29				arly warnii										+	Yes		1	N/A	-
30				noke cont	-		-	-							Yes		\neg	N/A N/A	-
31				air pressur										+	Yes	1111	\neg	N/A	
							ments s	hall	be shown	includ	ie:	12 4 55	59		res	INC	,	IN/A	-
32			C	Occupancy	load										Yes	No	5	N/A	-
33			C	ross occu	pancy	load									Yes	No	0	N/A	π.
34			1	Net occupa	incy l	oad									Yes	No	,	N/A	-
35			1	Means of e	gress										Yes	No)	N/A	-
36			I	Exit access											Yes	No)	N/A	-
37			E	xit dischar	ge										Yes	No)	N/A	-
38			St	airs const	uctio	n/geometry	and pro	tect	ion						Yes	No	0	N/A	-
39			D	oors											Yes	No	0	N/A	-
40			E	mergency	lightii	ng and exit	signs								Yes	No)	N/A	-
41			Sı	pecific occ	upano	y requiren	nents								Yes	No	0	N/A	-

42	Construction requirements	Yes	No	N/A	-
43	Horizontal exits/exit passageways	Yes	No	N/A	-

Items to Include Each Box shall be Marked as

ariga iz	Structural requirements shall be shown include:	Appli	cable		
44		17	Ī.,	27/4	
45	Soil conditions/analysis	Yes	No	N/A	-
46	Termite protection	Yes	No	N/A	-
47	Design loads	Yes	No	N/A	-
48	Wind requirements	Yes	No	N/A	-
1000	Building envelope	Yes	No	N/A	-
49	Structural calculations (if required)	Yes	No	N/A	-
50	Foundation For structures with foundation which establish new electrical utility companies service connection a Concrete Encased Electrode will be required within the foundation to serve as an grounding electrode system. Per the National Electrical Code article 250.52.3	Yes	No	N/A	-
51	Wall systems	Yes	No	N/A	-
52	Floor systems	Yes	No	N/A	-
53	Roof systems	Yes	No	N/A	-
54	Threshold inspection plan	Yes	No	N/A	
55	Stair systems	Yes	No	N/A	-
	Materials shall be shown include the following	1103	110	INA	
56	Wood	Yes	No	N/A	-
57	Steel	Yes	No	N/A	-
58	Aluminum	Yes	No	N/A	-
59	Concrete	Yes	No	N/A	-
60	Plastic	Yes	No	N/A	-
61	Glass	Yes	No	N/A	-
62	Masonry	Yes	No	N/A	-
63	Gypsum board and plaster	Yes	No	N/A	-
64	Insulating (mechanical)	Yes	No	N/A	-
65	Roofing	Yes	No	N/A	-
66	Insulation				
NES:	Accessibility requirements shall be shown include the following	Yes	No	N/A	
67	Site requirements	Yes	No	N/A	-
68	Accessible route	Yes	No	N/A	-
69	Vertical accessibility	Yes	No	N/A	-
70	Toilet and bathing facilities	Yes	No	N/A	-
71	Drinking fountains	Yes	No	N/A	-
72					1_
73	Equipment	Yes	No	N/A	
74	Special occupancy requirements Fair housing requirements	Yes	No No	N/A N/A	-

	Interior requirements shall include the following		S NE		
75	Review required by the Columbia County Fire Department Items 75 Th 80 Interior finishes (flame spread/smoke development)	Yes	No	N/A	-
76	Light and ventilation	Yes	No	N/A	-
77	Sanitation	Yes	No	N/A	-
	Special systems		2 S (N)	Tel 16	3
78	Elevators	Yes	No	N/A	-
79	Escalators	Yes	No	N/A	-
80	Lifts	Yes	No	N/A	-
	Swimming pools		E 76 5		
81	Barrier requirements	Yes	No	N/A	-
82	Spas and Wading pools	Yes	No	N/A	-
83	Access required per Florida Building Code 454.1.2.5	Yes	No	N/A	-

	Electrical				
84	Wiring	Yes	No	N/A	-
85	Services For structures with foundation which establish new electrical utility companies service connection a Concrete Encased Electrode will be required within the foundation to serve as an grounding electrode system. Per the National Electrical Code article 250.52.3	Yes	No	N/A	-
86	Feeders and branch circuits	Yes	No	N/A	-
87	Overcurrent protection	Yes	No	N/A	-
88	Grounding	Yes	No	N/A	-
89	Wiring methods and materials	Yes	No	N/A	-
90	GFCIs	Yes	No	N/A	-
91	Equipment	Yes	No	N/A	-
92	Special occupancies	Yes	No	N/A	-
93	Emergency systems	Yes	No	N/A	-
94	Communication systems	Yes	No	N/A	-
95	Low voltage	Yes	No	N/A	-
96	Load calculations	Yes	No	N/A	-
K.B	Plumbing			- Stand	
97	Minimum plumbing facilities	Yes	No	N/A	-
98	Fixture requirements	Yes	No	N/A	-
99	Water supply piping	Yes	No	N/A	-
100	Sanitary drainage	Yes	No	N/A	-
101	Water heaters	Yes	No	N/A	-
102	Vents	Yes	No	N/A	-
103	Roof drainage	Yes	No	N/A	-
104	Back flow prevention	Yes	No	N/A	_

105	Irrigation	Yes	No	N/A	-
106	Location of water supply line	Yes	No	N/A	-
07	Grease traps	Yes	No	N/A	-
108	Environmental requirements	Yes	No	N/A	-
109	Plumbing riser	Yes	No	N/A	-
(T)	Mechanical	103	140	IVA	
110	Energy calculations	Yes	No	N/A	-
111	Review required by the Columbia County Fire Department Items 111 Th 114 Exhaust systems	Yes	No	N/A	-
112	Clothes dryer exhaust	Yes	No	N/A	_
113	Kitchen equipment exhaust	Yes	No	N/A	-
114	Specialty exhaust systems	Yes	No	N/A	-
s (Ta)	Equipment location			10000000000000000000000000000000000000	S.
115	Make-up air	Yes	No	N/A	-
16	Roof-mounted equipment	Yes	No	N/A	-
17	Duct systems	Yes	No	N/A	-
18	Ventilation	Yes	No	N/A	-
119	Laboratory	Yes	No	N/A	_
20	Combustion air	Yes	No	N/A	_
21	Chimneys, fireplaces and vents	Yes	No	N/A	-
122	Appliances	Yes	No	N/A	-
123	Boilers	Yes	No	N/A	-
124	Refrigeration	Yes	No	N/A	_
25	Bathroom ventilation	Yes	No	N/A	-
		Items	to Inclu Box sha	ıde-	
126	Gas Review required by the Columbia County Fire Department Items 126 Th 134	Yes	No	N/A	
127	Gas piping		1		-
0.3350	Venting	Yes	No	N/A	-
128	Combustion air	Yes	No	N/A	-
129	Chimneys and vents	Yes	No	N/A	-
130	Appliances	Yes	No	N/A	-
131	Type of gas	Yes	No	N/A	-
132	Fireplaces	Yes	No	N/A	-
133	LP tank location	Yes	No	N/A	-
134	Riser diagram/shutoffs	Yes	No	N/A	-
135	Notice of Commencement A recorded (in the Columbia County Clerk Office) notice of commencement is required to be on file with the building department. Before Any Inspections Will Be Done	Yes	No	N/A	-
70.50	Disclosure Statement for Owner Builders	1.50	A STEEL	1 E 9 LV LVI	

136	Horse power of pump motor					_
	The process of the second section of the section of the second section of the section of the second section of the sec	SEE PAGE 7- ON HOW	Yes		-	
137	Capacity of pressure tank	TO PROVIDE THIS DOCUMENTATION.	Yes	No	N/A	F
138	Cycle stop valve if used	DOCUMENTATION.	Yes	No	N/A	
				Box sha		

139	Building Perm Application	it	A Building Permit Application is to be completed by following the checklist all supporting documents must be submitted. Completed Applications can be mailed with The \$15.00 application fee.	Yes	No	N/A	-
140	Parcel Number	r	The parcel number (Tax ID number) from the Property Appraiser is required. A copy of property deed is also required. (386) 758-1084	Yes	No	N/A	-
141	Environmental Health Permit or Sewer Tap Approval	disposal perm sewer tap lett	approved Environmental Health (386) 758-1058 waste water nit or an approved City of Lake City(386) 752-2031 OR Count er is required before a building permit can be issued.	Yes	No	N/A	-
142	Driveway Connection	application for Works Dept. instillation an granted. Culv shall conform registered en Florida Depa	y does not have an existing access to a public road, then an or a culvert permit must be made (\$25.00). County Public determines the size and length of every culvert before d completes a final inspection before permanent power is sert installation for commercial, industrial and other uses a to the approved site plan or to the specifications of a gineer. Use or joint use of driveways will comply with artment of Transportation specifications. If the project is on an F.D.O.T. maintained road, then an F.D.O.T. access sired.	Yes	No	N/A	-
143	Suwannee River Water Management District Approval		cial projects must have an SRWMD permit issued or n letter, before a building permit will be issued.	Yes	No	N/A	-
144	Flood Management	shall require p District, before within a flood been establish Columbia Col located within flood) has no of Columbia Columbia	within the Floodway of the Suwannee or Santa Fe Rivers bermitting through the Suwannee River Water Management be submitting application to this office. Any project located a zone where the base flood elevation (100 year flood) has need shall meet the requirements of section 8.8 of the unty Land Development Regulations. Any project that is a a flood zone where the base flood elevation (100 year to been established shall meet the requirements of section 8.7 County Land Development Regulations. A development so be required. The development permit cost is \$50.00	Yes	No	N/A	-
145	Flood Management	REQUIRED (ELEVATION	D FINISHED FLOOR ELEVATIONS WILL BE ON ANY PROJECT WHERE THE BASE FLOOD ((100 YEAR FLOOD) HAS BEEN ESTABLISHED OR IT DETERMINED BY THE PLAT	Yes	No	N/A	-
146	911 Address	received thre	on for a 911address must be applied for and ough the Columbia County Emergency Management 1 Addressing Department (386) 758-1125.	Yes	No	N/A	-