


7/12-8/12 PITCH - 18' 0H

64-08-0

3/12 PITCH REAR PORCH



WARNING
Backcharges Will Not Be Accepted
Regardless of Fault Without Prior
Notification By Customer Within 48
Hours And Investigation By
Builders FirstSource.
NO EXCEPTIONS.

IMPORTANT

**This Drawing Must Be Approved And
Returned Before Fabrication Will
Begin. For Your Protection Check All
Dimensions And Conditions Prior To
Approval Of Plan.**

**SIGNATURE BELOW INDICATES ALL
NOTES AND DIMENSIONS HAVE**

By _____ Date _____

FINAL LAYOUT FOR PRODUCTION

ROOF LOADING:	FLOOR LOADING:
TCLL: 20	TCLL:
TCDL: 10	TCDL:
BCLL: 0	BCLL:
BCDL: 10	BCDL:
DURATION: 1.25	DURATION: 1.00
5 PSF TCDL + 5 PSF BCDL USED TO RESIST UPLIFT	

ROOF PITCH: 7/12-8/12-3/12

CEILING PITCH: FLAT

TOP CHORD SIZE: 2 X 4

BOTTOM CHORD SIZE: 2 X 4

OVERHANG LENGTH: 18"

END CUT: PLUMB

CANTILEVER: N/A

TRUSS SPACING: 24"

BUILDING CODE: FBC 2023

BEARING HEIGHT SCHEDULE

BUILDER:		Giebeig Homes		
MODEL:		CUSTOM		
ELEV:		GABLE		
ADDRESS:		TBD		
LOT / BLOCK:		N/A		
SUBDIVISION:		TOLAR RES.		
CITY:	Lake City			
DRAWN BY:		Holloway, Kim		
JOB # :	4894002			
DATE:	10/12/2025		SCALE:	N.T.S.

REVISIONS:



Summations of limited excerpts of the Code, ANSI/TPI 1-2014, and BCSI, and associated commentary, are provided within the truss submittal package in the Builders FirstSource Component Truss Responsibility and Liability Disclosure. These critical excerpts include, among other elements, critical safety information as well as specific Scope-of-Work assignments (and limitations of the same) for the Owner, Contractor, Building Designer, Truss Designer, and Truss Manufacturer. It is essential that ALL parties to the design and use of the Trusses review and become familiar with the information provided in the Builders FirstSource Component Truss Responsibility and Liability Disclosure, as well as the referenced sources, prior to performing work on the associated project.