

\* SITE PLAN \*

SCALE : 1" = 20'-0'

PATIO MASTER BORM. FAMILY ROOM MASTER BEDROOM #3 FOYER GARAGE BEDROOM #2 ELECTRIC METER W/UINDERGROUND ENTRY

\* ELECTRIC PLAN \*

SCALE: 1/4" = 1'-0"

COUNT SYMBOL 200 amp service panel 200 AHP ELECTRIC PANEL -automatic garage dr opener TV cable tv outlet 5 ceiling fan electric meter fluorescent it fixture ф garage dr opener Day. gfi waterproof outlet -0-Ø. outlet 220v • outlet gfi • smoke detector switch \$ switch 3 way \$,  $\nabla$ telephone vent light combo

ELECTRICAL

SERVICE

## ELECTRICAL PLAN NOTES

- E-I WIRE ALL APPLIANCES, HYAC UNITS AND OTHER EQUIPMENT PER MANUFACTORS SPECIFICATIONS.
- E-2 CONSULT THE OWNER FOR THE NUMBER OF SEPERATE TELEPHONE LINES TO BE INSTALLED.
- E-3 ALL INSTALLATIONS SHALL BE PER NATIONAL ELECTRIC CODE.
- E-4 ALL SMOKE DETECTORS SHALL BE 120V W/BATTERY BACKUP OF THE PHOTOELECTRIC TYPE, AND SHALL BE INTERLOCKED TOGETHER, INSTALL INSIDE AND NEAR ALL BEDROOMS,
- E-5 TELEPHONE, TELEVVISION AND OTHER LOW YOLTAGE DEVICES OR OUTLETS SHALL BE AS PER THE OWNERS DIRECTION AND IN ACCORDANCE WITH APPLICABLE SECTIONS OF NATIONAL ELCT. CODE LATEST EDITION.
- E-6 ELECTRICAL CONTRACTOR SHALL BE RESPONSIBLE FOR THE DESIGN AND SIZING OF ELECTRICAL SERVICE AND CIRCUITS.
- E-7 ENTRY OF SERVICE UNDERGROUND OR OVERHEAD) IS TO BE DETERMINED BY THE POWER COMPANY.
- E-8 ALL BEDROOM RECEPTICALS ARE TO BE AFCI (ARC FAULT CIRCUIT INTERRUPT)

THE VICTORIA LOT #73 EMERALD COVE

REVISIONS

SOFTPIAN

LAKE CITY FLORIDA

Teena M. Ruffo 251 NW Hall of Fame Dr. Lake City, Florida 32055 Phone: (386) 755 - 9993 Cell: (386) 867 - 1191 Email: easystreet@lani.net

PRINTED DATE: November 15, 2005

DRAWN BY: CHECKED BY: Teena M. Ruffo Teena M. Ruffe

JOB NUMBER:

OF 2 SHEETS

DRAWING NUMBER

FINIALS DATE: