

## Columbia County Swimming Pool/Spa Permit Application

1338

**For Office Use Only** Application # 1906-17 Date Received 9/6 By [Signature] Permit # 38240  
Zoning Official UH Date 6-12-19 Flood Zone Xat site Land Use ALD Zoning ASF-2  
FEMA Map # N/A Elevation N/A MFE N/A River N/A Plans Examiner 1.C Date 6-12-19  
Comments Front 25' Sides 10' Rear 15'  
☒ NOC ☒ DEH ☒ Deed or PA ☒ Site Plan ☒ 911 Sheet (If NO Address Exists) ☐ Owner Builder Disclosure Statement  
☐ Dev Permit # ☐ In Floodway ☐ Letter of Auth. from Contractor ☐ F W Comp. letter  
☐ Land Owner Affidavit ☐ Ellisville Water ☒ App Fee Paid ☒ Sub VF Form  
Notes:

Septic Permit No. 19-0451 Or City Water System ☐ Fax \_\_\_\_\_  
Applicant (Who will sign/pickup the permit) TJ Prevatt Phone 904-796-7128  
Address 9904 NW CR 229 Starke, FL 32091  
Owners Name Michael & Judith Corbett Phone 386.292.4277  
911 Address 465 SW Brothers Lane Lake City, FL 32025  
Contractors Name Thomas Jones - Paragon Pools Phone 904-316-9112  
Address 9904 NW CR 229 Starke, FL 32091  
Contractor Email office@paragon-pools.net \*\*\*Include to get updates on this job.  
Fee Simple Owner Name & Address N/A  
Bonding Co. Name & Address N/A  
Architect/Engineer Name & Address Donald Poindexter 4119 Trinity Dr Santa Rosa CA 95405  
Mortgage Lenders Name & Address N/A

Circle the correct power company ☐ FL Power & Light ☒ Clay Elec. ☐ Suwannee Valley Elec. ☐ Duke Energy

Property ID Number 12-45-16-02942-009 Cost of Construction \$56,000.00

Subdivision Name N/A Lot ☐ Block ☐ Unit ☐ Phase ☐

Driving Directions L on Madison St, L on Marion Ave, R on Duval St, L on Sisters Welcome Rd, L on SW Brothers Lane, Home will be on Left

Residential ☒ OR Commercial ☐

Construction of Inground fiberglass pool ADA Compliant ☐ Total Acreage 2.97

Actual Distance of Pool from Property Lines - Front 150 Side 70 Side 350 Rear 60

Application is hereby made to obtain a permit to do work and installations as indicated. I certify that no work or installation has commenced prior to the issuance of a permit and that all work be performed to meet the standards of all laws regulating construction in this jurisdiction.

CODE: Florida Building Code 2014 and the 2011 National Electrical Code.

## Columbia County Building Permit Application

**TIME LIMITATIONS OF APPLICATION:** An application for a permit for any proposed work shall be deemed to have been abandoned 180 days after the date of filing, unless a permit has been issued.

**TIME LIMITATIONS OF PERMITS:** Every permit issued shall become invalid unless the work authorized by such permit is commenced within 180 days after its issuance, or if the work authorized by such permit is suspended or abandoned for a period of 180 days after the time work is commenced. A valid permit receives an approved inspection every 180 days. Work shall be considered not suspended, abandoned or invalid when the permit has received an approved inspection within 180 days of the previous approved inspection.

**FLORIDA'S CONSTRUCTION LIEN LAW: Protect Yourself and Your Investment:** According to Florida Law, those who work on your property or provide materials, and are not paid-in-full, have a right to enforce their claim for payment against your property. This claim is known as a construction lien. If your contractor fails to pay subcontractors or material suppliers or neglects to make other legally required payments, the people who are owed money may look to your property for payment, even if you have paid your contractor in full. This means if a lien is filed against your property, it could be sold against your will to pay for labor, materials or other services which your contractor may have failed to pay.

**NOTICE OF RESPONSIBILITY TO CONTRACTOR AND AGENT:** YOU ARE HEREBY NOTIFIED as the recipient of a building permit from Columbia County, Florida, you will be held responsible to the County for any damage to sidewalks and/or road curbs and gutters, concrete features and structures, together with damage to drainage facilities, removal of sod, major changes to lot grades that result in ponding of water, or other damage to roadway and other public infrastructure facilities caused by you or your contractor, subcontractors, agents or representatives in the construction and/or improvement of the building and lot for which this permit is issued. No certificate of occupancy will be issued until all corrective work to these public infrastructures and facilities has been corrected.

**WARNING TO OWNER:** YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOU PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT MUST BE RECORDED AND POSTED ON THE JOB SITE BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.

**OWNERS CERTIFICATION:** I CERTIFY THAT ALL THE FOREGOING INFORMATION IS ACCURATE AND THAT ALL WORK WILL BE DONE IN COMPLIANCE WITH ALL APPLICABLE LAWS REGULATING CONSTRUCTION AND ZONING.

**NOTICE TO OWNER:** There are some properties that may have deed restrictions recorded upon them. These restrictions may limit or prohibit the work applied for in your building permit. You must verify if your property is encumbered by any restrictions or face possible litigation and or fines.

MICHAEL CORBETH  
Print Owners Name

Michael Corbeth  
Owners Signature

**\*\*Property owners must sign here before any permit will be issued.**

**\*\*If this is an Owner Builder Permit Application then, ONLY the owner can sign the building permit when it is issued.**

**CONTRACTORS AFFIDAVIT:** By my signature I understand and agree that I have informed and provided this written statement to the owner of all the above written responsibilities in Columbia County for obtaining this Building Permit including all application and permit time limitations.

[Signature]  
Contractor's Signature


Contractor's License Number #CK 1457105  
Columbia County  
Competency Card Number 1916

Affirmed under penalty of perjury to by the Contractor and subscribed before me this 6<sup>th</sup> day of June 2015.

Personally known [Signature] or Produced Identification

[Signature]  
State of Florida Notary Signature (For the Contractor)

SEAL:



# Columbia County Property Appraiser

Jeff Hampton

2018 Tax Roll Year

updated: 5/9/2019

Parcel: << 12-4S-16-02942-009 >>

## Owner & Property Info

Result: 19 of 22

Owner	CORBETT MICHAEL T & JUDITH L 295 NW COMMONS LOOP SUITE 115-243 LAKE CITY, FL 32055		
Site	465 BROTHERS LN, LAKE CITY		
Description*	COMM NE COR OF SE1/4, RUN W 524.85 FT, S 1414.39 FT FOR POB, CONT S 280.99 FT, W 461.94 FT, N 280 FT, E 461.97 FT TO POB. ORB 789-1330, 985-275. (1010-168 BAD LEGAL) QCD 1211-2318 & WD 1240-1111		
Area	2.97 AC	S/T/R	12-4S-16
Use Code**	SINGLE FAM (000100)	Tax District	2

\*The Description above is not to be used as the Legal Description for this parcel in any legal transaction.


\*\*The Use Code is a FL Dept. of Revenue (DOR) code and is not maintained by the Property Appraiser's office. Please contact your city or county Planning & Zoning office for specific zoning information.

## Property & Assessment Values

2018 Certified Values		2019 Working Values	
Mkt Land (1)	\$75,376	Mkt Land (1)	\$75,376
Ag Land (0)	\$0	Ag Land (0)	\$0
Building (1)	\$273,098	Building (1)	\$273,362
XFOB (2)	\$3,908	XFOB (2)	\$3,908
Just	\$352,382	Just	\$352,646
Class	\$0	Class	\$0
Appraised	\$352,382	Appraised	\$352,646
SOH Cap [?]	\$0	SOH Cap [?]	\$0
Assessed	\$351,462	Assessed	\$352,646
Exempt	HX H3 \$50,000	Exempt	HX H3 \$50,000
Total Taxable	county:\$301,462 city:\$301,462 other:\$301,462 school:\$326,462	Total Taxable	county:\$302,646 city:\$302,646 other:\$302,646 school:\$327,646

Aerial Viewer Pictometry Google Maps

2019 2016 2013 2010 2007 2005 Sales



## Sales History

Sale Date	Sale Price	Book/Page	Deed	V/I	Quality (Codes)	RCode
8/24/2012	\$392,500	1240/1111	WD	I	Q	01
3/24/2011	\$100	1211/2318	QC	I	U	11
5/29/2003	\$283,600	985/0275	WD	I	Q	
4/26/1994	\$37,000	789/1330	WD	V	Q	

## Building Characteristics

Bldg Sketch	Bldg Item	Bldg Desc*	Year Blt	Base SF	Actual SF	Bldg Value
Sketch	1	SINGLE FAM (000100)	1995	3681	8423	\$273,362

\*Bldg\_Desc determinations are used by the Property Appraisers office solely for the purpose of determining a property's Just Value for ad valorem tax purposes and should not be used for any other purpose.

## Extra Features & Out Buildings (Codes)

Code	Desc	Year Blt	Value	Units	Dims	Condition (% Good)
0190	FPLC PF	1995	\$1,200.00	1.000	0 x 0 x 0	(000.00)
0166	CONC,PAVMT	1995	\$2,708.00	1805.000	0 x 0 x 0	(000.00)

## Land Breakdown

Land Code	Desc	Units	Adjustments	Eff Rate	Land Value
000100	SFR (MKT)	2.970 AC	1.00/1.00 1.00/1.00	\$25,379	\$75,376



# NOTICE OF COMMENCEMENT

Tax Parcel Identification Number: \_\_\_\_\_

## Clerk's Office Stamp

Inst: 201912012698 Date: 06/06/2019 Time: 12:44PM  
Page 1 of 1 B: 1385 P: 2700, P.DeWitt Cason, Clerk of Court  
Columbia, County, By: BD  
Deputy Clerk

THE UNDERSIGNED hereby gives notice that improvements will be made to certain real property, and in accordance with Section 713.13 of the Florida Statutes, the following information is provided in this NOTICE OF COMMENCEMENT.

1. Description of property (legal description): Parcel 10: 12-45-16-02942-009  
a) Street (Job) Address: 465 Brothers Lane Lake City, FL 32025
2. General description of improvements: Inground fiberglass pool installation
3. Owner Information or Lessee Information if the Lessee contracted for the improvements:  
a) Name and address: Michael & Judith Corbett  
b) Name and address of fee simple titleholder (if other than owner) N/A  
c) Interest in property 100%
4. Contractor Information  
a) Name and address: Thomas Jones - Paragon Pools 9904 NW CR 229 Starke, FL  
b) Telephone No.: 904-316-9112
5. Surety Information (if applicable, a copy of the payment bond is attached):  
a) Name and address: N/A  
b) Amount of Bond: N/A  
c) Telephone No.: N/A
6. Lender  
a) Name and address: N/A  
b) Phone No.: N/A
7. Person within the State of Florida designated by Owner upon whom notices or other documents may be served as provided by Section 713.13(1)(a)7., Florida Statutes:  
a) Name and address: N/A  
b) Telephone No.: N/A
8. In addition to himself or herself, Owner designates the following person to receive a copy of the Lienor's Notice as provided in Section 713.13(1)(b), Florida Statutes:  
a) Name: N/A OF \_\_\_\_\_  
b) Telephone No.: N/A
9. Expiration date of Notice of Commencement (the expiration date will be 1 year from the date of recording unless a different date is specified): \_\_\_\_\_

**WARNING TO OWNER: ANY PAYMENTS MADE BY THE OWNER AFTER THE EXPIRATION OF THE NOTICE OF COMMENCEMENT ARE CONSIDERED IMPROPER PAYMENTS UNDER CHAPTER 713, PART I, SECTION 713.13, FLORIDA STATUTES, AND CAN RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY; A NOTICE OF COMMENCEMENT MUST BE RECORDED AND POSTED ON THE JOB SITE BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING, CONSULT YOUR LENDER OR AN ATTORNEY BEFORE COMMENCING WORK OR RECORDING YOUR NOTICE OF COMMENCEMENT.**

STATE OF FLORIDA  
COUNTY OF COLUMBIA

10. \_\_\_\_\_

Signature of Owner or Lessee, or Owner's or Lessee's Authorized Office/Director/Partner/Manager


MICHAEL CORBETT OWNER  
Printed Name and Signatory's Title/Office

The foregoing instrument was acknowledged before me, a Florida Notary, this 6<sup>TH</sup> day of June, 2019, by:  
Michael Corbett as owner for \_\_\_\_\_  
(Name of Person) (Type of Authority) (name of party on behalf of whom instrument was executed)

Personally Known ☒ OR Produced Identification \_\_\_\_\_ Type \_\_\_\_\_

Notary Signature \_\_\_\_\_

Notary Stamp or Seal:





## COLUMBIA COUNTY BUILDING DEPARTMENT

135 NE Hernando Ave., Suite B-21, Lake City, FL 32055

Office: 386-758-1008 Fax: 386-758-2160

[www.columbiacountyfla.com/BuildingandZoning.asp](http://www.columbiacountyfla.com/BuildingandZoning.asp)

### NOTICE TO SWIMMING POOL OWNERS

I, Michael Corbett, have been informed and I understand that prior to the final inspection approval and use of my pool, I will need all the inspections approved and the required fencing installed in accordance with applicable regulations. The Florida Building Code requires private residential swimming pools, hot tubs, or non-portable spas containing water over 24 inches deep to meet the following pool barrier safety feature requirements:

- The pool access must be isolated by a barrier at least 4 feet high and installed around the perimeter of the pool.  
Unless the pool is equipped with a safety cover complying with the specifications of American Society for Testing and Materials standard F-1346-91.
- The barrier shall not have any gaps or openings which would allow a child to crawl under, squeeze through or climb over and must be placed no less than 20 inches from the water's edge.
- Gates located in the pool barrier must open outward away from the pool and be both self-closing and self latching, with a release mechanism not less than 54" above the standing surface at the gate.
- The barrier must be separate from any other fence, wall, or other enclosure surrounding the yard unless the fence, wall or other enclosure or portion thereof is situated on the perimeter of the pool and meets the pool barrier requirements.
- Where a wall of a dwelling serves as part of the barrier **one** of the following shall apply:
  - 1) All doors and first floor windows with a sill height of less than 48 inches providing direct access from the home to the pool must be equipped with an alarm that has a minimum sound pressure rating of 85 decibels at 10 feet. The alarm shall sound immediately upon opening the window or door unless the temporary bypass mechanism is activated.
  - 2) **Or;** all doors providing direct access from the home to the pool must be equipped with a self-closing, self-latching device with a release mechanism located at least 54 inches above the floor.

According to Florida statutes chapter 515: Residential Swimming Pool Safety Act, failure to comply with these requirements is a misdemeanor of the second degree, punishable by imprisonment for up to 60 days or a fine of up to \$500, except that no penalty shall be imposed if within 45 days after arrest or issuance of a summons or notice to appear, the pool is equipped with the aforementioned safety features and the responsible person attends a drowning prevention education program developed by the Florida Department of Health. I also understand that there are several inspections required in addition to a final inspection for my swimming pool.

Michael Corbett  
Owner Signature / Date

Address: 465 Brothers Lane Lake City, FL 32025

Th D 6-5-19  
Contractor Signature / Date

#CPC1457105  
License Number

# SUBCONTRACTOR VERIFICATION

APPLICATION/PERMIT # 1806-17 JOB NAME Corbett Pool

**THIS FORM MUST BE SUBMITTED BEFORE A PERMIT WILL BE ISSUED**

Columbia County issues combination permits. One permit will cover all trades doing work at the permitted site. It is **REQUIRED** that we have records of the subcontractors who actually did the trade specific work under the general contractors permit.

**NOTE:** It shall be the responsibility of the general contractor to make sure that all of the subcontractors are licensed with the Columbia County Building Department.


Use website to confirm licenses: <http://www.columbiacountyfla.com/PermitSearch/ContractorSearch.aspx>

**NOTE:** If this should change prior to completion of the project, it is your responsibility to have a corrected form submitted to our office, before that work has begun.

Violations will result in stop work orders and/or fines.

<b>ELECTRICAL</b> <input checked="" type="checkbox"/> <b>MECHANICAL/A/C</b> CC# <u>1928</u>	Print Name <u>Robert E. Hazouri</u> Signature <u>[Signature]</u> Company Name: <u>Hazouri Electric Inc</u> License #: <u>EC000379</u> Phone #: <u>904-591-3444</u>	<b>Need</b> <input type="checkbox"/> Lic <input type="checkbox"/> Liab <input type="checkbox"/> W/C <input type="checkbox"/> EX <input type="checkbox"/> DE
<b>MECHANICAL/A/C</b> CC# _____	Print Name _____ Signature _____ Company Name: _____ License #: _____ Phone #: _____	<b>Need</b> <input type="checkbox"/> Lic <input type="checkbox"/> Liab <input type="checkbox"/> W/C <input type="checkbox"/> EX <input type="checkbox"/> DE
<b>PLUMBING/GAS</b> CC# _____	Print Name _____ Signature _____ Company Name: _____ License #: _____ Phone #: _____	<b>Need</b> <input type="checkbox"/> Lic <input type="checkbox"/> Liab <input type="checkbox"/> W/C <input type="checkbox"/> EX <input type="checkbox"/> DE
<b>ROOFING</b> CC# _____	Print Name _____ Signature _____ Company Name: _____ License #: _____ Phone #: _____	<b>Need</b> <input type="checkbox"/> Lic <input type="checkbox"/> Liab <input type="checkbox"/> W/C <input type="checkbox"/> EX <input type="checkbox"/> DE
<b>SHEET METAL</b> CC# _____	Print Name _____ Signature _____ Company Name: _____ License #: _____ Phone #: _____	<b>Need</b> <input type="checkbox"/> Lic <input type="checkbox"/> Liab <input type="checkbox"/> W/C <input type="checkbox"/> EX <input type="checkbox"/> DE
<b>FIRE SYSTEM/SPRINKLER</b> CC# _____	Print Name _____ Signature _____ Company Name: _____ License #: _____ Phone #: _____	<b>Need</b> <input type="checkbox"/> Lic <input type="checkbox"/> Liab <input type="checkbox"/> W/C <input type="checkbox"/> EX <input type="checkbox"/> DE
<b>SOLAR</b> CC# _____	Print Name _____ Signature _____ Company Name: _____ License #: _____ Phone #: _____	<b>Need</b> <input type="checkbox"/> Lic <input type="checkbox"/> Liab <input type="checkbox"/> W/C <input type="checkbox"/> EX <input type="checkbox"/> DE
<b>STATE SPECIALTY</b> CC# _____	Print Name _____ Signature _____ Company Name: _____ License #: _____ Phone #: _____	<b>Need</b> <input type="checkbox"/> Lic <input type="checkbox"/> Liab <input type="checkbox"/> W/C <input type="checkbox"/> EX <input type="checkbox"/> DE





SW SKYHAWK DR

SW BROTHERS LN

SW VOYAGER CT

Owner Info  
12-4S-16-28-42-009 - 1-1-21  
CORBETT MICHAEL T & JUDITH L  
295 NW COMMONS LOOP  
SUITE 115-243  
LAKE CITY FL 32055  
See 455 BROTHERS LN LAKE CITY  
Lm SINGLE FAM 000000 | 2.97 AC  
Dms 12-4S-16 : COMMA COR OF SE 1/4 RUN W 234.65 FT  
S 1414.38 FT FOR POB CONT S 230.95 FT W


STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
APPLICATION FOR CONSTRUCTION PERMIT

Permit Application Number

19-0451

## ----- PART II - SITEPLAN -----

Scale: Each block represents 10 feet and 1 inch = 40 feet.



Notes:

See attached site plan

Site Plan submitted by:

TJ Prevett

Plan Approved

Not Approved

Date

6/13/19

By

ESTColumbia

County Health Department

**ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT**





STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
ONSITE SEWAGE TREATMENT AND DISPOSAL  
SYSTEM  
APPLICATION FOR CONSTRUCTION PERMIT

PERMIT NO. 19-0451  
DATE PAID: 5/10/19  
FEE PAID: 2,000  
RECEIPT #: 1417938

## APPLICATION FOR:

☐ New System ☒ Existing System ☐ Holding Tank ☐ Innovative  
☐ Repair ☐ Abandonment ☐ Temporary ☐

APPLICANT: Michael & Judith CorbettAGENT: TJ PrevattTELEPHONE: 904-756-7128MAILING ADDRESS: 465 Brothers Lane Lake City, FL 32025

TO BE COMPLETED BY APPLICANT OR APPLICANT'S AUTHORIZED AGENT. SYSTEMS MUST BE CONSTRUCTED BY A PERSON LICENSED PURSUANT TO 489.105(3)(a) OR 489.552, FLORIDA STATUTES. IT IS THE APPLICANT'S RESPONSIBILITY TO PROVIDE DOCUMENTATION OF THE DATE THE LOT WAS CREATED OR PLATTED (MM/DD/YY) IF REQUESTING CONSIDERATION OF STATUTORY GRANDFATHER PROVISIONS.

## PROPERTY INFORMATION

LOT: 1 BLOCK: 1 SUBDIVISION: 1 PLATTED: 1PROPERTY ID #: 12-45-16-02942-009 ZONING: 1 I/M OR EQUIVALENT: [ Y / N ]PROPERTY SIZE: 2.97 ACRES WATER SUPPLY: ☐ PRIVATE PUBLIC ☐  $\leq 2000$  GPD ☐  $> 2000$  GPDIS SEWER AVAILABLE AS PER 381.0065, FS? ☐ [ Y / N ] DISTANCE TO SEWER: 1 FTPROPERTY ADDRESS: 465 SW Brothers Lane Lake City, FL 32025DIRECTIONS TO PROPERTY: L on Madison St, L on Marion Ave, R on Duval St, L on Sisters Welcome Rd, L on SW Brothers Lane, Home will be on left

## BUILDING INFORMATION

☐ RESIDENTIAL ☐ COMMERCIAL

Unit No	Type of Establishment	No. of Bedrooms	Building Area Sqft	Commercial/Institutional System Design Table 1, Chapter 64E-6, FAC
1	SFR	3	8423	
2	Pool	-		
3	addition		434	
4				

☐ Floor/Equipment Drains ☐ Other (Specify) 1SIGNATURE: [Signature] DATE: 6-6-19



SW VOYAGER CT

70'+

60'

70'

300'+

150'+

SW BROTHERS LN

SW SKYHAWK DR

▼ Owner Info  
12-AS-19-2842-005  
CORRETT MICHAEL T & JUDITH L  
25 NW COMPONS LOOP  
SUITE 115-243  
LAKE CITY FL 32256  
455 BROTHERS LN LAKE CITY  
SINGLE FAM 03/01/12 97 AC  
12-AS-19-2842-005-001 12 97 AC  
STATE 36 FT FOR R008 00015 200 99 FT W



## Legend

### Parcels

### Roads

- Roads
- others
- Dirt
- Interstate
- Main
- Other
- Paved
- Private

Addressing:2018 Base Flood Elevations (SFWMD)

### 2018 Base Flood Elevations

DEFAULT

Base Flood Elevations

### 2018 Base Flood Elevation Zones

0.2 PCT ANNUAL CHANCE

A

AE

AH

### 2018 Flood Zones

0.2 PCT ANNUAL CHANCE

A

AE

AH

### Contours

default(Contours.shp)

DEFAULT

### DevZones1

others

A-1

A-2

A-3

CG

CHI

CI

CN

CSV

ESA-2

I

ILW

MUD-1

PRD

PRRD

RMF-1

RMF-2

RO

RR

RSF-1

RSF-2

RSF-3

RSF/MH-1

RSF/MH-2

RSF/MH-3

DEFAULT

### 2018Aerials



# Columbia County, FLA - Building & Zoning Property Map

Printed: Wed Jun 12 2019 13:21:23 GMT-0400 (Eastern Daylight Time)



## Parcel Information

Parcel No: 12-4S-16-02942-009

Owner: CORBETT MICHAEL T & JUDITH L

Subdivision:

Lot:

Acres: 3.006945

Deed Acres: 2.97 Ac

District: District 5 Tim Murphy

Future Land Uses: Residential - Low

Flood Zones: AE, 0.2 PCT ANNUAL CHANCE FLOOD HAZARD,

Official Zoning Atlas: RSF-2

All data, information, and maps are provided "as is" without warranty or any representation of accuracy, timeliness of completeness. Columbia County, FL makes no warranties, express or implied, as to the use of the information obtained here. There are no implied warranties of merchantability or fitness for a particular purpose. The requester acknowledges and accepts all limitations, including the fact that the data, information, and maps are dynamic and in a constant state of maintenance, and update.



## General

The swimming pools and spas consist of one-piece fiberglass construction shop-formed over a mold. The material is fiberglass reinforced plastic (FRP), a minimum of 1/4 inch (6.4 mm) thick, composed of isophthalic resin, vinyl ester resin, and fiberglass. The surface finish is a new poly glycol gel coat. Blue Hawaiian Pools, a fiberglass division of Latham Pool Products Inc. (BHP), produces various styles of swimming pools and spas. When installed in accordance to BHP Pools installation procedures, the pools and spas comply with applicable requirements of the following codes:

- 2018 International Building Code (IBC)
- 2018 International Residential Code (IRC)
- 1997 International Building Code (UBC)
- BOCAC99 National Plumbing Code (NPC)
- 2012/2015 IAPMO Uniform Plumbing Code (IAPMO UPC)
- 2001 ANSI/APSP/ICC-5 Residential Inground Swimming Pools
- 2012 ANSI/APSP/ICC-5a Residential Inground Swimming Pools
- 2014 ANSI/APSP/ICC-3 Permanently Installed Residential Spas and Swim Spas
- 2017 Florida Building Code 6th Edition
- 2017 Florida Plumbing Code 6th Edition
- 2017 Florida Fuel/Gas Code 6th Edition
- 2017 Florida Mechanical Code 6th Edition
- 2017 Florida Residential Code 6th Edition
- 2006 ANSI/APSP-7
- 2013 ANSI/APSP/ICC-7 Suction Entrapment Avoidance
- 2011 ANSI/APSP-16
- 2018 International Swimming Pool and Spa Code - (ISPS-ICC)
- 2007 ANSI/ASME A11.19.8
- 2014/2017 National Electric Code (NEC)
- 2015 Uniform Swimming Pool, Spa, Hot Tub Code (UPSMO)

The overall pool dimensions, depths and capacities are shown in Table 1 and Table 4. The units comply with ANSI/APSP 5 specified in Section AG103.1 of the IRC and IAPMO IGC 2007 specified in the UPC.

Models described in Table 3 and Table 4 can be placed up to 15-1/2 inches (493 mm) above ground. These pools and spas may be placed with or without concrete or wood decking. Unless elevated portions of the units are protected from sunlight by soil berms, decking or other means, the units must be coated with a UV inhibiting opaque paint that is suitable for use with the FRP.

All plumbing must comply with the UPC or IAPMO Electrical work must comply with the code in effect at the construction site. The pool and spa must remain full of water at all times. A permanent sign bearing the following statement must be displayed to remain full of water at all times. Notice: The pool or spa is designed to remain full of water at all times. The pool shell may be damaged if the water level is allowed to drop below the skimmer. When appreciable draw-down is noticed or if it becomes necessary to drain the pool or spa, contact BHP Pools or its dealers for instructions.

A permanent label must be installed adjacent to the above sign indicating the BHP Pools dealer's name, address and telephone number.

## Installation Procedure:

BHP pools and spas may be installed without a soil investigation by a registered design professional (RDP), subject to the building official's approval provided none of the following conditions are encountered at the site:

1. The existence of uncontrollable groundwater within the depth of the pool or spa excavation
2. The existence of an uncompacted fill in contact with any portion of the pool or spa
3. The existence of any soil types with an angle of repose that will not support the walls of the excavation at desired slopes
4. Danger to adjacent structures posed by the proposed pool or spa location
5. The existence of any cracks or openings in soil that would not confine sand or  $\frac{1}{2}$ " clean gravel bedding

If any of the conditions above is encountered, excavation must cease

## General Notes

immediately. The specified conditions at the site must then be reviewed and recommendations made by the RDP. The building official must approve the RDP's report before work is completed.

The pool or spa excavation profile must coincide with the contours of the pool. The over excavation is minimum 6 inches (152 mm) on the sides and ends. The over excavation at the pool bottom is minimum 4 inches (102 mm). The backfill for the pool or spa bottom is a layer of 1-inch-thick (76 mm) bedding sand or  $\frac{1}{2}$ " clean gravel matching the pool or spa profile.

This backfill layer is compacted using a manual tamper and water. The pool or spa is then set into place using a crane, excavator or manually and be within 1 inch (25 mm) of level. Intermittent water/ and backfill operations then commence. The backfill is compacted with a tamper and water. The installer must ensure that the backfill level and water level are approximately the same throughout this procedure.

After completion of the backfill and plumbing, the decking is placed. Decks are prepared as indicated in Figures 1 through 4.

2. Cantilevered concrete decks are constructed as noted in Figure 1 in all cases.

3. Raised bond beams are constructed as noted in Figure 3 in all cases.

4. Aboveground installations are constructed as noted in Figure 4 in all cases.

Barriers are required where pools are on premises of UBC Group R Division 3, Occupancies or IBC Group R Occupancies. The barriers must comply with Appendix Chapter 4, Division 1 of the UBC or Section 3109.4 of the IBC.

## Expansive soils:

For installation of pools or spas in expansive soils, the following additional installation details must be followed subject to code official's approval.

1. All surfaces adjacent to the pool or spa must be excavated to a minimum depth of 12 inches (305 mm) beneath the pool bottom and minimum 6 inches (152 mm) behind the pool walls.
2. Any soil or loose soils exposed by step 1 must be removed until exposed material is solid. If the soil is still soft and loose, the upper 6 inches (152 mm) of all horizontal excavation surfaces must be scanned and compacted with mechanical equipment. The compacted surfaces and the excavated wall surfaces must be maintained in a moist condition until the first lift of backfill or fill is placed against the surface. The term compaction implies any method necessary to consolidate the native and fill materials to a uniform pool structure from settling.
3. The excavated bottom of the pool or spa must be backfilled with granular import material to approximately 6 inches (152 mm) below the bottom of the pool or spa structure and compacted.
4. The remaining 6 inches (152 mm) must be backfilled beneath the pool or spa and outside the pool walls with compacted clean sand to a level equivalent to that of the backfill. The backfill must be placed in compacted layers of approximately 6 inches (152 mm) while a uniform height of backfill is maintained around the pool or spa.
5. Positive surface drainage away from the perimeter of the pool and surrounding deck is required and critical to installations in highly expansive soils. Surface area drains and surface drainage swales or subdrains must be placed as needed to prevent ponding or saturation of the soil around the perimeter and vicinity of the pool to prevent excessive shrink-swell or volume changes in the soil.

## Identification:

BHP pools and spas are identified by the following information imprinted on the top step of the pool or spa: manufacturer's name (BHP Pools) and address, pool or spa model designation, a coded serial number and the evaluation report number (ESR-2014).

The units also bear the label of the quality control agency: Columbia Research & Testing Corporation (IAA 527)

Findings: That the fiberglass one-piece swimming pools and spas are

in compliance with the above listed codes as noted in ESR-2014 subject

1. The following conditions:
2. The construction and pool/spa installation comply with this report and the manufacturer's instruction.
3. Electrical and plumbing installation comply with the respective codes in effect at the construction site.
3. That all pools are installed in accordance with manufacturer's recommendations.
4. The pools and spas produced by Blue Hawaiian Pools, 176 Viking Drive Industrial Park, Jane Lew, West Virginia, Blue Hawaiian Pools, 121 Crawford Road, Williams, California, Blue Hawaiian Pools, 40119 Country Road 54E, Zephyrhills, FL are manufactured under a quality control program with inspections by Columbia Research & Testing Corporation (IAA 527).



## Table of Contents


Page 1	General Notes
Page 2	Expansive Soils
Page 3	Tables 1-4
Page 4-6	Pool Models
Page 7	Spa Models
Page 8	Hydro Zone Models
	Alternate Recirculation Systems

Length, width and depth may vary up to 3% all from parallel lines

Reviewed by:

Donald R. Ponder, PE  
Florida Lic. No. 64901  
4119 Trinity Dr Santa Rosa CA 95405  
Phone 707-494-8761

Seal



# Latham Pool Products Inc.

## DBA Blue Hawaiian Pools

ICC Evaluation Report Number (ESR-2014)

Latham, NY Phone (800) 833-3800

Jane Lew, WV Phone (304) 884-6954 Fax (304) 884-7198

Midland, TX Phone (432) 561-9933 Fax (432) 561-9934

Williams, CA Phone (530) 473-5319 Fax (530) 473-5393

Zephyrhills, FL Phone (813) 783-7439 Fax (813) 783-7214

Project Name and Address

\_\_\_\_\_

Contractor

\_\_\_\_\_

Date

\_\_\_\_\_

Page

1

of 8

TABLE 1- POOLS

POOL	CODE	SIZE WIDTH x LENGTH	DEPTH SHALLOW, DEEP	GALLONS APPROX.	WATER SURFACE AREA	PAGE	POOL TYPE
Apollo	AP	16' 38"	3'-6", 5'-10"	17,500	555	PAGE 4	TYPE 0
Arctalia	GC	15' 10", 38'-7"	3'-5", 7'-11"	19,600	506	PAGE 4	TYPE 1
Atbury	B	11'-10", 25'-5"	4'-6"	8,100	264	PAGE 5	TYPE 0
Atkins	AT	16', 40"	3'-8", 8'	21,000	585	PAGE 4	TYPE 1
Balboa	MP	9'-6", 14'-6"	4'-4"	2,500	115	PAGE 5	TYPE 0
Bay Isle	BHBY	14'-6", 29'-10"	3'-6", 6"	10,000	318	PAGE 5	TYPE 0
Bay Shore	BHBA	14'-5", 30"	3'-11", 5'-10"	9,500	288	PAGE 5	TYPE 0
Blue Isle	BHBI	15', 34"	3'-6", 6"	13,000	410	PAGE 6	TYPE 0
Bristol	FR14	14', 30"	3'-6", 6"	11,200	377	PAGE 5	TYPE 0
Cape Cod	CA	14', 31"	3'-6", 6"	12,000	325	PAGE 4	TYPE 0
Cape May	CM	12'-3", 23'-11"	3'-6", 5"	6,000	211	PAGE 4	TYPE 0
Ceyman	FR12	12', 26"	3'-6", 5'-8"	7,600	275	PAGE 6	TYPE 0
Classic Cove	BHCC	13'-6", 32'-10"	3'-6", 2"	11,300	376	PAGE 5	TYPE 0
Grand Isle	BHGI	16', 42"	3'-7"	19,300	516	PAGE 5	TYPE 0
Hamilton	HMT	15', 34"	3'-6", 6"	12,000	369	PAGE 4	TYPE 0
Harmony	CTL	10' x 16'	4'	2,550	135	PAGE 6	TYPE 0
Island Cove	ARU	11', 22"	3'-6", 5"	5,200	177	PAGE 4	TYPE 0
Laredo	LD	9', 10", 19'-9"	3'-2", 5"	3,750	138	PAGE 5	TYPE 0
Leaington	LM	16', 36"	3'-6", 7"	18,000	451	PAGE 5	TYPE 0
Mariana	FRX	15'-10", 40"	3'-7", 5'-7"	12,400	388	PAGE 4	TYPE 0
Melodus	RP	14', 30"	3'-7", 5'-11"	15,600	548	PAGE 6	TYPE 0
Newport	BHOB	16', 41"	3'-6", 7"	23,000	656	PAGE 5	TYPE 0
Olympic Bay	BL	11' 10", (35' - 38')	4'-6", 4'-6"	Varies	Varies	PAGE 6	TYPE 0
Panama II	BL	11'-10", (35' - 45')	4'-6", 4'-6"	Varies	Varies	PAGE 6	TYPE 0
Phoenix	FR1	15', 34"	3'-6", 6"	12,000	373	PAGE 4	TYPE 0
Pleasant Cove	BHPL	11', 24"	3'-5", 5'-6"	5,000	173	PAGE 5	TYPE 0
Portia	OB	16', 40"	3'-6", 5'-8"	18,900	585	PAGE 4	TYPE 0
Regatta	FR16	16', 35"	3'-6", 6"-6"	15,250	510	PAGE 6	TYPE 0
Sandy Cove	BHSC	11', 18"	4'-1"	3,600	177	PAGE 6	TYPE 0
Sea Cove	BHSC	12', 24"	4'-6", 4"	7,000	209	PAGE 6	TYPE 0
Sealhaven	RT16	15', 10", 40"	3'-6", 7"	15,400	563	PAGE 6	TYPE 0
Sea Shore	BHSH	12', 26"	3'-6", 6"	7,000	264	PAGE 6	TYPE 0
Seawall	BHSH	12', 24", 6"	3'-4", 5'-6"	6,000	204	PAGE 6	TYPE 0
Siera	SN	16', 39"	3'-6", 6"	16,300	500	PAGE 4	TYPE 0
Southland	BHSH	15', 34"	3'-7", 6'-10"	14,000	424	PAGE 5	TYPE 0
St Augustine	ST	14'-6", 27'-7"	3'-7", 5'-10"	10,000	288	PAGE 4	TYPE 0
Sunburst	CD	16', 33"	3'-7", 5'-5"	15,000	490	PAGE 4	TYPE 0
Sunset Bay	BHST	14', 32"	3'-4", 5'-5"	10,000	365	PAGE 6	TYPE 0
Three Moon Bay	BHBT	15', 34"	3'-8", 5'-6"	12,000	427	PAGE 6	TYPE 0
Tidland	L	14', 31'-6"	3'-7", 7"	13,700	396	PAGE 4	TYPE 0
Twin Cove	BHIC	11'-7", 27'-6"	3'-3", 5'-1"	6,800	233	PAGE 5	TYPE 0
Venus	V	14', 33"	3'-7", 5'-4"	11,700	416	PAGE 4	TYPE 0
Verna	GS	15'-7", 34'-8"	3'-7", 5'-10"	15,000	423	PAGE 4	TYPE 0
Vista Isle	BHVI	12', 26"	3'-6", 10"	8,000	294	PAGE 5	TYPE 0
Wellington	FP	12', 25'-1"	3'-7", 5'-5"	6,000	213	PAGE 4	TYPE 0

TABLE 2- POOLS ABOVE GROUND INSTALLATION

SERIES	SERIES
ARU	CM
B	MP
ID	JV
BHBY	BHPL
BHBA	BHSC
BHSH	BHSH
BHIC	BHMI
FP	

TABLE 3- SPAS

SPAS	CODE	SIZE WIDTH x LENGTH	DEPTH SHALLOW, DEEP	GALLONS APPROX.	WATER SURFACE AREA	PAGE
Ewa	RG	8' x 10'	3'-4"	600	52	PAGE 6
Ewa Falls	RGSW	9' x 10'	3'-4"	600	52	PAGE 6
Hana	LOS	7'-6" x 7'-6"	3'	450	37	PAGE 6
Hana Falls	LOSWS	7'-6" x 8'-6"	3'	450	37	PAGE 6
Hilo	RY	8' x 10'	3'-4"	600	63	PAGE 6
Hilo Falls	RYSW	8'-10" x 10'	3'-4"	600	63	PAGE 6
Kahana	SPKMA	7', 10'	3'	350	53	PAGE 6
Kona Falls	BOSS	8'-4" x 8'-4"	3'	475	45	PAGE 6
Kona Falls	BOSSW	8'-4" x 9'-4"	3'	475	45	PAGE 6
Kula Falls	LRS	7' x 7'	3'	420	31	PAGE 6
Makani Falls	MSW	7' x 8'	3'	420	31	PAGE 6
Makani Falls	MSW	10' x 11'	3'-4"	550	64	PAGE 6
Makani Falls	CS	8' x 12'-5"	3'	700	73	PAGE 6
Makani Falls	CSW	9' x 12'-5"	3'	700	73	PAGE 6
Rectangular tanning ledge	RTL	7'-8" x 15'-8"	10"	900	105	PAGE 6
Semicircle	TSCT	8'-4" x 16'	10"	400	92	PAGE 6

TABLE 4- POOLS

POOL	CODE	SIZE WIDTH x LENGTH	DEPTH SHALLOW, DEEP	GALLONS APPROX.	PAGE NUMBER	POOL TYPE
HZDXL	HZDXL	8'-6" x 18'	3'-3", 5'	3000	6	TYPE 0
HZE	HZE	8'-6" x 18'	5'	3600	6	TYPE 0

Reviewed by

Donald R. Pondexter PE  
Florida Lic No 64901  
4119 Trinity Dr Santa Rosa CA 95405  
Phone 707-494-8761

## NOTES

**Latham Pool Products Inc.**  
DBA Blue Hawaiian Pools

ICC Evaluation Report Number (ESR-2014)

Latham, NY Phone (800) 833-3800

Jane Lew, WV Phone (304) 884-6954 Fax (304) 884-7198

Midland, TX Phone (432) 561-9933 Fax (432) 561-9934


Williams, CA Phone (530) 473-5319 Fax (530) 473-5393

Zephyrhills, FL Phone (813) 783-7439 Fax (813) 783-7214

Page

2

of 8






FIG. 1  
TYPICAL CANTILEVER CONCRETE DECK




FIG. 2

CONCRETE DECK  
WITH BRICK OR STONE




FIG. 3

TYPICAL BOND BEAM  
CONSTRUCTION




FIG. 4

TYPICAL ABOVE GROUND INSTALLATION

Length, width and depth may vary up to 3% all  
dimensions are to outside edge of coping, measured  
from parallel lines


NOTES


**Latham Pool Products Inc.**  
DBA Blue Hawaiian Pools  
ICC Evaluation Report Number (ESR-2014)  
Latham, NY Phone (800) 833-3800  
Jane Lew, WV Phone (304) 884-6954 Fax (304) 884-7198  
Midland, TX Phone (432) 561-9933 Fax (432) 561-9934  
Williams, CA Phone (530) 473-5319 Fax (530) 473-5393  
Zephyrhills, FL Phone (813) 783-7439 Fax (813) 783-7214

Reviewed by



















Donald R. Ponder, P.E.  
Florida Lic No. 64901  
4119 Trinity Dr Santa Rosa CA 95405  
Phone 707-494-8761

Seal






Length, width and depth may vary up to 3% all dimensions are to outside edge of coping, measured from parallel lines



Reviewed by

Donald R. Pondexter, PE  
Florida Lic. No. 64901  
4119 Trinity Dr Santa Rosa CA 95405  
Phone 707-494-8761

Seal



Page

4

of 8

# Latham Pool Products Inc. DBA Blue Hawaiian Pools

ICC Evaluation Report Number (ESR-2014)

Latham, NY Phone (800) 833-3800

Jane Lew, WV Phone (304) 884-6954 Fax (304) 884-7198

Midland, TX Phone (432) 561-9933 Fax (432) 561-9934

Williams, CA Phone (530) 473-5319 Fax (530) 473-5393


Zephyrhills, FL Phone (813) 783-7439 Fax (813) 783-7214

## NOTES


Blank lines for notes.

Models on this page are not currently on the ICC  
ESR-2014 Report but are under evaluation and will  
be on the report upon its renewal

Length, width and depth may vary up to 3% - all  
dimensions are to outside edge of coping measured  
from parallel lines



Lexington - LN  
18 000 gal approx




Newport - RP  
12 800 gal approx




Asbury - AS  
8 100 Gal Approx




Laredo - LD  
3 750 Gal Approx




Balboa - MP  
2 300 gal approx




Twin Cove - BHTC  
6 800 Gal Approx




Grand Isle - BHGI  
19 300 Gal Approx




Southwind - BHSW  
14 000 Gal Approx




Classic Cove - BHCC  
11 300 Gal Approx




Pleasant Cove - BHPPL  
5 800 Gal Approx




Sea Shore - BHSH  
7 000 Gal Approx




Olympic Bay - BHOB  
23 000 Gal Approx




Bay Isle - BHHY  
10 000 Gal Approx




Bay Shore - BHBA  
9 500 Gal Approx



Sea Cove - BHSC  
7 000 Gal Approx




Vista Isle - BHVI  
8 000 Gal Approx



Paradise Beach - BHPR  
10 000 Gal Approx

Reviewed by  
Donald R. Pondexter, PE  
Florida Lic No. 64901  
4119 Trinity Dr Santa Rosa CA 95405  
Phone 707-494-8761



Page

5

of 8

## Latham Pool Products Inc. DBA Blue Hawaiian Pools

ICC Evaluation Report Number (ESR-2014)

Latham, NY Phone (800) 833-3800

Jane Lew, WV Phone (304) 884-6954 Fax (304) 884-7198

Midland, TX Phone (432) 561-9933 Fax (432) 561-9934



Williams, CA Phone (530) 473-5319 Fax (530) 473-5393

Zephyrhills, FL Phone (813) 783-7439 Fax (813) 783-7214


### NOTES

Models on this page are not currently on the ICC ESR 2014 Report, but are under evaluation and will be on the report upon its renewal


Length, width and depth may vary up to 3% all dimensions are to outside edge of coping measured from parallel lines






Sunsel Bay - BHSY  
10,000 Gal Approx




Blue Isle - BHSI  
13,000 Gal Approx




Sandy Cove - BH38  
3,600 Gal Approx




Cayman - FR12  
7,600 gal approx





Sea Swirl - BHSR  
6,000 Gal Approx



Three Moon Bay - BHTB  
12,000 Gal Approx



Regatta - FR16  
19,250 gal approx



Reviewed by  
Donald R. Ponder, PE  
Florida Lic No. 34901  
4119 Trinity Dr Santa Rosa CA 95405  
Phone 707-404-8761

## Latham Pool Products Inc. DBA Blue Hawaiian Pools

ICC Evaluation Report Number (ESR-2014)

Latham, NY Phone (800) 833-3800

Jane Lew, WV Phone (304) 884-6954 Fax (304) 884-7198

Midland, TX Phone (432) 561-9933 Fax (432) 561-9934










Williams, CA Phone (530) 473-5319 Fax (530) 473-5393

Zephyrhills, FL Phone (813) 783-7439 Fax (813) 783-7214

### NOTES




Length, width and depth may vary up to 3% - all dimensions are to outside edge of coping, measured from parallel lines.



Donald R Poindexter PE  
Florida Lic No 64901  
4119 Trinity Dr Santa Rosa CA 95405  
Phone 707-494-8761

DONALD R. POINDEXTER  
LICENSE  
No. 64901

of 8

Latham, NY Phone (800) 833-3800

Jane Lew, WV Phone (304) 884-6954 Fax (304) 884-7198  
Midland, TX Phone (432) 561-9933 Fax (432) 561-9934  
Williams, CA Phone (530) 473-5319 Fax (530) 473-5393  
Zephyrhills, FL Phone (813) 783-7439 Fax (813) 783-7214

---

---

---

---

---

---

