

As required by Florida Statute 553.842 and Florida Administrative Code 9B-72, please provide the information and approval numbers on the building components listed below if they will be utilized on the construction project for which you are applying for a building permit. We recommend you contact your local product supplier should you not know the product approval number for any of the applicable listed products. Statewide approved products are listed online @ www.floridabuilding.org

Category/Subcategory	Manufacturer	Product Description	Approval Number(s)
1. EXTERIOR DOORS	Jeld-Wen	Exterior Door	FL 16468.1
A. SWINGING			
B. SLIDING			
C. SECTIONAL/ROLL UP			
D. OTHER			
2. WINDOWS	Jeld-Wen	Windows	FL 14104.5
A. SINGLE/DOUBLE HUNG			
B. HORIZONTAL SLIDER			
C. CASEMENT			
D. FIXED			
E. MULLION			
F. SKYLIGHTS			
G. OTHER			
3. PANEL WALL	See Attached Door and Window DATA		
A. SIDING			
B. SOFFITS			
C. STOREFRONTS			
D. GLASS BLOCK			
E. OTHER			
4. ROOFING PRODUCTS			
A. ASPHALT SHINGLES			
B. NON-STRUCT METAL			
C. ROOFING TILES			
D. SINGLE PLY ROOF			
E. OTHER			
5. STRUCT COMPONENTS			
A. WOOD CONNECTORS			
B. WOOD ANCHORS			
C. TRUSS PLATES			
D. INSULATION FORMS			
E. LINTELS			
F. OTHERS			
6. NEW EXTERIOR ENVELOPE PRODUCTS			

The products listed below did not demonstrate product approval at plan review. I understand that at the time of inspection of these products, the following information must be available to the inspector on the jobsite, 1) copy of the product approval, 2) performance characteristics which the product was tested and certified to comply with, 3) copy of the applicable manufacturers installation requirements.

Further, I understand these products may have to be removed if approval cannot be demonstrated during inspection.

Shan Collan

Supplier - Lowes
Lake City, Florida

NOTES: See Attached



Lowe's Custom Quote

Quote # 692669789

Date Printed: 7/23/2021

Customer: SHARON COLLAR
Address: 317 SE SEAWOLF WAY
HIGH SPRINGS, FL 32643
Phone: (607) 262-1255

Store: #179 LOWE'S OF LAKE CITY, FL
Associate: BERNARD FORFINSKI (3544887)
Address: 3463 NW BASCOM NORRIS DRIVE
LAKE CITY, FL 32055
Phone: (386) 719-6622

Presavings Total: \$858.28
Savings Total: \$0.00
Pre-Tax Total: \$858.28



JELD-WEN Exterior Doors |
Fiberglass Single Door Unit | 37
1/2-in x 80 3/8-in | Not Impact
Rated
FBC - HVHZ Building Code | Left
Outswing | Fixed Bumper - All
Aluminum Sill | Smooth-Pro
6-Panel Door Design | 4 9/16-in
Jamb

Line #	Item Summary	Production Time	Was Price	Now Price	Quantity	Total Savings	Pre-Tax Total
100-1	Fiberglass Single Door Unit	28 days	\$858.28	\$858.28	1	\$0.00	\$858.28

Begin Line 100 Description

---- Line 100-1 ----

JELD-WEN Windows & Doors
Fiberglass Single Door Unit
Overall Actual Size = 37 1/2-in x 80 3/8-in
Fits Rough Opening Size = 38 1/2-in x 81 1/8-in
Impact Rating = No
Building Code = FBC - HVHZ
U.S. Energy Star Zone = No
Unit Type = Pre-Hung
Handing & Swing = Left Outswing
Sill / Threshold Type = Fixed Bumper - All
Aluminum
Door System Width = RO: 38-1/2-in || Frame: 37-
1/2-in || Door: 36
Door System Height = RO: 81-1/8-in || Frame: 80-
3/8-in || Door: 80
Door Skin = Smooth-Pro
Door Type = Panel Doors
Door Thickness = 1 3/4-in
Door Style = 6-Panel
Door Finish Type = None
Door Screen Type = No Screen
Door Bore = Double Bore
Bore Backset = 2 3/8-in
Bore Diameter = 2 1/8-in

Lockset Bore Position = 44
Dead Bolt Bore Position = 5 1/2-in
Hinge Prep = 3-Hinge Prep
Hinges Included = Yes
Hinge Size = 4-in x 4-1/4-in
Hinge Type = Non-Removable Pin
Hinge Radius = 5/8-in Radius / Square
Hinge Finish = Satin Nickel
First Hinge Position = 6 3/4-in
Second Hinge Position = 36-in
Third Hinge Position = 65 1/4-in
Door Viewer/Knocker - Installed = No (Standard)
Jamb Width = 4 9/16-in
Jamb Finish Type = None
Jamb Specie = Composite
Weather-Strip Type = Compression Bronze
Sill Width = 4 9/16-in
Sill Finish = Aluminum
Brickmould Specie = Composite
Brickmould Type = WM 180
Brickmould Finish Type = None

Apply Brickmould = Yes
Is This a Remake = No
Structural DP Rating = DP +65/-65
Water PSF Rating = 9.75 psf
Impact Certification = Non-Impact
Florida Approval Number = 16468.1
Regional Compliance = FBC - HVHZ - FL PE
Tested Height = 80
U-Factor = 0.24
Solar Heat Gain Coefficient = 0.01
CPD Number = JEL-M-784-27402-00001
Jamb Thickness Side Offset = 1.5
Prehang Height Offset = 0
Sill Height Offset = 0
Astragal Width = 0.625
Mull Post Width = 1.5
Series Width Offset = 0
Series Height Offset = 0
SOS = 970374
SOS Description = WTS JW STEEL
Delivery Method = In-Store Pick-Up

End Line 100 Description

Accepted by: _____

Date: 7/23/2021

Pre-Tax Total	\$858.28
---------------	----------

This quote is an estimate only and valid for 30 days on all regularly priced items. For promotional items please refer to the dates listed above.
This estimate does not include tax or delivery charges. Estimated arrival will be determined at the time of purchase. All of the above quantities, dimensions, specifications and accessories have been verified and accepted by the customer.

**** Special order configured products are subject to a 20% restocking fee if returned. ****

[Back to Quote](#)

LOWE'S HOME CENTERS, LLC #179
 3463 NW BASCOM NORRIS DRIVE
 LAKE CITY, FL 32055-4712
 USA
 (386) 719-6622



Project #: 692668026 Description: window
 Customer Name: SHARON COLLAR
 Customer Phone: (607) 262-1255
 Customer Address: 359 SE SEAWOLF WAY
 HIGH SPRINGS, FL 32643
 USA

Line Item
 Frame Size


Product Code
 Description

Unit Price Quantity Total Price

0001

Manufacturer: JELD-WEN Windows & Patio Doors-

Actual Frame Size = 35 1/2- Venice
 in W x 59 1/2-in H



Division: Millwork
 Product: Windows
 Type: Single Hungs
 Configuration Option: Custom Configurations (All options available)
 Product Line: V-2500
 Product Model: Tilt
 Regional Compliance: FBC-AAMA
 Rating: PG35, DP+35/-35
 Frame Type: Nail Fin
 Frame Color - Exterior: White
 Frame Color - Interior: White
 Radius Top Option: No
 Size Type: Standard and Custom Sizes
 Actual Frame Width: 35 1/2-in
 Actual Frame Height: 59 1/2-in
 Vent Division: Even Divide
 Vent Height: 30-in
 Glass Breakage Warranty: No
 Energy Package: No Upgrade
 STC / OITC Rating: Standard
 Glazing: Insulated
 LowE Glass: Low-E 366
 Neat Glass: No
 Glass Color/Texture: Clear

\$292.85

1

\$292.85

Glass Type: Annealed
Insulated Glass Option: None
Glass Thickness*: 1/8 in - 1/8 out
Grille Type*: 5/8-in Flat
Grille Location: All Lite(s)
Grid Color: White
Grille Pattern: Colonial (Even Rect Lites)
Lites Wide (For each panel): 3
Lites High (Top): 2
Lites High (Bottom): 2
Grilles to Match: No
Screen Option: Screen
Full or Half Screen: Half Screen
Screen Type: Standard Screen Frame
Screen Material: Fiberglass Mesh
Screen Color*: Charcoal Mesh
Jamb Thickness: 2 7/8-in
Lock Type: Cam Lock(s)
Number of Locks: 2 Locks
Hardware Finish - Interior: White
Egress: Meets 5.7 Net Opening
Exterior Frame Options: None
Interior Frame Options: None
Extension Jamb Option: None
Mull Prep Option: None
Sash Limiter: None
Florida Approval Number: 14104.5
NFRC Values Required?: Yes
U_Factor: 0.33
Solar Heat Gain Coefficient: 0.21
Visible Lite Transmittance: 0.48
CPD#: JEL-A-225-09374-00003
Condensation Resistance: 53
Prep for Shipping: None
Lead Time: 46 Days
Item Number: 121493
*** 15% off All Windows & Patio Doors 7/15/21 -
7/28/21 ***

Salesperson: BERNARD FORFINSKI (S0179BF1)

Project Total: \$292.85

Accepted by: _____

Date: 07/23/2021

Print Detailed Quote

This quote is an estimate only and valid for 30 days on all regularly priced items. For promotional items please refer to the dates listed above. This estimate does not include tax or delivery charges. Estimated arrival will be determined at the time of