Parcel:

24-5S-15-00473-006 (2077)

Owner & Property Info

Result: 7 of 7

PEREZ JULIO ANTONIO BLANCO

Owner BLANCO AMY

577 SW DAISY RD

LAKE CITY, FL 32024-5031

Site 577 SW DAISY Rd, LAKE CITY

Description* THE W 32 AC OF SW1/4 OF NW1/4. WD 1375-1652

Area 32 AC S/T/R 24-5S-15

Use Code** TIMBERLAND 80-89 (5500)

Tax District 3

STATE OF FLORIDA COUNTY OF COLUMBIA

LAND OWNER AFFIDAVIT

This is to certify that I, (We),Julio Antonio Blanco Prez,								
as the owner of the below of	lescribed propert	y:						
Property tax Parcel ID num	ber 24-5S-15-0	00473-006						
Subdivision (Name, lot, Block, Phase) NA								
Give my permission for	Amy Blanco	(wife)	to place a					
Circle one Mobile Home Barn – Sned –		Utility Pole Only / Single / Other						
I (We) understand that the permit on the property num assessment for solid waste where Signature	ber I (we) have I and fire protection	isted above and this could	result in an					
Owner Signature		Date						
Owner Signature		Date						
Sworn to and subscribed be	efore me this _3	day of DEC	, 20 <u>2</u> 1. This					
(These) person(s) are personally known to me or produced ID FL D2.								
		n to D. Dured	(Type)					
Notary Public Signature	\overline{N}	Dale R. Burd						
Notary Stamp/		Comm# GG231750 Expires 7/16/2022	2					

MOBILE HOME INSTALLATION SUBCONTRACTOR VERIFICATION FORM

APPLICATION NU	MBER		CONTRACTOR _	Brent Strick	land	PHONE 386-365-7043
		THIS FORM MUST BE SU	JBMITTED PRIO	R TO THE ISSUANCE	E OF A PERMIT	
					Amy Blanco	
records of the Ordinance 89- exemption, ge Any changes, a	subcontracto 6, a contractoneral liability the permitted	or shall require all subco insurance and a valid C	e trade specif ontractors to Certificate of <i>lible for the c</i>	ic work under to provide eviden Competency lic	he permit. Per F ice of workers' o ense in Columb peing submitted	lorida Statute 440 and compensation or ia County.
ELECTRICAL	Print Name_	Glenn Whittington		Signature	A	
	License #:	EC 13002957		Phone #: _	386-972-170	00
		Qualifie	er Form Attack	ned X		
MECHANICAL/	Print Name_	Michael Boland		Signature		0

Qualifier Forms cannot be submitted for any Specialty License.

License #: CAC 1817716

Specialty License	License Number	Sub-Contractors Printed Name	Sub-Contractors Signature
MASON			
CONCRETE FINISHER			

Qualifier Form Attached

Phone #: 352-274-9326

F. S. 440.103 Building permits; identification of minimum premium policy.--Every employer shall, as a condition to applying for and receiving a building permit, show proof and certify to the permit issuer that it has secured compensation for its employees under this chapter as provided in ss. 440.10 and 440.38, and shall be presented each time the employer applies for a building permit.

Revised 10/30/2015



COLUMBIA COUNTY BUILDING DEPARTMENT

135 NE Hernando Ave, Suite B-21, Lake City, FL 32055 Phone: 386-758-1008 Fax: 386-758-2160

LICENSED QUALIFIER AUTHORIZATION

1. Chand Willington	(license holder name), licensed qualifier
for Whittington ELBEKK S	(company name), do certify that
the below referenced person(s) listed on this form holder, or is/are employed by me directly or throughout officer of the corporation; or, partner as defined in person(s) is/are under my direct supervision and sign permits; call for inspections and sign subcontains.	m is/are contracted/hired by me, the license ugh an employee leasing arrangement; or, is an in Florida Statutes Chapter 468, and the said I control and is/are authorized to purchase and
Printed Name of Person Authorized	Signature of Authorized Person
1. Carsur	2. Sonly)
3.	3.
4.	4.
5.	5.
I, the license holder, realize that I am responsible under my license and fully responsible for compl Local Ordinances. I understand that the State an authority to discipline a license holder for violatic officers, or employees and that I have full respor and ordinances inherent in the privilege granted If at any time the person(s) you have authorized officer(s), you must notify this department in writi authorization form, which will supersede all previous unauthorized persons to use your name and/or li	iance with all Florida Statutes, Codes, and and County Licensing Boards have the power and one committed by him/her, his/her agents, asibility for compliance with all statutes, codes by issuance of such permits. is/are no longer agents, employee(s), or ing of the changes and submit a new letter of ious lists. Failure to do so may allow
Licensed Qualiforn Signature (Nestriged)	EC1300295) 3/7/16
Licensed Qualifiers Signature (Notarized) NOTARY INFORMATION: STATE OF:COUNTY OF:	/ 19
The above license holder, whose name is	me or has produced identification this day of, 20
NOTARY'S SIGNATURE	Seal/Stangely R BISHOP Notary Public - State of Florida Commission # FF 243986



COLUMBIA COUNTY BUILDING DEPARTMENT 135 NE Hernando Ave, Suite B-21, Lake City, FL 32055 Phone: 386-758-1008 Fax: 386-758-2160

LICENSED QUALIFI	ER AUTHORIZATION
1. My hARI + wolAnd	(license holder name), licensed qualifier
for ACIE A/L OF OCALA	LLC (company name), do certify that
the below referenced person(s) listed on this for holder, or is/are employed by me directly or thro officer of the corporation; or, partner as defined person(s) is/are under my direct supervision and sign permits; call for inspections and sign subco	ough an employee leasing arrangement; or, is an in Florida Statutes Chapter 468, and the said discontrol and is/are authorized to purchase and
Printed Name of Person Authorized	Signature of Authorized Person
1. DAIR EAD	1686
2. Kally Dishop	2. Kelly Bishop
3. Kocky Ford	3. Jah, 1) - of
4.	4.
5.	5.
authority to discipline a license holder for violatic officers, or employees and that I have full respon and ordinances inherent in the privilege granted If at any time the person(s) you have authorized	nsibility for compliance with all statutes, codes by issuance of such permits. is/are no longer agents, employee(s), or
officer(s), you must notify this department in writ authorization form, which will supersede all prev unauthorized persons to use your name and/or l	ious lists. Failure to do so may allow
Licensed Qualifiers Signature (Notarized)	
NOTARY INFORMATION: STATE OF: COUNTY OF:	maia
The above license holder, whose name is \(\frac{\omega_0}{\omega_0} \) personally appeared before me and is known by (type of I.D.) on	me or has produced identification this day of 100000000000000000000000000000000000
NOTARY'S SIGNATURE	(Seal/Stamp)
	AMANDA FLOOD MY COMMISSION # FF 106012 EXPIRES: April 5, 2018 Bonded Thru Notary Public Underwriters

•	١		Ì
I	٦	ľ	١
;	7	ľ	Ì
i			9
•			1
i	d		
ŧ			
:	5	3	3
į	Ū	Ī	
ĺ	8	ĺ	
	7	į	
Ī			

led in accordance with Rul Wind Zone Wind Zone Serial # Typical	Longitudinal Sta Manufacturer Longitudinal Sta Manufacturer Manufacturer		Opening	List all marriage wall openings and their pier pad sizes below.	Draw the approximate locations of wall openings 4 foot or greater. Usymbol to show the piers.	Other pier pad sizes (required by the mfg.)	Perimeter pier par	I-beam pier pad size	De l'ambiguite l'a	_	2500 psf	Show locations of Longitudinal and Lateral Systems 1500 psf 1500 psf	Installer's initials (Q, \(\text{\tinx}\text{\texi{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\tinx}\text{\texi{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\tinx}\text{\texi{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\ti}\text{\texi}\text{\text{\text{\texi{\text{\texi{\texi{\texi{\texi}\texi{\texi{\texi{\texi{\texi{\texi{\texi{\texi{\texi{\texi{\texi{\texi{\texi	I understand Lateral Arm Systems cannot be used on any home (new or used) pwhere the sidewall ties exceed 5 ft 4 in.	NOTE: If home is a single wide fill out one half of the blocking plan If home is a triple or quad wide sketch in remainder of home	Manufacturer LIII URL Length x width 100X32 Double wide [being installed LAKE CAM FL 1 3 2024 Single wide	Address of home 577500 Dollar Concerns Home is installed	Home installed to the Manufacturar's installed to the Manufacturary installed to the
--	--	--	---------	---	---	---	--------------------	----------------------	--	---	----------	--	--	---	--	---	--	--	---

-	-	-	1													
* internal	3500 ps	3000 ps	2500 ps	2000 ps	1500 ps	1000 ps	Load bearing capacity		Roof 8	Triple/Quad	Double wide	Single wide	Home	Home	New Home	
ated from	psf	psf	osí	psf	osf	psf	Footer size (sq ln)	The second secon	Roof System:	Quad	wide	wide	is install	installed	ome	
D 150	æ.	æ	7' 6"	6)	4' 6"	ယ္	16" x 16" (256)	PIER SF	Typical		P		ed in acco	to the Ma	7	
internolated from Rule 150-1 pier specing lable	8'	œ	œ	ස	O ₂	4'	18 1/2" x 18 1/2" (342)	PIER SPACING TABLE FOR USED HOMES	pical	Serial #	Installation Decal #	Wind Zone II	Home is installed in accordance with Rule 15-C	Home installed to the Manufacturer's Installation Manual	Used Home	
9	œ	œ	æ	œ	7'	Cī.	20" x 20" (400)	FOR US	Hinged	BHG	cal#	4	lle 15-C	stallation N		
	82	02	æ	œ	8	Ø,	22" x 22" (484)"	ED HOME		4700	00	Wind Zone III		lanual		
	æ	æ	æ	æ	6	7	24" X 24" (576)*	S		164.20072264AC	14665					
	œ	81	6,1	63	8"	œĵ	26" x 26" (676)			64 AG		_		7		

TIEDOWN COMPONENT Longitudinal Stabilizing Device (L: Manufacturer Longitudinal Stabilizing Device w Manufacturer	Opening	List all marriage wall openings and their pler pad sizes below	Draw the ap wall opening symbol to si	Other pier pad sizes (required by the mfg.)	Perimeter pier pad size	PIEI	spoul psi I I					1000 psf	Load Footer 16". bearing size (2") capacity (sq in)
TIEDOWN COMPONENTS Longitudinal Stabilizing Device (LSD) Manufacturer Longitudinal Stabilizing Device w/ La	Pier pad size	List all marriage wall openings greater than 4 foot and their pier pad sizes below.	Draw the approximate locations of marriage wall openings 4 foot or greater. Use this symbol to show the piers.	17, 17, 12, 5	ize 1	PIER PAD SIZES	interpolated from Bills 15C-1 pier spacing lable		7' 6" 8'	6) 8/	4'6" 6'	3' 4'	16" x 16" 18 1/2" x 18 (256) 1/2" (342)
SD)	ě	han 4 foot	of marriage Use this	25	6×16	1/25	No B	000	B	œ	7"	U)	20" x 20" (400)
within 2' of er spaced at 5' of er spaced at 5'. OTHER Sidewall Longitudinal Marriage wall Shearwall	4 ≠		17 3/1	16,0	16	Tage	٥	9 0	CZ.	œ	8	Ø,	22" x 22" (484)*
within 2' of end of home spaced at 5' 4" oc L OTHER TIES Numb Sidewall Longitudinal Marriage wall Shearwall	511	26 × 26	20 × 20 1/16 × 25 3/16 1/2 × 25 1/2	16 x 22.5 17 x 22		POPULAR PAD SIZES	0	α	æ	82	8	7	24" X 24" (576)*
Number Number			++++	360 374	256	SIZES	×	8	8,	œ.	81	œj	26" x 26" (676)

	The pod or check	
× (Dec	The pocket penetrometer tests are rounded at or check here to declare 1000 lb. soil	РОСК
×imo	b. soil without testin	KET PENETROMETER TES
×1000	ting. psf	37

POCKET PENETROMETER TESTING METHOD

- Test the perimeter of the home at 6 locations
- 2. Take the reading at the depth of the footer.
- 3. Using 500 lb. increments, take the lowest reading and round down to that increment

×1000

×1000

TORQUE PROBE TEST

showing 275 inch pounds or less will require 5 foot anchors. The results of the torque probe test is 290Inch pounds or check

Note: A state approved lateral arm system is being used and 4 ft. anchors are allowed at the sidewall locations. I understand 5 ft requires anchors with 4000 lb holding capacity. reading is 275 or less and where the mobile home manufacturer may anchors are required at all centerline tie points where the torque test

Installer's initials

Name Of MIT THE PERFORMED BY A LICENSED INSTALLER

Installer Name

Date Tested

Electrical

source. This includes the bonding wire between mult-wide units. Pg. Connect electrical conductors between multi-wide units, but not to the main power

Installer verifies all information given with this permit worksheet

manufacturer's installation instructions and or Rule 15C-1 & 2 is accurate and true based on the


Date 01-01-2022

Connect all sewer drains to an existing sewer tap or septic tank. Pg.

Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg.

Installer Signature

Range downflow vent installed outside of skirting. Yes N/A N/A Drain lines supported at 4 foot intervals. Yes
Vo
The bottomboard will be repaired and/or taped. Yes Pg. Siding on units is installed to manufacturer's specifications. Yes Fireplace chimney installed so as not to allow intrusion of rain water. Yes
Weatherproofing
Type gasket Fourn installed: Between Floors Yes Between Walls Yes Bottom of ridgebeam Yes
I understand a properly installed gasket is a requirement of all new and used homes and that condensation, mold, meldew and buckled marriage walls are a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket. Installer's initials
Gas ket tweatherproofing requirement)
Floor: Type Fastener: Length: Length: Spacing: Walls: Type Fastener: Length: Length: Spacing: Length: Spacin
Debris and organic material removed Water drainage: Natural Swale Pad Other
Site Preparation



MODEL: D-3604B - 32 X 64 Live Oak Homes

- THIS DRAWING IS DESIGNED FOR THE STANDARD WIND ZONE AND IS TO BE USED IN CONJUNCTION WITH THE INSTALLATION MANUAL AND IT'S SUPPLEMENTS. - FOOTINGS ARE SHOWN FOR EXAMPLE ONLY QUANTITY AND SPACING MAY VARY BASED ON PAD TYPE, SOIL CONDITION, ETC. - FOOTINGS ARE REQUIRED AT SUPPORT POSTS, SEE INSTALLATION MANUAL FOR REQUIREMENTS.

04/18/19

FOUNDATION NOTES: SUPPORT PIER/TYP

STATE OF FLORIDA DEPARTMENT OF HEALTH

APPLICATION FOR ONSITE SEWAGE DISPOSAL SYSTEM CONSTRUCTION PERMIT


Permit Application Number_____

BLANCO	PART II - SITEPLAN	
Scale: 1 inch = 40 feet		5 20
Scale: 1 inch = 40 feet.	108' STORAGE 138 North Read 138 85' 60' 2510/92	752062 WELL 371
Notes:	2 ACRES SIZE AHACKEL	D SO I
Site Plan submitted by:		CONTRACTOR
Plan Approved	Not Approved	Date
Ву		County Health Department

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT



information should not be relied upon by anyone as a determination of the ownership of property or market value. No warranties, expressed or implied, are provided for the accuracy of the data herein, its use, or it's interpretation. Although it is periodically updated, this information may not reflect the data currently on file in the Property Appraiser's office. GrizzlyLogic.com



32 X 64 - Approx. 1780 Sq. Ft. 3-BEDROOM / 2-BATH Dats: 08/02/19

D-3604B

All room dimensions include closets and equere foolege figures are approximate

 5°-0° unilings are NOT AVAILABLE for this model.
 1,0% Oak Homes reserves the right to modify product offering at any three.



Address Assignment and Maintenance Document

To maintain the county wide Addressing Policy you must make application for a 9-1-1 Address at the time you apply for a building permit. The established standards for addressing and posting numbers to all principal buildings, dwellings, businesses and industries are contained in Columbia County Ordinance 2001-9. The addressing system is to enable Emergency Services Agencies to locate you in an emergency, and to assist the United States Postal Service and the public in the timely and efficient provision of services to residents and businesses of Columbia County

Date/Time Issued: 6/22/2020 2:42:48 PM

Address: 577 SW DAISY RD

City: LAKE CITY

State: FL

Zip Code **32024**

Parcel ID 24-5S-15-00473-006

REMARKS: This address is a verified address in the county's addressing system.

Verification ID: d374d6bf-1dfe-40ef-8691-fac9abbf1810

NOTICE: THIS ADDRESS WAS ISSUED BASED ON LOCATION AND ACCESS INFORMATION RECEIVED FROM THE REQUESTER. SHOULD, AT A LATER DATE, THE LOCATION AND/OR ACCESS INFORMATION BE FOUND TO BE IN ERROR OR CHANGED, THIS ADDRESS IS SUBJECT TO CHANGE.

Address Issued By: GIS Specialist

Columbia County GIS/911 Addressing Coordinator