

FLORIDA DEPARTMENT OF
Business & Professional Regulation



[DBPR HOME](#) [ABOUT DBPR](#) [DBPR DIVISIONS](#) [CONTACT DBPR](#)

[BCIS Home](#) [Log In](#) [User Registration](#) [Hot Topics](#) [Submit Surcharge](#) [Stats & Facts](#) [Publications](#) [Contact Us](#) [BCIS Site Map](#) [Links](#) [Search](#)



Product Approval
USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

OFFICE OF THE
SECRETARY

FL #	FL17992-R4								
Application Type	Revision								
Code Version	2023								
Application Status	Approved								
Comments									
Archived	<input type="checkbox"/>								
Product Manufacturer	Capital Metal Supply, Inc.								
Address/Phone/Email	629 S.E. Industrial Circle Lake City, FL 32025 (386) 397-6621 larry@capitalmetalsupply.com								
Authorized Signature	Larry Perry larry@capitalmetalsupply.com								
Technical Representative									
Address/Phone/Email									
Quality Assurance Representative									
Address/Phone/Email									
Category	Roofing								
Subcategory	Metal Roofing								
Compliance Method	Evaluation Report from a Florida Registered Architect or a Licensed Florida Professional Engineer <input type="checkbox"/> Evaluation Report - Hardcopy Received								
Florida Engineer or Architect Name who developed the Evaluation Report	Johnathan E. Green, P.E.								
Florida License	PE-88223								
Quality Assurance Entity	Farabaugh Engineering and Testing, Inc								
Quality Assurance Contract Expiration Date	03/04/2025								
Validated By	Steven M. Urich, PE <input checked="" type="checkbox"/> Validation Checklist - Hardcopy Received								
Certificate of Independence	FL17992_R4_COI_Letter of Certification.pdf								
Referenced Standard and Year (of Standard)	<table> <thead> <tr> <th><u>Standard</u></th><th><u>Year</u></th></tr> </thead> <tbody> <tr> <td>FM 4471</td><td>1992</td></tr> <tr> <td>UL 1897</td><td>2015</td></tr> <tr> <td>UL 580</td><td>2006</td></tr> </tbody> </table>	<u>Standard</u>	<u>Year</u>	FM 4471	1992	UL 1897	2015	UL 580	2006
<u>Standard</u>	<u>Year</u>								
FM 4471	1992								
UL 1897	2015								
UL 580	2006								

Equivalence of Product Standards
Certified By

Sections from the Code

Product Approval Method

Method 1 Option D

Date Submitted

09/24/2023

Date Validated

09/24/2023

Date Pending FBC Approval

09/25/2023

Date Approved

12/12/2023

Summary of Products

FL #	Model, Number or Name	Description
17992.1	Capital Rib Roof Panel	Min. 29 Ga. Capital Rib Roof Panel over 1x4 Wood Purlins over 7/16" OSB
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: +N/A/-123.5psf Other: Type 1: -41.7 psf @ 24" o.c. 1x4 Wood Purlin Spacing. Fastener Pattern: 9"-9"-9"-9". Type 2: -123.5 psf @ 24" o.c. 1x4 Wood Purlin Spacing. Fastener Pattern: 6"-3"-6"-3"-6"-3"-6". Install per manufacturer's details. Not for use in HVHZ Zones.		Installation Instructions FL17992_R4_II_29 Ga. Capital Rib Roof Panel over 1x4 Wood Purlins.pdf Verified By: Johnathan E Green, P.E. 88223 Created by Independent Third Party: Yes Evaluation Reports FL17992_R4_AE_29 Ga. Capital Rib Roof Panel over 1x4 Wood Purlins.pdf Created by Independent Third Party: Yes
17992.2	Capital Rib Roof Panel	Min. 29 Ga. Capital Rib Roof Panel over 7/16" OSB
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: +N/A/-78.5 psf Other: -22.7 psf @ 24" o.c. Fastener Pattern: 9"-9"-9"-9". -78.5 psf @ 6" o.c. Fastener Pattern: 9"-9'-9"-9". Install per manufacturer's details. Not for use in HVHZ Zones.		Installation Instructions FL17992_R4_II_29 Ga. Capital Rib Roof Panel over OSB.pdf Verified By: Johnathan E Green, P.E. 88223 Created by Independent Third Party: Yes Evaluation Reports FL17992_R4_AE_29 Ga. Capital Rib Roof Panel over OSB.pdf Created by Independent Third Party: Yes

[Back](#)

[Next](#)

[Contact Us](#) :: 2601 Blair Stone Road, Tallahassee FL 32399 Phone: 850-487-1824

The State of Florida is an AA/EEO employer. [Copyright 2007-2013 State of Florida.](#) :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. *Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).

Product Approval Accepts:

