

TABLE 5

Section	Width	Panel Type	Max Design Loads Allowed
(ft)			Positive (PSF) Negative (PSF)
16' 2"	Long	Long	23.9
16' 4"	Long	Long	23.7
16' 6"	Long	Long	23.5
16' 8"	Long	Long	23.3
16' 10"	Long	Long	23.1
16' 12"	Long	Long	22.9
17' 0"	Long	Long	22.7
17' 2"	Long	Long	22.5
17' 4"	Long	Long	22.3
17' 6"	Long	Long	22.1
17' 8"	Long	Long	21.9
17' 10"	Long	Long	21.7
18' 0"	Long	Long	21.5

TABLE 1

DOOR HEIGHT	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V
6' 0"	18' 1/4"	18' 1/4"	25' 1/2"	25' 1/2"	38' 1/4"	43' 1/2"	43' 1/2"	34' 1/4"	61' 1/2"	33' 1/4"	88' 1/4"	78' 1/2"	85' 1/2"	80' 1/4"	80' 1/4"	80' 1/4"	108' 1/4"	115' 1/2"	115' 1/2"	115' 1/2"	115' 1/2"	115' 1/2"
6' 6"	18' 1/4"	18' 1/4"	25' 1/2"	25' 1/2"	38' 1/4"	48' 1/2"	48' 1/2"	61' 1/4"	61' 1/2"	33' 1/4"	88' 1/4"	78' 1/2"	85' 1/2"	80' 1/4"	80' 1/4"	80' 1/4"	108' 1/4"	115' 1/2"	115' 1/2"	115' 1/2"	115' 1/2"	115' 1/2"
7' 0"	18' 1/4"	18' 1/4"	22' 1/2"	22' 1/2"	33' 1/4"	40' 1/2"	40' 1/2"	51' 1/4"	51' 1/2"	33' 1/4"	88' 1/4"	72' 1/4"	78' 1/2"	72' 1/4"	72' 1/4"	72' 1/4"	108' 1/4"	115' 1/2"	115' 1/2"	115' 1/2"	115' 1/2"	115' 1/2"
7' 6"	18' 1/4"	18' 1/4"	22' 1/2"	22' 1/2"	33' 1/4"	43' 1/2"	43' 1/2"	54' 1/4"	54' 1/2"	33' 1/4"	88' 1/4"	72' 1/4"	78' 1/2"	72' 1/4"	72' 1/4"	72' 1/4"	108' 1/4"	115' 1/2"	115' 1/2"	115' 1/2"	115' 1/2"	115' 1/2"
8' 0"	18' 1/4"	18' 1/4"	23' 1/2"	23' 1/2"	38' 1/4"	48' 1/2"	48' 1/2"	61' 1/4"	61' 1/2"	33' 1/4"	88' 1/4"	72' 1/4"	78' 1/2"	72' 1/4"	72' 1/4"	72' 1/4"	108' 1/4"	115' 1/2"	115' 1/2"	115' 1/2"	115' 1/2"	115' 1/2"
8' 6"	18' 1/4"	18' 1/4"	23' 1/2"	23' 1/2"	38' 1/4"	48' 1/2"	48' 1/2"	61' 1/4"	61' 1/2"	33' 1/4"	88' 1/4"	72' 1/4"	78' 1/2"	72' 1/4"	72' 1/4"	72' 1/4"	108' 1/4"	115' 1/2"	115' 1/2"	115' 1/2"	115' 1/2"	115' 1/2"
9' 0"	18' 1/4"	18' 1/4"	23' 1/2"	23' 1/2"	38' 1/4"	48' 1/2"	48' 1/2"	61' 1/4"	61' 1/2"	33' 1/4"	88' 1/4"	72' 1/4"	78' 1/2"	72' 1/4"	72' 1/4"	72' 1/4"	108' 1/4"	115' 1/2"	115' 1/2"	115' 1/2"	115' 1/2"	115' 1/2"
9' 6"	18' 1/4"	18' 1/4"	23' 1/2"	23' 1/2"	38' 1/4"	48' 1/2"	48' 1/2"	61' 1/4"	61' 1/2"	33' 1/4"	88' 1/4"	72' 1/4"	78' 1/2"	72' 1/4"	72' 1/4"	72' 1/4"	108' 1/4"	115' 1/2"	115' 1/2"	115' 1/2"	115' 1/2"	115' 1/2"
10' 0"	18' 1/4"	18' 1/4"	23' 1/2"	23' 1/2"	38' 1/4"	48' 1/2"	48' 1/2"	61' 1/4"	61' 1/2"	33' 1/4"	88' 1/4"	72' 1/4"	78' 1/2"	72' 1/4"	72' 1/4"	72' 1/4"	108' 1/4"	115' 1/2"	115' 1/2"	115' 1/2"	115' 1/2"	115' 1/2"
10' 6"	18' 1/4"	18' 1/4"	23' 1/2"	23' 1/2"	38' 1/4"	48' 1/2"	48' 1/2"	61' 1/4"	61' 1/2"	33' 1/4"	88' 1/4"	72' 1/4"	78' 1/2"	72' 1/4"	72' 1/4"	72' 1/4"	108' 1/4"	115' 1/2"	115' 1/2"	115' 1/2"	115' 1/2"	115' 1/2"
11' 0"	18' 1/4"	18' 1/4"	23' 1/2"	23' 1/2"	38' 1/4"	48' 1/2"	48' 1/2"	61' 1/4"	61' 1/2"	33' 1/4"	88' 1/4"	72' 1/4"	78' 1/2"	72' 1/4"	72' 1/4"	72' 1/4"	108' 1/4"	115' 1/2"	115' 1/2"	115' 1/2"	115' 1/2"	115' 1/2"
11' 6"	18' 1/4"	18' 1/4"	23' 1/2"	23' 1/2"	38' 1/4"	48' 1/2"	48' 1/2"	61' 1/4"	61' 1/2"	33' 1/4"	88' 1/4"	72' 1/4"	78' 1/2"	72' 1/4"	72' 1/4"	72' 1/4"	108' 1/4"	115' 1/2"	115' 1/2"	115' 1/2"	115' 1/2"	115' 1/2"
12' 0"	18' 1/4"	18' 1/4"	23' 1/2"	23' 1/2"	38' 1/4"	48' 1/2"	48' 1/2"	61' 1/4"	61' 1/2"	33' 1/4"	88' 1/4"	72' 1/4"	78' 1/2"	72' 1/4"	72' 1/4"	72' 1/4"	108' 1/4"	115' 1/2"	115' 1/2"	115' 1/2"	115' 1/2"	115' 1/2"
12' 6"	18' 1/4"	18' 1/4"	23' 1/2"	23' 1/2"	38' 1/4"	48' 1/2"	48' 1/2"	61' 1/4"	61' 1/2"	33' 1/4"	88' 1/4"	72' 1/4"	78' 1/2"	72' 1/4"	72' 1/4"	72' 1/4"	108' 1/4"	115' 1/2"	115' 1/2"	115' 1/2"	115' 1/2"	115' 1/2"
13' 0"	18' 1/4"	18' 1/4"	23' 1/2"	23' 1/2"	38' 1/4"	48' 1/2"	48' 1/2"	61' 1/4"	61' 1/2"	33' 1/4"	88' 1/4"	72' 1/4"	78' 1/2"	72' 1/4"	72' 1/4"	72' 1/4"	108' 1/4"	115' 1/2"	115' 1/2"	115' 1/2"	115' 1/2"	115' 1/2"
13' 6"	18' 1/4"	18' 1/4"	23' 1/2"	23' 1/2"	38' 1/4"	48' 1/2"	48' 1/2"	61' 1/4"	61' 1/2"	33' 1/4"	88' 1/4"	72' 1/4"	78' 1/2"	72' 1/4"	72' 1/4"	72' 1/4"	108' 1/4"	115' 1/2"	115' 1/2"	115' 1/2"	115' 1/2"	115' 1/2"
14' 0"	18' 1/4"	18' 1/4"	23' 1/2"	23' 1/2"	38' 1/4"	48' 1/2"	48' 1/2"	61' 1/4"	61' 1/2"	33' 1/4"	88' 1/4"	72' 1/4"	78' 1/2"	72' 1/4"	72' 1/4"	72' 1/4"	108' 1/4"	115' 1/2"	115' 1/2"	115' 1/2"	115' 1/2"	115' 1/2"
WACO CLOURED ROOFING 3" DECA STIRRS																						

SHOULDER COLUMNS DIMENSIONS 2" SOLID STRIPS

TABLE 2

DOOR HEIGHT	Blm	#2	#3	#4	#5	#6	#7	#8
13' 6"	21"	21"	21"	21"	21"	21"	21"	21"
13' 0"	21"	18"	18"	18"	18"	18"	18"	21"
12' 6"	21"	18"	18"	18"	18"	18"	18"	21"
12' 0"	21"	18"	18"	18"	18"	18"	18"	21"
11' 6"	21"	18"	18"	18"	18"	18"	18"	21"
11' 0"	21"	18"	18"	18"	18"	18"	18"	21"
10' 6"	21"	18"	18"	18"	18"	18"	18"	21"
10' 0"	21"	18"	18"	18"	18"	18"	18"	21"
9' 6"	21"	18"	18"	18"	18"	18"	18"	21"
9' 0"	21"	18"	18"	18"	18"	18"	18"	21"
8' 6"	21"	18"	18"	18"	18"	18"	18"	21"
8' 0"	21"	18"	18"	18"	18"	18"	18"	21"
7' 6"	21"	18"	18"	18"	18"	18"	18"	21"
7' 0"	21"	18"	18"	18"	18"	18"	18"	21"
6' 6"	21"	18"	18"	18"	18"	18"	18"	21"

TABLE 3

Section	Panel Type	Center Sill Locations (Measured from Left Edge)				
		1st (in)	2nd (in)	3rd (in)	4th (in)	5th (in)
16' 2" Long	Short	50,272	75,636	97,000	120,364	143,728
16' 4" Long	Long	51,168	74,088	98,000	119,917	142,834
16' 6" Long	Long	51,272	74,636	98,000	121,364	144,728
16' 8" Long	Long	52,168	75,084	98,000	120,917	143,834
16' 10" Long	Long	52,272	75,636	99,000	122,364	145,728
16' 12" Long	Long	53,168	75,170	99,000	122,830	146,566
17' 0" Long	Short	53,340	76,670	100,000	124,330	147,860
17' 2" Long	Long	54,200	76,100	100,000	123,900	147,800
17' 4" Long	Short	54,500	77,850	101,000	125,587	150,500
17' 6" Long	Long	55,200	77,100	101,000	124,900	148,600
17' 8" Long	Long	55,340	77,670	102,000	126,330	150,660
17' 10" Long	Short	55,000	78,000	103,000	128,000	153,800
17' 12" Long	Long	55,200	79,100	103,000	126,900	150,800
17' 4" Long	Short	54,000	79,000	104,000	129,000	154,000
17' 6" Long	Long	56,200	80,100	104,000	127,900	151,800
17' 8" Long	Short	55,500	80,000	105,000	130,000	155,000
17' 10" Long	Long	57,000	81,100	105,000	128,900	153,800
17' 12" Long	Long	54,800	80,400	106,000	131,600	157,200
17' 4" Long	Short	55,800	80,900	106,000	131,100	156,200
17' 6" Long	Long	55,800	81,400	107,000	132,600	158,200
17' 8" Long	Short	56,250	81,625	107,000	132,375	157,750
17' 10" Long	Long	57,250	82,625	108,000	133,375	158,750
18' 0" Long	Short	57,800	82,900	108,000	133,100	158,200

TABLE 4

DOOR HEIGHT	A	B	C	D	E	F	G	H	S
7' 6"	10"	21"	39"	57"	75"	93"	111"	129"	147"
7' 0"	10"	21"	36"	54"	72"	90"	108"	126"	144"
6' 6"	10"	21"	33"	51"	69"	87"	105"	123"	141"
6' 0"	10"	21"	30"	48"	66"	84"	102"	120"	138"
5' 6"	10"	21"	27"	45"	63"	81"	99"	117"	135"
5' 0"	10"	21"	24"	42"	60"	78"	96"	114"	132"
4' 6"	10"	21"	21"	39"	57"	75"	93"	111"	129"
4' 0"	10"	21"	18"	36"	54"	72"	90"	108"	126"
3' 6"	10"	21"	15"	33"	51"	69"	87"	105"	123"
3' 0"	10"	21"	12"	30"	48"	66"	84"	102"	120"
2' 6"	10"	21"	9"	27"	45"	63"	81"	99"	117"
2' 0"	10"	21"	6"	24"	42"	60"	78"	96"	114"
1' 6"	10"	21"	3"	21"	39"	57"	75"	93"	111"
1' 0"	10"	21"	0"	18"	36"	54"	72"	90"	108"


TABLE 5

Section	Width	Panel Type	Max Design Loads Allowed
(ft)			Positive (PSF) Negative (PSF)
16' 2"	Long	Long	23.9
16' 4"	Long	Long	23.7
16' 6"	Long	Long	23.5
16' 8"	Long	Long	23.3
16' 10"	Long	Long	23.1
16' 12"	Long	Long	22.9
17' 0"	Long	Long	22.7
17' 2"	Long	Long	22.5
17' 4"	Long	Long	22.3
17' 6"	Long	Long	22.1
17' 8"	Long	Long	21.9
17' 10"	Long	Long	21.7
18' 0"	Long	Long	21.5

GLAZING OPTION CROSS SECTION


GLAZING OPTION CROSS SECTION

GLAZING NOT AVAILABLE IN VINYL-CLARE. DETAILS: REQUEST TEST NO. MC-6009-169-15 ON OCTOBER 10, 2003 INCLUDED GLAZING IN THE TESTED DOOR. THE TEST PRESSURES WERE +87.9 PSF AND -80.3 PSF. BY COMPARISON, UP TO 100% (8) WINDOWS MAY BE INSTALLED IN (1) ONE SECTION OF EITHER THE MOOD, 600 OR 850 DOORS CONSTRUCTED FOR THIS DRAWING.



SECTION A-A (SIDE VIEW)

M.T.S.




How do I know?

[illegible]


WOOD JAWB ATTACHMENT TO STRUCTURE

14001 1471 1171 10 30' 30" 1171 1000 11001



2 X 6 SOUTHERN Y
(NO. 2

20 רב כהנא זצ"ל



REV	DATE	DESCRIPTION OF WORK
MAX SIZE: 18" x 14"		
JOES/EN LOADS -271.5 PSF -243.5 PSF		
TIES LOADS (1.5 TENSION LOADS) -327.4 PSF -307.7 PSF		
Amari CERTIFIED ISS. COLUMBIA COURT WINTHROP-SALEM, N.C. 27155 MODEL #900 STRATFORD w/DuraSafe MODEL 950 HERITAGE w/WurSafe Short Panel Long Panel and Finish Panel SX DRAWN BY DJ DATE 10/4/80 B CHECKED BY MJ DATE 10/9/80 DICKER NORMAN L. STENOGRAPH P.L.U.C. INC. DASHLEY STREET 107		