

Recording Fees: \$ _____
Documentary Stamps: + _____
Total: \$ _____

Prepared By And Return To:

TITLE OFFICES, LLC
2015 S. 1ST ST.,
LAKE CITY, FL. 32025

File #02Y-04086BF/BARBARA FRADDOSIO

Property Appraisers Parcel I.D. Number(s):
31-7S-_____

Inst: 2002022192 Date: 11/07/2002 Time: 10:22
Doc Stamp-Deed : 645.40
mk DC, P. DeMitt Cason, Columbia County B: 966 P: 2642

WARRANTY DEED

THIS WARRANTY DEED made and executed the 1st day of November, 2002 by H.A. BUJE, SR., A MARRIED PERSON, hereinafter called the Grantor, to JOHN H. TEDDER and MEGAN OLSON, HIS WIFE, whose post office address is: 201 NW 5th Terrace Gainesville, FL 32653, hereinafter called the Grantee:

(Wherever used herein the terms "Grantor" and "Grantee" shall include singular and plural, heirs, legal representatives, and assigns of individuals, and the successors and assigns of corporations, wherever the context so admits or requires.)

WITNESSETH: That the Grantor, for and in consideration of the sum of TEN DOLLARS (\$10.00) and other valuable considerations, receipt whereof is hereby acknowledged, by these presents does grant, bargain, sell, alien, remise, release, convey and confirm unto the Grantee all that certain land situate, lying and being in COLUMBIA County, State of Florida, viz:

**SEE EXHIBIT "A" ATTACHED HERETO
AND BY REFERENCE MADE A PART HEREOF**

THE PROPERTY DESCRIBED HEREIN IS NOT THE HOMESTEAD OF THE GRANTOR.

TOGETHER with all the tenements, hereditaments and appurtenances thereto belonging or in anywise appertaining, **TO HAVE AND TO HOLD** the same in fee simple forever.
AND the Grantor hereby covenants with said Grantee that the Grantor is lawfully seized of said land in fee simple; that the Grantor has good right and lawful authority to sell and convey said land, and hereby warrants the title to said land and will defend the same against the lawful claims of all persons whomsoever; and that said land is free of all encumbrances, except easements, restrictions and reservations of record, if any, and taxes accruing subsequent to December 31, 2002.

IN WITNESS WHEREOF, the said Grantor has signed and sealed these presents the day and year first above written.

Signed, sealed and delivered
in the presence of:

Martha Bryan
Witness: Martha Bryan

R. Ruth Ho. 1011
Witness: R. Ruth Ho. 1011

H.A. Buje, Sr.
H.A. BUJE, SR.
Address: P.O. BOX 541
LAKE CITY, FLORIDA 32056

Witness: _____

Witness: _____

STATE OF FLORIDA
COUNTY OF COLUMBIA

I hereby certify that on this day, before me, an officer duly authorized in the State and County aforesaid to take acknowledgments, personally appeared H.A. BUJE, SR., who produced the identification described below, and who acknowledged before me that they executed the foregoing instrument.
Witness my hand and official seal in the county and state aforesaid this 1st day of November, 2002.

Martha Bryan
Notary Public:
Identification Examined: personally known

Martha Bryan
COMMISSION # CC056815 EXPIRES
AUGUST 10, 2003
MARATHA BRYAN, INC.

THENCE S.86°39'38"W., A DISTANCE OF 616.14 FEET TO A POINT HEREINAFTER REFERRED TO AS POINT "E"; THENCE N.44°18'47"W., A DISTANCE OF 17.12 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE RIGHT, HAVING: A RADIUS OF 200.00 FEET, A CENTRAL ANGLE OF 42°37'37", A TANGENT LENGTH OF 78.03 FEET, A CHORD BEARING OF N.22°59'59"W., AND A CHORD LENGTH OF 145.39 FEET; THENCE ALONG THE ARC OF SAID CURVE, AN ARC DISTANCE OF 148.80 FEET; THENCE N.01°41'10"W., A DISTANCE OF 565.91 FEET TO THE RADIUS POINT OF A 25 FOOT CUL-DE-SAC, SAID POINT BEING A POINT OF TERMINATION OF SAID CENTERLINE; THENCE RETURNING TO THE AFOREMENTIONED POINT "E", RUN THENCE S.44°18'47"E., A DISTANCE OF 46.97 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE RIGHT, HAVING: A RADIUS OF 105.00 FEET, A CENTRAL ANGLE OF 42°33'27", A TANGENT LENGTH OF 40.89 FEET, A CHORD BEARING OF S.23°02'04"E., AND A CHORD LENGTH OF 76.21 FEET; THENCE ALONG THE ARC OF SAID CURVE, AN ARC DISTANCE OF 77.99 FEET; THENCE S.01°45'20"E., A DISTANCE OF 1970.74 FEET TO THE RADIUS POINT OF A 25 FOOT CUL-DE-SAC, SAID POINT BEING A POINT OF TERMINATION OF SAID CENTERLINE. THENCE BEGIN AT THE AFOREMENTIONED POINT "C", AND RUN THENCE N.85°13'54"E., A DISTANCE OF 93.53 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE LEFT, HAVING: A RADIUS OF 300.00 FEET, A CENTRAL ANGLE OF 13°51'33", A TANGENT LENGTH OF 36.46 FEET, A CHORD BEARING OF N.78°18'07"E., AND A CHORD LENGTH OF 72.39 FEET; THENCE ALONG THE ARC OF SAID CURVE, AN ARC LENGTH OF 72.57 FEET; THENCE N.71°22'21"E., A DISTANCE OF 354.70 FEET; THENCE N.77°56'34"E., 62.17 FEET; THENCE S.66°25'47"E., A DISTANCE OF 207.86 FEET; THENCE S.89°03'47"E., 142.06 FEET; THENCE N.87°13'37"E., A DISTANCE OF 301.36 FEET TO THE RADIUS POINT OF A 25 FOOT CUL-DE-SAC, SAID POINT BEING A POINT OF TERMINATION OF SAID CENTERLINE. THENCE BEGIN AT THE AFOREMENTIONED POINT "D" AND RUN THENCE N.71°02'57"W., A DISTANCE OF 6.24 FEET; THENCE S.19°16'58"W., A DISTANCE OF 21.70 FEET; THENCE S.72°18'51"E., A DISTANCE OF 780.47 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE LEFT, HAVING: A RADIUS OF 500.00 FEET, A CENTRAL ANGLE OF 20°27'26", AND A TANGENT LENGTH OF 90.22 FEET, A CHORD BEARING OF S.82°32'34"E., AND A CHORD LENGTH OF 177.58 FEET; THENCE ALONG THE ARC OF SAID CURVE, AN ARC DISTANCE OF 178.52 FEET; THENCE N.87°13'43"E., A DISTANCE OF 541.28 FEET TO THE RADIUS POINT OF A 25 FOOT CUL-DE-SAC, SAID POINT BEING THE POINT OF TERMINATION OF SAID CENTERLINE.

ALSO:

AN EASEMENT OVER AND ACROSS THE FOLLOWING DESCRIBED PARCEL:
BEGIN AT THE AFOREMENTIONED POINT "D" AND RUN THENCE N.71°02'57"W., A DISTANCE OF 26.24 FEET; THENCE S.19°16'56"W., A DISTANCE OF 1823.87 FEET; THENCE S.70°43'02"E., A DISTANCE OF 64.05 FEET; THENCE N.27°25'42"E., A DISTANCE OF 40.56 FEET; THENCE N.18°54'40"E., A DISTANCE OF 631.89 FEET; THENCE N.70°43'02"W., A DISTANCE OF 25.70 FEET; THENCE N.19°16'58"E., A DISTANCE OF 1152.07 FEET; THENCE N.71°02'57"W., A DISTANCE OF 13.76 FEET TO THE POINT OF BEGINNING.

02Y-04086

Inst: 2002022192 Date: 11/07/2002 Time: 10:22
Doc Stamp-Deed : 645.40
MLK DC, P. DeWitt Cason, Columbia County B: 966 P: 2643

EXHIBIT "A"

PARCEL 13

A PART OF THE EAST 1/2 OF SECTION 31, TOWNSHIP 7 SOUTH, RANGE 17 EAST, COLUMBIA COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS: COMMENCE AT THE NE CORNER OF THE NW 1/4 OF THE NE 1/4 OF SAID SECTION 31 AND RUN; THENCE S.87°14'55"W., ALONG THE NORTH LINE OF SAID SECTION 31, A DISTANCE OF 6.65 FEET; THENCE S.02°59'53"E., A DISTANCE OF 695.45 FEET; THENCE S.03°16'31"E., A DISTANCE OF 696.37 FEET TO THE POINT OF BEGINNING; THENCE S.04°03'49"E., A DISTANCE OF 700.83 FEET; THENCE S.87°15'46"W., A DISTANCE OF 731.81 FEET; THENCE N.07°36'19"E., A DISTANCE OF 712.57 FEET; THENCE N.87°17'48"E., A DISTANCE OF 587.65 FEET TO THE POINT OF BEGINNING. PARCEL CONTAINS 10.61 ACRES, MORE OR LESS.

DESCRIPTION: EASEMENT

AN EASEMENT FOR INGRESS AND EGRESS, BEING 60 FEET IN WIDTH AND LYING 30 FEET TO THE LEFT AND 30 FEET TO THE RIGHT, AS MEASURED PERPENDICULAR TO THE FOLLOWING DESCRIBED CENTERLINE: COMMENCE AT THE NE CORNER OF THE NW 1/4 OF SECTION 31, TOWNSHIP 7 SOUTH, RANGE 17 EAST, COLUMBIA COUNTY, FLORIDA AND RUN THENCE S.87°14'55"W., ALONG THE NORTH LINE OF SAID SECTION 31, A DISTANCE OF 737.64 FEET TO A POINT ON THE SOUTHERLY RIGHT-OF-WAY LINE OF A COUNTY MAINTAINED GRADE ROAD, SAID POINT BEING THE POINT OF BEGINNING; THENCE S.01°47'48"E., A DISTANCE OF 114.27 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE LEFT HAVING: A RADIUS OF 230.00 FEET, A CENTRAL ANGLE OF 55°09'08", A TANGENT LENGTH OF 120.12 FEET, A CHORD BEARING OF S.29°22'22"E., AND A CHORD LENGTH OF 212.95 FEET; THENCE ALONG THE ARC OF SAID CURVE, AN ARC DISTANCE OF 221.39 FEET TO A POINT OF REVERSE CURVE OF A CURVE TO THE RIGHT, HAVING: A RADIUS OF 170.00 FEET, A CENTRAL ANGLE OF 72°58'42", A TANGENT LENGTH OF 125.74 FEET, A CHORD BEARING OF S.20°27'35"E., AND A CHORD LENGTH OF 202.19 FEET; THENCE ALONG THE ARC OF SAID CURVE, AN ARC DISTANCE OF 216.53 FEET; THENCE S.16°01'48"W., A DISTANCE OF 282.20 FEET TO A POINT HEREINAFTER REFERRED TO AS POINT "A", SAID POINT ALSO BEING THE POINT OF CURVATURE OF A CURVE TO THE LEFT, HAVING: A RADIUS OF 300.00 FEET, A CENTRAL ANGLE OF 16°57'20", A TANGENT LENGTH OF 44.72 FEET, A CHORD BEARING OF S.07°33'06"W., AND A CHORD LENGTH OF 88.46 FEET; THENCE ALONG THE ARC OF SAID CURVE, AN ARC DISTANCE OF 88.78 FEET; THENCE S.00°55'34"E., A DISTANCE OF 223.29 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE LEFT HAVING: RADIUS OF 270.00 FEET, A CENTRAL ANGLE OF 09°29'10", A TANGENT LENGTH OF 22.40 FEET, A CHORD BEARING OF S.05°40'09"E., AND A CHORD LENGTH OF 44.65 FEET; THENCE ALONG THE ARC OF SAID CURVE, AN ARC DISTANCE OF 44.70 FEET; THENCE S.10°24'44"E., A DISTANCE OF 143.54 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE RIGHT, HAVING: A RADIUS OF 330.00

Inst:2002022192 Date:11/07/2002 Time:10:22

Doc Stamp-Deed : 645.40

mk DC, P. DeWitt Cason, Columbia County B:966 P:2644

FEET, A CENTRAL ANGLE OF 15°15'21", A TANGENT LENGTH OF 44.19 FEET, A CHORD BEARING OF S.02°47'03"E., AND A CHORD LENGTH OF 87.61 FEET; THENCE ALONG THE ARC OF SAID CURVE, AN ARC DISTANCE OF 87.87 FEET; THENCE S.04°50'37"W., A DISTANCE OF 125.00 FEET TO A POINT HEREINAFTER REFERRED TO AS POINT "B"; THENCE CONTINUE S.04°50'37"W., A DISTANCE OF 58.27 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE LEFT, HAVING: A RADIUS OF 80.00 FEET, A CENTRAL ANGLE OF 25°22'17", A TANGENT LENGTH OF 18.01 FEET, A CHORD BEARING OF S.07°50'32"E., AND A CHORD LENGTH OF 35.14 FEET; THENCE ALONG THE ARC OF SAID CURVE, AN ARC DISTANCE OF 35.43 FEET; THENCE S.20°31'41"E., A DISTANCE OF 284.45 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE RIGHT, HAVING: A RADIUS OF 300.00 FEET, A CENTRAL ANGLE OF 19°54'39", A TANGENT LENGTH OF 52.66 FEET, A CHORD BEARING OF S.10°34'21"E., AND A CHORD LENGTH OF 103.73 FEET; THENCE ALONG THE ARC OF SAID CURVE, AN ARC DISTANCE OF 104.25 FEET; THENCE S.00°37'02"E., A DISTANCE OF 172.66 FEET TO A POINT TO A POINT HEREINAFTER REFERRED TO AS POINT "C"; THENCE CONTINUE S.00°37'02"E., A DISTANCE OF 266.23 FEET TO THE POINT OF CURVATURE OF A CURVE, HAVING: A RADIUS OF 150.00 FEET, A CENTRAL ANGLE OF 47°58'58", A TANGENT LENGTH OF 66.78 FEET, A CHORD BEARING OF S.23°22'27"W., AND A CHORD LENGTH OF 121.98 FEET; THENCE ALONG THE ARC OF SAID CURVE AN ARC DISTANCE OF 125.62 FEET; THENCE S.47°21'56"W., A DISTANCE OF 70.00 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE LEFT, HAVING: A RADIUS OF 150.00 FEET, A CENTRAL ANGLE OF 58°35'13", A TANGENT LENGTH OF 84.15 FEET, A CHORD BEARING OF S.18°04'19"W., AND A CHORD LENGTH OF 146.78 FEET; THENCE ALONG THE ARC OF SAID CURVE, AN ARC DISTANCE OF 153.38 FEET; THENCE S.11°13'17"E., A DISTANCE OF 205.89 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE RIGHT, HAVING: A RADIUS OF 150.00 FEET, A CENTRAL ANGLE OF 43°09'40", A TANGENT LENGTH OF 59.33 FEET, A CHORD BEARING OF S.10°21'33"W., AND A CHORD LENGTH OF 110.34 FEET; THENCE ALONG THE ARC OF SAID CURVE, AN ARC DISTANCE OF 113.00 FEET; THENCE S.31°56'23"W., A DISTANCE OF 183.67 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE LEFT, HAVING: A RADIUS OF 330.00 FEET, A CENTRAL ANGLE OF 12°59'20", A TANGENT LENGTH OF 37.57 FEET, A CHORD BEARING OF S.25°26'43"W., AND A CHORD LENGTH OF 74.65 FEET; THENCE ALONG THE ARC OF SAID CURVE, AN ARC DISTANCE OF 74.81 FEET TO A POINT HEREINAFTER REFERRED TO AS POINT "D", SAID POINT BEING A POINT OF TERMINATION OF SAID CENTERLINE. THENCE BEGIN AT THE AFOREMENTIONED POINT "A", AND RUN THENCE N.81°32'45"E., A DISTANCE OF 701.09 FEET; THENCE N.87°14'29"E., A DISTANCE OF 627.20 FEET TO THE RADIUS POINT OF A 25 FOOT CUL-DE-SAC, SAID POINT BEING A POINT OF TERMINATION OF SAID CENTERLINE. THENCE BEGIN AT A AFOREMENTIONED POINT "B", AND RUN THENCE S.84°04'22"W., A DISTANCE OF 140.14 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE RIGHT, HAVING: A RADIUS OF 300.00 FEET, A CENTRAL ANGLE OF 29°28'54", A TANGENT LENGTH OF 78.93 FEET, A CHORD BEARING OF N.81°11'11"W., AND A CHORD LENGTH OF 152.67 FEET; THENCE ALONG THE ARC OF SAID CURVE, AN ARC DISTANCE OF 154.37 FEET; THENCE N.66°26'45"W., A DISTANCE OF 156.72 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE LEFT, HAVING: A RADIUS OF 330.00 FEET, A CENTRAL ANGLE OF 26°53'38", A TANGENT LENGTH OF 78.90 FEET, A CHORD BEARING OF N.79°53'33"W., AND A CHORD LENGTH OF 153.48 FEET; THENCE ALONG THE ARC OF SAID CURV, AN ARC DISTANCE OF 154.90 FEET;