24-0081 Libby lin=100ft. 1-25-24 ラ · 287 DRIVE carport Hanger Soto 545.35 51. SW CITTUS DR. 1881

Willia D. Biolog IF

STATE OF FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

APPLICATION FOR CONSTRUCTION PERMIT

	Permit Application Number_		008
Ubby	PART II - SITEPLAN= 40 feet.		
Fach block represents 10 feet and	= 40 feet.		
E. CACH DIOCK TEPTESCHIS TO TOCK UIT			
	10101111111		
	400000		
	TI WILL		
S:			
	2. Sicker II	aster co	

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT

Not Approved

DEP 4015, 06-21-2022 (Obsoletes previous editions which may not be used)

Incorporated: 62-6.004, F.A.C.

Plan Approved

Date 27/24

____County Health Department



STATE OF FLORIDA DEPARTMENT OF HEALTH ONSITE SEWAGE TREATMENT AND DISPOSAL SYSTEM

PERMIT #: 12-SC-2846278

APPLICATION #: AP2036811

DATE PAID: \\31\24

FEE PAID: 310.00

RECEIPT #:_

DOCUMENT #: PR2043735

	LAS**24-0081 LIBBY
PROPERTY ADDRESS:	SW CIRRUS Lake City, FL 32024
LOT: <u>17</u>	BLOCK: SUBDIVISION: Lake City Airpark
PROPERTY ID #: 0	[SECTION, TOWNSHIP, RANGE, PARCEL NUMBER] [OR TAX ID NUMBER]
SATISFACTORY PERF WHICH SERVED AS PERMIT APPLICATION ISSUANCE OF THIS	AND CHAPTER 64E-6, F.A.C. DEPARTMENT APPROVAL OF SYSTEM DOES NOT GUARANTED FORMANCE FOR ANY SPECIFIC PERIOD OF TIME. ANY CHANGE IN MATERIAL FACTS A BASIS FOR ISSUANCE OF THIS PERMIT, REQUIRE THE APPLICANT TO MODIFY THE
SYSTEM DESIGN AND	SPECIFICATIONS
r [1,050] GALI	CONS / GPD New Multi-Chambered Septic CAPACITY
[] GALI	LONS / GPD N/A CAPACITY
	NS GREASE INTERCEPTOR CAPACITY [MAXIMUM CAPACITY SINGLE TANK:1250 GALLONS]
	NS DOSING TANK CAPACITY []GALLONS @[]DOSES PER 24 HRS #Pumps [
) [500] SQUAR	E FEET Drainfield SYSTEM
R [] SQUAR	
TYPE SYSTEM:	[] STANDARD [X] FILLED [] MOUND []
CONFIGURATION:	[X] TRENCH [] BED []
1	
LOCATION OF BENCE	HMARK: Nail in oak W of site
DOCALLON OF DENCE	
	POSED SYSTEM SITE [12.00] [INCHES FT] [ABOVE BELOW BENCHMARK/REFERENCE POINT
ELEVATION OF PROP	POSED SYSTEM SITE [12.00] [INCHES / FT] [ABOVE / BELOW] BENCHMARK/REFERENCE POINT
ELEVATION OF PROP	POSED SYSTEM SITE [12.00] [INCHES FT] [ABOVE BELOW] BENCHMARK/REFERENCE POINT IELD TO BE [16.00] [INCHES FT] [ABOVE BELOW] BENCHMARK/REFERENCE POINT
ELEVATION OF PROPERTY OF BOTTOM OF DRAINF	IELD TO BE [16.00] [INCHES FT] [ABOVE BELOW] BENCHMARK/REFERENCE POINT
ELEVATION OF PROPERTY OF THE PROPERTY OF T	[16.00] [INCHES FT] [ABOVE BELOW] BENCHMARK/REFERENCE POINT [14.00] INCHES EXCAVATION REQUIRED: [] INCHES
ELEVATION OF PROPERTY OF THE PROPERTY OF T	IELD TO BE [16.00] [INCHES FT] [ABOVE BELOW] BENCHMARK/REFERENCE POINT
ELEVATION OF PROPERTY OF THE PROPERTY OF T	[16.00] [INCHES FT] [ABOVE BELOW] BENCHMARK/REFERENCE POINT [14.00] INCHES EXCAVATION REQUIRED: [] INCHES
ELEVATION OF PROPERTY OF PROPE	[16.00] [INCHES FT] [ABOVE BELOW] BENCHMARK/REFERENCE POINT [14.00] INCHES EXCAVATION REQUIRED: [] INCHES
ELEVATION OF PROPERTY OF PROPE	[16.00] [INCHES FT] [ABOVE BELOW] BENCHMARK/REFERENCE POINT [14.00] INCHES EXCAVATION REQUIRED: [] INCHES
ELEVATION OF PROPERTY OF PROPE	[16.00] [INCHES FT] [ABOVE BELOW] BENCHMARK/REFERENCE POINT [14.00] INCHES EXCAVATION REQUIRED: [] INCHES
ELEVATION OF PROPERTY OF PROPE	[16.00] [INCHES FT] [ABOVE BELOW] BENCHMARK/REFERENCE POINT [14.00] INCHES EXCAVATION REQUIRED: [] INCHES
ELEVATION OF PROPERTY OF PROPE	[16.00] [INCHES FT] [ABOVE BELOW] BENCHMARK/REFERENCE POINT [14.00] INCHES
ELEVATION OF PROPERTY OF PROPE	[14.00] INCHES EXCAVATION REQUIRED: [] INCHES for 4 bedrooms with a maximum occupancy of 8 persons (2 per bedroom), for a total estimated flow of William D Bishop II TITLE: Master Septic Contractor
ELEVATION OF PROPERTY OF PROPE	[16.00] [INCHES FT] [ABOVE BELOW] BENCHMARK/REFERENCE POINT [14.00] INCHES
ELEVATION OF PROD BOTTOM OF DRAINF: FILL REQUIRED: The system is sized	[14.00] INCHES EXCAVATION REQUIRED: [] INCHES for 4 bedrooms with a maximum occupancy of 8 persons (2 per bedroom), for a total estimated flow of William D Bishop II TITLE: Master Septic Contractor

Revised



STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
ONSITE SEWAGE TREATMENT AND DISPOSAL
SYSTEM (OSTDS)

24-0081

PERMIT NO.

DATE PAID:

310.00

FEE PAID: RECEIPT #:

100 001 17
APPLICATION FOR CONSTRUCTION PERMIT
APPLICATION FOR: [New System [] Existing System [] Holding Tank [] Innovative [] Repair [] Abandonment [] Temporary []
APPLICANT: DOUGLAS & Barbara Libby EMAIL: MOCK uford a windstream net TELEPHONE: 386-497-2311
AGENT: A&B CONSTRUCTION TELEPHONE: 386-497-2311
MAILING ADDRESS: 546 SW DOTTCH ST, Ft. White, FL. 32038
TO BE COMPLETED BY APPLICANT OR APPLICANT'S AUTHORIZED AGENT. SYSTEMS MUST BE CONSTRUCTED BY A PERSON LICENSED PURSUANT TO 489.105(3) (m) OR 489.552, FLORIDA STATUTES. IT IS THE APPLICANT'S RESPONSIBILITY TO PROVIDE DOCUMENTATION OF THE DATE THE LOT WAS CREATED OR PLATTED (MM/DD/YY) IF REQUESTING CONSIDERATION OF STATUTORY GRANDFATHER PROVISIONS.
PROPERTY INFORMATION OSTDS REMEDIATION PLAN? [Y / N]
LOT: 17 BLOCK: NA SUBDIVISION: Lake City Airpark PLATTED:
PROPERTY ID #: 22-5S-17-09322-0120NING: I/M OR EQUIVALENT: [Y / N]
PROPERTY SIZE 4.23 ACRES WATER SUPPLY: [X] PRIVATE PUBLIC [] <= 2000GPD []>2000GPD
IS SEWER AVAILABLE AS PER 381.0065, FS? [Y /(N)] DISTANCE TO SEWER:
PROPERTY ADDRESS: SW CITTUS DR, Lake City, DR.
TR onto SW Aviation DR, TL tostay on SW Aviation DR & onto SW Cirrus DR, prop. on right
BUILDING INFORMATION [RESIDENTIAL [] COMMERCIAL
Unit Type of No. of Building Commercial/Institutional System Design No Establishment Bedrooms Area Sqft Table I, Chapter 62-6, FAC
1 SF Residential 4 2101
2 Hanger /bothmom Ø 50x100 NOT H&C
Hanger/bothnoom Ø 50x60 NOT H&C bathroom = 12 × 7 = 84
4 WATNIY DO M - 12 / 1
and the second s

SIGNATURE: Willia O. Siskof II DATE: 2-9-24