




ELEVATION VIEW



DETAIL VIEW- 'MARKET' LETTERS



DETAIL VIEW-SIGN



Sean M.  
McFarland  
2024.06.27  
16:52:44 -04'00'  
2024.002.20857

**DESIGN WIND LOAD:**  
Based on the 2023 Florida Building Code, 8th Edition (ASCE 7-22) using Risk Category II, Exposure C and 150 mph wind speed

**FASTENER NOTE:**  
Use 18-8 stainless steel bolts, w/spacers thru EIFS, as listed:  
Toggle bolts in hollow concrete block or plywood sheathing.  
TEK screws in metal studs.  
Lag bolts in wood studs.  
All thread bolts with blocking between studs without sheathing.  
Hilti HIT-IC inserts embedded 3/8" with HY-270 adhesive in brick.  
Hilti HLC Sleeve anchors embedded 1 1/2" in concrete or grout filled CMU.

**SITE:** Dollar General Market  
Store No. 25861  
8255 S.W. US Highway 27  
Fort White, Florida 32038

A	24 Jun 24	RELEASED FOR PERMITTING				J. HOGAN
REV	DATE	DESCRIPTION				APPROVED
Robert-James & Associates, Inc. 12255 West 187th Street, Mokena Illinois 60448-9737 phone: 708-479-8385 fax: 708-479-8395 email: rja37@comcast.net						
TITLE LED SIGN AND CHANNEL LETTERS FOR INSTALLATION ON BUILDING WALL						
DRAWN BY W. CARTER		DATE 24 Jun 24	SCALE NONE	DRAWING NUMBER	SHEET	REV.
CHECKED BY J. HOGAN		DATE 24 Jun 24		2406204	1 OF 1	A