



Columbia County, FL. Building & Zoning Culvert Permit #000039006



OWNER: MORRIS & AMANDA ALBRITTON

PHONE: 352-984-8990

DATE ISSUED: December 09, 2019

PARCEL ID: 27-6S-16-03951-121

SUBDIVISION: FOXWOOD PHASE 2

LOT: 21

BLK:

PHASE: 2

UNIT:

ZONING: AGRICULTURE - 3 A-3

FLOOD ZONE: X

Latitude: 29.935844

Longitude: -82.708302

CONTRACTOR

NAME: RUSTY L KNOWLES

ADDRESS:

5801 SW SR 47

BUSINESS: FINEST MOBILE HOME SET UP

LAKE CITY, FL 32024

PHONE: 386-397-0886

LICENSE: IH1038219 -

PROJECT DETAILS

FLOOR ONE FOOT ABOVE THE ROAD

BUILDING PERMIT #:

000039005

STANDARDS:

Shall conform to Public Works Determinations as
stated below

REQUIREMENTS:

Install min, 32' x 18" corr metal culvert w /
concrete mitred ends, w / 6" x 6" welded wire,
rebar or culvert bolts in mitred ends, concrete
mitred ends W -3ft x L -4ft, with 4" of limerock on
top cover.

Notice: in addition to the requirements of this permit, there may be additional restrictions applicable to this property that may be found in the public records of this county. The issuance of this permit does not waive compliance by permittee with deed restrictions.

Notice: all other applicable state or federal permits shall be obtained before commencement of this permitted development.

**"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF
COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR
IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN
FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE
RECORDING YOUR NOTICE OF COMMENCEMENT."**

Every permit issued shall become invalid unless the work authorized by such permit is commenced within 180 days after its issuance, or if the work authorized by such permit is suspended or abandoned for a period of 180 days after the time the work is commenced. A valid permit receives an approved inspection every 180 days. Work shall be considered not suspended, abandoned or invalid when the permit has received an approved inspection within 180 days of the previous inspection.

2/26/2020 11:58 AM