

Surface conditions, weather, footwear and tool pitch
conditions will be superior, type of debris or debris in presence of debris
surface conditions will be superior, type of debris or debris in presence of debris

MEETS ASTM D4869 & D226
envelopes.com/rhinoroot | 800-567-9727
Copyright © 2018 Owens Corning. All Rights Reserved.



ASTM D4869 & D226
envelopes.com/rhinoroot | 800-567-9727
Owens Corning. All Rights Reserved.



Slip resistance may vary with surface conditions, weather, footwear and tool pitch.
La resistencia al desliz puede variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo.
Le degré de résistance au glissement peut varier dépendant de la température, chaussures utilisées et la loi pente.



Slip resistance may vary with surface conditions, weather, footwear and roof pitch.
La resistencia al desliz puede variar de acuerdo a las condiciones de la superficie, clima y la pendiente del techo.
Le degré de résistance au glissement peut varier dépendant de la température, l'état du sol, le type de chaussure et la pente.

CSA A123.1
CANADA APPROVED
FORMA BUILDING
CODE APPROVED

M D4869 & D226
MinoroRoof | 800-867-9727
is Corning. All rights reserved.

CSA A123.1
CANADA APPROVED
FORMA BUILDING
CODE APPROVED



Slip resistance may vary with surface conditions, weather, footwear and roof pitch.
La resistencia al desliz puede variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo.
Le degré de résistance au glissement peut varier dépendant de la température, chaussures utiliser et le toit pente.

MEETS ASTM D4869 & D226
eavetopsak.com/RhinoRoof | 800-567-9727
Copyright © 2018 Owens Corning. All Rights Reserved.

ASTM D226
800-567-9727
All Rights Reserved.

Slip resistance may vary with surface conditions, weather, footwear and roof pitch.
La resistencia al desliz puede variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo.
Le degré de résistance au glissement peut varier dépendant de la température, chaussures utiliser et le toit pente.