

PGT ORDER FORM

TIME02:29:34

DATE04/13/2025

CSR & EXT

TOM V. x21326

ALICE W. x21343

DEALER #12228

CUSTOMERDeserrai Goosen

JOB #F50172295

PO #

WINGUARD (IMPACT)

REMODEL

ENERGYVUE (NON-IMPACT)

NEW CONSTRUCTION

DEALER NAMETHD AT HOME SERVICES

DESIGN CONSULTANTMichael Shaheen

ORDERED BY

ORDERED BY PHONE #

CITY, STATE

SHIP TO #

MDI?

YES

NO

IF 'NO' INDICATE STANDARDS DESIRED

REQUIRED FOR MIAMI DADE:

WOOD OPENING

1/4" SS TAPCON

#12 WOOD SCREW

1/4" SS4 CRETEFLEX

CONCRETE OPENING

SPEC SHEET #

Sheet 1 of 4

BOX/CRATE ORDER

YES

NO

EMAIL SENT

YES

NO

PGT USE

S.O.#

SHIP DATE

SHIP VIA

LEAD TIME AUTH

CHECKER'S INITIALS

SOLD ON PROMO

YES

NO

							FINISH		OPENING SIZE			DOORS		SLIDE DIRECTION				GRIDS							OPENING SIZE MeasureTech Input				
COUNT	FLOOR	ROOM	QTY	PGT SERIES #	SPEC CODE	FLANGE -or- BOX FRAME	INTERIOR	EXTERIOR	WIDTH (in.)	HEIGHT (in.)	UI	# PANELS	# TRACKS	STD - or- REV STACK	X-Operating S-Stationary <i>Viewed from the outside</i>				HANDING (RH-or-LH)	TYPE FLAT (F) -or- SCULPTURED (S)	PATTERN	TOP -or- BOTTOM -or- ALL	# Bars Vertical	# Bars Horizontal	Glass Options Hardware Screens & Mulls	LABOR OPTIONS / MISC ITEMS CODE	WIDTH (in.)	HEIGHT (in.)	UI
1	1st	LIV		5400	SH	B	WH	WH	35	48	83														Standard,Standard : WHT	J CHAN, FLANGE, F			
2	1st	LIV		5400	SH	B	WH	WH	35	48	83														Standard,Standard : WHT	J CHAN, FLANGE, F			
3	1st	LIV		5400	HR	B	WH	WH	70	48	118														Standard,MULL-C	J CHAN, FLANGE, F			
4	1st	LIV		5400	FC	B	WH	WH	23.5	23.5	47														Standard	J CHAN, FLANGE, F			
5	1st	LIV		5400	FC	B	WH	WH	23.5	23.5	47														Standard	J CHAN, FLANGE, F			
6	1st	LIV		5400	SH	B	WH	WH	35	48	83														Standard, TMP : Bottom,Standard : WHT,MULL-C	J CHAN, FLANGE, F			
INSTALLER NOTES:												MANUFACTURER NOTES:																	
MISC(1) : (null), Line Level Notes: Trim , MISC(2) : (null), Line Level Notes: Trim , MISC(3) : (null), Line Level Notes: Trim , MISC(4) : (null), Line Level Notes: Trim , MISC(5) : (null), Line Level Notes: Trim , MISC(6) : (null), Line Level Notes: Trim , Job Level Labor & Notes: Permit Processing																													
I have reviewed and agreed with all job specifications and the Special Terms & Conditions on the back of the yellow (Customer) copy.																													

Customer Signature

Date:

PGT ORDER FORM

TIME02:29:34

DATE04/13/2025

CSR & EXT

TOM V. x21326

ALICE W. x21343

DEALER #12228

CUSTOMERDeserrai Goosen

JOB #F50172295

PO #

WINGUARD (IMPACT)

ENERGYVUE (NON-IMPACT)

REMODEL

NEW CONSTRUCTION

DEALER NAMETHD AT HOME SERVICES

DESIGN CONSULTANTMichael Shaheen

ORDERED BY

ORDERED BY PHONE #

CITY, STATE

SHIP TO #

MDI?

YES

NO

IF 'NO' INDICATE STANDARDS DESIRED

REQUIRED FOR MIAMI DADE:

WOOD OPENING

#12 WOOD SCREW

1/4" SS TAPCON

1/4" SS4 CRETEFLEX

CONCRETE OPENING

SPEC SHEET #

Sheet 2 of 4

BOX/CRATE ORDER

EMAIL SENT

YES

NO

YES

NO

PGT USE

S.O.#

SHIP DATE

SHIP VIA

LEAD TIME AUTH

CHECKER'S INITIALS

SOLD ON PROMO

YES

NO

							FINISH		OPENING SIZE			DOORS		SLIDE DIRECTION				GRIDS							OPENING SIZE MeasureTech Input				
COUNT	FLOOR	ROOM	QTY	PGT SERIES #	SPEC CODE	FLANGE -or- BOX FRAME	INTERIOR	EXTERIOR	WIDTH (in.)	HEIGHT (in.)	UI	# PANELS	# TRACKS	STD - or- REV STACK	X-Operating S-Stationary <i>Viewed from the outside</i>				HANDING (RH-or-LH)	TYPE FLAT (F) -or- SCULPTURED (S)	PATTERN	TOP -or- BOTTOM -or- ALL	# Bars Vertical	# Bars Horizontal	Glass Options Hardware Screens & Mulls	LABOR OPTIONS / MISC ITEMS CODE	WIDTH (in.)	HEIGHT (in.)	UI
7	1st	LIV		5400	SH	B	WH	WH	35	48	83														Standard, TMP : Bottom,Standard : WHT,MULL-C	J CHAN, FLANGE, F			
8	1st	LIV		5400	HR	B	WH	WH	70	48	118														Standard	J CHAN, FLANGE, F			
9	1st	KITCH		5400	SH	B	WH	WH	35	59	94														Standard,Standar d : WHT	J CHAN, FLANGE, F			
10	1st	KITCH		5400	SH	B	WH	WH	35	59	94														Standard,Standar d : WHT	J CHAN, FLANGE, F			
11	1st	KITCH		5400	SH	B	WH	WH	35	59	94														Standard,Standar d : WHT	J CHAN, FLANGE, F			
12	1st	KITCH		5400	SH	B	WH	WH	35	59	94														Standard,Standar d : WHT	J CHAN, FLANGE, F			
INSTALLER NOTES:												MANUFACTURER NOTES:																	
MISC(7) : (null), Line Level Notes: Trim , MISC(8) : (null), Line Level Notes: Trim , MISC(9) : (null), Line Level Notes: Trim , MISC(10) : (null), Line Level Notes: Trim , MISC(11) : (null), Line Level Notes: Trim , MISC(12) : (null), Line Level Notes: Trim , Job Level Labor & Notes: Permit Processing																													

Customer Signature

Date:

PGT ORDER FORM

TIME02:29:34

DATE04/13/2025

CSR & EXT

TOM V. x21326

ALICE W. x21343

DEALER #12228

CUSTOMERDeserrai Goosen

JOB #F50172295

PO #

WINGUARD (IMPACT)

ENERGYVUE (NON-IMPACT)

REMODEL

NEW CONSTRUCTION

DEALER NAMETHD AT HOME SERVICES

DESIGN CONSULTANTMichael Shaheen

ORDERED BY

ORDERED BY PHONE #

CITY, STATE

SHIP TO #

MDI?

YES

NO

IF 'NO' INDICATE STANDARDS DESIRED

REQUIRED FOR MIAMI DADE:

WOOD OPENING

#12 WOOD SCREW

1/4" SS TAPCON

1/4" SS4 CRETEFLEX

CONCRETE OPENING

SPEC SHEET #

Sheet 3 of 4

BOX/CRATE ORDER

YES

NO

EMAIL SENT

YES

NO

PGT USE

S.O.#

SHIP DATE

SHIP VIA

LEAD TIME AUTH

CHECKER'S INITIALS

SOLD ON PROMO

YES

NO

							FINISH		OPENING SIZE			DOORS		SLIDE DIRECTION				GRIDS						OPENING SIZE MeasureTech Input					
COUNT	FLOOR	ROOM	QTY	PGT SERIES #	SPEC CODE	FLANGE -or- BOX FRAME	INTERIOR	EXTERIOR	WIDTH (in.)	HEIGHT (in.)	UI	# PANELS	# TRACKS	STD - or- REV STACK	X-Operating S-Stationary <i>Viewed from the outside</i>				HANDING (RH-or-LH)	TYPE FLAT (F) -or- SCULPTURED (S)	PATTERN	TOP -or- BOTTOM -or- ALL	# Bars Vertical	# Bars Horizontal	Glass Options Hardware Screens & Mulls	LABOR OPTIONS / MISC ITEMS CODE	WIDTH (in.)	HEIGHT (in.)	UI
13	1st	KITCH		5400	SH	B	WH	WH	35	59	94														Standard,Standard : WHT	J CHAN, FLANGE, F			
14	1st	BED1		5400	1 PNL	B	WH	WH	72	35	107				X	S									Standard,Standard : WHT	J CHAN, FLANGE, F			
15	1st	BED1		5400	1 PNL	B	WH	WH	72	35	107				X	S									Standard,Standard : WHT	J CHAN, FLANGE, F			
16	1st	MBATH		5400	1 PNL	B	WH	WH	46	35	81				X	S									Standard, TMP : Full,Obscure Glass - Low E,Standard : WHT	J CHAN, FLANGE, F			
17	1st	MBED		5400	SH	B	WH	WH	24	64	88														Standard,Standard : WHT	J CHAN, FLANGE, F			
18	1st	MBED		5400	SH	B	WH	WH	24	64	88														Standard,Standard : WHT	J CHAN, FLANGE, F			
INSTALLER NOTES:												MANUFACTURER NOTES:																	
MISC(13) : (null), Line Level Notes: Trim , MISC(14) : (null), Line Level Notes: Trim , MISC(15) : (null), Line Level Notes: Trim , MISC(16) : (null), Line Level Notes: Trim , MISC(17) : (null), Line Level Notes: Trim , MISC(18) : (null), Line Level Notes: Trim , Job Level Labor & Notes: Permit Processing																													

Customer Signature

Date:

PGT ORDER FORM

TIME02:29:34

DATE04/13/2025

CSR & EXT

TOM V. x21326

ALICE W. x21343

DEALER #12228

CUSTOMERDeserrai Goosen

JOB #F50172295

PO #

WINGUARD (IMPACT)

ENERGYVUE (NON-IMPACT)

REMODEL

NEW CONSTRUCTION

DEALER NAMETHD AT HOME SERVICES

DESIGN CONSULTANTMichael Shaheen

ORDERED BY

ORDERED BY PHONE #

CITY, STATE

SHIP TO #

MDI?

YES

NO

IF 'NO' INDICATE STANDARDS DESIRED

REQUIRED FOR MIAMI DADE:

WOOD OPENING

#12 WOOD SCREW

1/4" SS TAPCON

1/4" SS4 CRETEFLEX

CONCRETE OPENING

SPEC SHEET #

Sheet 4 of 4

BOX/CRATE ORDER

EMAIL SENT

YES

NO

YES

NO

PGT USE

S.O.#

SHIP DATE

SHIP VIA

LEAD TIME AUTH

CHECKER'S INITIALS

SOLD ON PROMO

YES

NO

							FINISH		OPENING SIZE			DOORS		SLIDE DIRECTION				GRIDS							OPENING SIZE				
COUNT	FLOOR	ROOM	QTY	PGT SERIES #	SPEC CODE	FLANGE -or- BOX FRAME	INTERIOR	EXTERIOR	WIDTH (in.)	HEIGHT (in.)	UI	# PANELS	# TRACKS	STD - or- REV STACK	X-Operating S-Stationary Viewed from the outside				HANDING (RH-or-LH)	TYPE FLAT (F) -or- SCULPTURED (S)	PATTERN	TOP -or- BOTTOM -or- ALL	# Bars Vertical	# Bars Horizontal	Glass Options Hardware Screens & Mulls	LABOR OPTIONS / MISC ITEMS CODE	WIDTH (in.)	HEIGHT (in.)	UI
19	1st	MBED		5400	PD-F	B	WH	WH	72	80	152	2			X	S									Standard, TMP : Full,Obscure Glass - Low E,Standard : STN	J CHAN, FLANGE, F			
20	1st	BED2		5400	PD-F	B	WH	WH	24	80	104	1							L						Standard, TMP : Full,Obscure Glass - Low E,Standard : STN	J CHAN, FLANGE, F			
21	1st	GAR		5400	1 PNL	B	WH	WH	71	42	113				S	X									Standard,Standard : WHT	J CHAN, FLANGE, F			
22	1st	GAR		5400	1 PNL	B	WH	WH	35	35	70				S	X									Standard,Standard : WHT	J CHAN, FLANGE, F			
23	1st	ENTRY		5400	HR	B	WH	WH	72	36	108														Standard	J CHAN, FLANGE, F			
INSTALLER NOTES:												MANUFACTURER NOTES:																	
MISC(19) : (null), Line Level Notes: Trim , MISC(20) : (null), Line Level Notes: Trim , MISC(21) : (null), Line Level Notes: Trim , MISC(22) : (null), Line Level Notes: Trim , MISC(23) : (null), Line Level Notes: Trim , Job Level Labor & Notes: Permit Processing																													
I have reviewed and agreed with all job specifications and the Special Terms & Conditions on the back of the yellow (Customer) copy.																													

Customer Signature

Date: