

This Permit Must Be Prominently Posted on Premises During Construction

APPLICANTWILBERT AUSTINPHONE697-5037

ADDRESS149NE EMPIRE DRLAKE CITYFL32055

OWNERSDOROTHY BROWNPHONE752-4699

ADDRESS167SW OASIS GLENLAKE CITYFL32025

CONTRACTORWILBERT AUSTINPHONE697-5037

LOCATION OF PROPERTY441S, TR ON CR 242, TL ON OASIS GLEN, 3RD LOT ON RIGHT

TYPE DEVELOPMENTMH,UTILITYESTIMATED COST OF CONSTRUCTION0.00

HEATED FLOOR AREATOTAL AREAHEIGHTSTORIES

FOUNDATIONWALLSROOF PITCHFLOOR

LAND USE & ZONINGA-3MAX. HEIGHT

Minimum Set Back Requirments:STREET-FRONT30.00REAR25.00SIDE25.00

NO. EX.D.U.1FLOOD ZONEXDEVELOPMENT PERMIT NO.

PARCEL ID28-4S-17-08815-000SUBDIVISIONFLORA CREST FARM

LOT1BLOCK4PHASEUNITTOTAL ACRES

IH0000403

Culvert Permit No.Culvert WaiverContractor's License NumberApplicant/Owner/Contractor

EXISTING08-277CSJHN

Driveway ConnectionSeptic Tank NumberLU & Zoning checked byApproved for IssuanceNew Resident

COMMENTS: ONE FOOT ABOVE THE ROAD, EXISTING MH ON LOT 8 TO BE REMOVED,

2.3.8 NON-CONFORMING MHP

Check # or Cash91

FOR BUILDING & ZONING DEPARTMENT ONLY

(footer/Slab)

Temporary Powerdate/app. byFoundationdate/app. byMonolithicdate/app. by

Under slab rough-in plumbingdate/app. bySlabdate/app. bySheathing/Nailingdate/app. by

Framingdate/app. byRough-in plumbing above slab and below wood floordate/app. by

Electrical rough-indate/app. byHeat & Air Ductdate/app. byPeri. beam (Lintel)date/app. by

Permanent powerdate/app. byC.O. Finaldate/app. byCulvertdate/app. by

M/H tie downs, blocking, electricity and plumbingdate/app. byPooldate/app. by

Reconnectiondate/app. byPump poledate/app. byUtility Poledate/app. by

M/H Poledate/app. byTravel Trailerdater/app. byRe-roofdate/app. by

BUILDING PERMIT FEE \$0.00CERTIFICATION FEE \$0.00SURCHARGE FEE \$0.00

MISC. FEES \$250.00ZONING CERT. FEE \$50.00FIRE FEE \$0.00WASTE FEE \$

FLOOD DEVELOPMENT FEE \$FLOOD ZONE FEE \$25.00CULVERT FEE \$TOTAL FEE325.00

INSPECTORS OFFICECLERKS OFFICE

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

EVERY PERMIT ISSUED SHALL BECOME INVALID UNLESS THE WORK AUTHORIZED BY SUCH PERMIT IS COMMENCED WITHIN 180 DAYS AFTER ITS ISSUANCE, OR IF THE WORK AUTHORIZED BY SUCH PERMIT IS SUSPENDED OR ABANDONED FOR A PERIOD OF 180 DAYS AFTER THE TIME THE WORK IS COMMENCED. A VALID PERMIT RECIEVES AN APPROVED INSPECTION EVERY 180 DAYS. WORK SHALL BE CONSIDERED TO BE IN ACTIVE PROGRESS WHEN THE PERMIT HAS RECIEVED AN APPROVED INSPECTION WITHIN 180 DAYS.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.

PERMIT APPLICATION / MANUFACTURED HOME INSTALLATION APPLICATION

CK# 91 in Box

For Office Use Only (Revised 11-30-07) Zoning Official afw 4/8/08 Building Official OK JTH 4-7-08

AP# 0804-05 Date Received 4/2/08 By GT Permit # 26945

Flood Zone X Development Permit — Zoning A-3 Land Use Plan Map Category A-3

Comments Existing MH on lot 8 to be removed.
2.3.8 non-conf. MH Park

FEMA Map# _____ Elevation _____ Finished Floor _____ River _____ In Floodway _____

☒ Site Plan with Setbacks Shown ☒ EH # 08-277 ☐ EH Release ☐ Well letter ☒ Existing well

☒ Copy of Recorded Deed or Affidavit from land owner ☐ Letter of Authorization from installer

☐ State Road Access ☐ Parent Parcel # _____ ☐ STUP-MH _____

☐ Unincorporated area ☐ Incorporated area ☐ Town of Fort White ☐ Town of Fort White Compliance letter

Property ID # 28-45-17-08815-000 Subdivision Flora Crest Farm, Unit A Lot 1 BIK ↓

- New Mobile Home _____ Used Mobile Home ☒ Year 1985
- Applicant Wilbert Austin Jr. Phone # 386) 697-5037
- Address 149 N.E. Empire Dr. Lake City FL 32055
- Name of Property Owner Dorothy P. Brown Phone# 752-4698
- 911 Address 167 S.W. OASIS GLN 32052
- Circle the correct power company - FL Power & Light - Clay Electric
(Circle One) - Suwannee Valley Electric - Progress Energy
- Name of Owner of Mobile Home Dorothy P. Brown Phone # 752-4699
Address 154 S W OASIS GLN 32025
- Relationship to Property Owner Owner
- Current Number of Dwellings on Property 10
- Lot Size Lot # 8 OASIS MH PARK Total Acreage 1.33 1.75 (pd)
- Do you : Have Existing Drive or Private Drive or need Culvert Permit or Culvert Waiver (Circle one)
(Currently using) (Blue Road Sign) (Putting in a Culvert) (Not existing but do not need a Culvert)
- Is this Mobile Home Replacing an Existing Mobile Home Yes
- Driving Directions to the Property 441 S. Approx. 7 miles to
TR Hwy 242 Behind Oasis Bar., FL OASIS Glen, 3rd
MH on right
- Name of Licensed Dealer/Installer Wilbert Austin Phone # 386) 697-5037
- Installers Address 149 N.E. Empire Drive
- License Number EH0000003 Installation Decal # 91954

Trained by Wilbert 4.8.08 - Left PASE message

PERMIT WORKSHEET


PERMIT NUMBER

Installer Wilbert Perkins Jr License # TH 000003
 Address of home being installed 154 S.W. OASIS GLN
Beachwood
 Manufacturer Electrowall Length x width 14 x 52

NOTE: if home is a single wide fill out one half of the blocking plan
 if home is a triple or quad wide sketch in remainder of home

I understand Lateral Arm Systems cannot be used on any home (new or used)
 where the sidewall ties exceed 5 ft 4 in.

Installer's initials WLP



New Home ☐ Used Home ☒
 Home installed to the Manufacturer's Installation Manual ☒
 Home is installed in accordance with Rule 15-C ☒
 Single wide ☒ Wind Zone II ☒ Wind Zone III ☐
 Double wide ☐ Installation Decal # 294801
 Triple/Quad ☐ Serial # 91954

PIER SPACING TABLE FOR USED HOMES

Load bearing capacity	Footer size (sq in)	16" x 16" (256)	18 1/2" x 18 1/2" (342)	20" x 20" (400)	22" x 22" (484)*	24" x 24" (576)*	26" x 26" (676)
1000 psf	3'	4'	4'	5'	6'	7'	8'
1500 psf	4' 6"	6'	6'	7'	8'	8'	8'
2000 psf	6'	8'	8'	8'	8'	8'	8'
2500 psf	7' 6"	8'	8'	8'	8'	8'	8'
3000 psf	8'	8'	8'	8'	8'	8'	8'
3500 psf	8'	8'	8'	8'	8'	8'	8'

* interpolated from Rule 15C-1 pier spacing table.

PIER PAD SIZES

I-beam pier pad size 14 x 16
 Perimeter pier pad size 18 x 18
 Other pier pad sizes (required by the mfg.) _____

Draw the approximate locations of marriage wall openings 4 foot or greater. Use this symbol to show the piers.

List all marriage wall openings greater than 4 foot and their pier pad sizes below.

Opening	Pier pad size

ANCHORS

5 ft

FRAME TIES

within 2' of end of home spaced at 5' 4" oc

TIEDOWN COMPONENTS

Longitudinal Stabilizing Device (LSD)
 Manufacturer _____
 Longitudinal Stabilizing Device w/ Lateral Arms
 Manufacturer Oliver Tee

OTHER TIES

Sidewall _____
 Longitudinal _____
 Marriage wall _____
 Shearwall _____
 Number 12

PERMIT NUMBER

POCKET PENETROMETER TEST

The pocket penetrometer tests are rounded down to _____ psf or check here to declare 1000 lb. soil without testing.

x 1500 x 1500 x 1500

POCKET PENETROMETER TESTING METHOD

1. Test the perimeter of the home at 6 locations.
2. Take the reading at the depth of the footer.
3. Using 500 lb. increments, take the lowest reading and round down to that increment.

x 1500 x 1500 x 1500

TORQUE PROBE TEST

The results of the torque probe test is _____ inch pounds or check here if you are declaring 5' anchors without testing. A test showing 275 inch pounds or less will require 4 foot anchors.

Note: A state approved lateral arm system is being used and 4 ft. anchors are allowed at the sidewall locations. I understand 5 ft anchors are required at all centerline tie points where the torque test reading is 275 or less and where the mobile home manufacturer may requires anchors with 4000 lb holding capacity.

290 Installer's initials

ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER

Installer Name William Austin
Date Tested 3-19-08

Electrical

Connect electrical conductors between multi-wide units, but not to the main power source. This includes the bonding wire between multi-wide units. Pg. _____

Plumbing

Connect all sewer drains to an existing sewer tap or septic tank. Pg. _____

Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg. _____

Site Preparation

Debris and organic material removed ☒ Swale ☐ Pad ☐ Other ☐

Fastening multi wide units

Floor: Type Fastener: _____ Length: _____ Spacing: _____
Walls: Type Fastener: _____ Length: _____ Spacing: _____
Roof: Type Fastener: _____ Length: _____ Spacing: _____
For used homes a min. 30 gauge, 8" wide, galvanized metal strip will be centered over the peak of the roof and fastened with galv. roofing nails at 2" on center on both sides of the centerline.

Gasket (weatherproofing requirement)

I understand a properly installed gasket is a requirement of all new and used homes and that condensation, mold, mildew and buckled marriage walls are a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket.

Installer's initials WA

Type gasket Pg. _____

Installed: Between Floors Yes
Between Walls Yes
Bottom of ridgebeam Yes

Weatherproofing

The bottomboard will be repaired and/or replaced. Yes ☒ Pg. _____
Siding on units is installed to manufacturer's specifications. Yes ☒
Fireplace chimney installed so as not to allow intrusion of rain water. Yes ☒

Miscellaneous

Skirting to be installed. Yes ☐ No ☒
Dryer vent installed outside of skirting. Yes ☒ N/A
Range downflow vent installed outside of skirting. Yes ☒
Drain lines supported at 4 foot intervals. Yes ☒
Electrical crossovers protected. Yes ☒
Other: _____

Installer verifies all information given with this permit worksheet is accurate and true based on the

Installer Signature William Austin

Date 3-19-08

Oasis Bar + Lounge

MH # 10

MH # 9

shed

MH # 8

MH # 7

10' x 7 1/2' ST
(1125-1750 gallon approx)

MH # 6

MH # 5

MH # 4

Property ID # 2845-17-280/2802

ST

9'5" approx
(7100 gallon)

MH # 1

ST

500 gallon

MH # 2

ST

10' x 5' approx
(1050 gallon)

MH # 3

ST

7' x 5' approx
(750 gallon)

measured and drawn
4/6/92. owner pres
tank lids staked

**CODE ENFORCEMENT
PRELIMINARY MOBILE HOME INSPECTION REPORT**

DATE RECEIVED 3/24/08 BY G IS THE MH ON THE PROPERTY WHERE THE PERMIT WILL BE ISSUED? No

OWNERS NAME Wilbert Austin PHONE 697-5037 CELL _____

ADDRESS _____

MOBILE HOME PARK OASIS MH PARK SUBDIVISION _____

DRIVING DIRECTIONS TO MOBILE HOME 100 to Lulu, TL Tommie
Lord, 2nd on right

MOBILE HOME INSTALLER Wilbert Austin PHONE 697-5037 CELL _____

MOBILE HOME INFORMATION

MAKE Fleetwood YEAR 1985 SIZE 14 x 52 COLOR Green/White

SERIAL No. 856370 / SSM-FLA-C-9-1954

WIND ZONE II Must be wind zone II or higher NO WIND ZONE I ALLOWED

INSPECTION STANDARDS

INTERIOR:

(P or F) - P=PASS F=FAILED

- F SMOKE DETECTOR () OPERATIONAL (X) MISSING
- / FLOORS () SOLID () WEAK () HOLES DAMAGED LOCATION _____
- / DOORS () OPERABLE () DAMAGED
- / WALLS () SOLID () STRUCTURALLY UNSOUND
- / WINDOWS () OPERABLE () INOPERABLE
- / PLUMBING FIXTURES () OPERABLE () INOPERABLE () MISSING
- / CEILING () SOLID () HOLES () LEAKS APPARENT
- / ELECTRICAL (FIXTURES/OUTLETS) () OPERABLE () EXPOSED WIRING () OUTLET COVERS MISSING () LIGHT FIXTURES MISSING

EXTERIOR:

- / WALLS / SIDING () LOOSE SIDING () STRUCTURALLY UNSOUND () NOT WEATHERTIGHT () NEEDS CLEANING
- / WINDOWS () CRACKED/ BROKEN GLASS () SCREENS MISSING () WEATHERTIGHT
- / ROOF () APPEARS SOLID () DAMAGED

STATUS

APPROVED / WITH CONDITIONS: Install Smoke Detectors

NOT APPROVED _____ NEED RE-INSPECTION FOR FOLLOWING CONDITIONS _____

SIGNATURE [Signature] ID NUMBER 462 DATE 3-26-08

USE	000800 MOBILE HME	AE2	Y	910	HTD AREA	74.175	INDEX	28417.01	NBHD	P-USE	002802 PARKING/MH PARK
MOD	2MOBILE HME BATH	1.00		933	EFF AREA	21.511	E-RATE	100.000	%	S/R	28-45-17
EXW	26ALM SIDING			20070	RCN		LUMP ADJ	1975	AVB	MA	02
%	N/A			20.00	% GOOD	4,014	B BLDG VAL	1975	EVY	PUD 1	13,832
ACVR	01 MINIMUM						HX	Appr	2006	AC	1.750
%	N/A										0
ASTR	03 GABLE/HIP										0
NT	04 PLYWOOD										0
%	N/A										0
LR	14 CARPET										0
%	100BSHT VINYL										0
%	02CONVECTION										0
HTP	02CONVECTION										0
AC	0101										0
DUAL	N/A										0
ENDN	N/A										0
SIZE	N/A										0
DEIL	N/A										0
ARCH	N/A										0
FRAME	01NDNE										0
KTCH	0101										0
ANDO	N/A										0
CLAS	N/A										0
2CC	N/A										0
COND	0303										0
SUB	A-AREA										0
BAS93	910100										0
UDP93	90 25										0

BOOK	235512	DATE	9401	PRICE	1250
GRANTOR	ROBERT FRED NORRIS	PR			
GRANTEE	DOROTHY P BROWN				
GRANTOR	HOWARD MEADOWS				
GRANTEE	LINDA MEADOWS				

AE	BN	CODE	DESC	DESC	ZONE	ROAD	LUD 1	LUD 3	FRONT	DEPTH	ADJUSTMENTS	UNITS	UT	PRICE	ADJ UT PRICE	SPCD %	% GOOD	XFOB VALUE
N	0126	CONC	PAVMT		0010	0010												
N	0259	MHP	HDBKUP															
Y	0040	BARN	POLE		14	30												
N	0030	BARN	MT		25	33												

AE	LAND	DESC	ZONE	ROAD	LUD 1	LUD 3	FRONT	DEPTH	ADJUSTMENTS	UNITS	UT	PRICE	ADJ UT PRICE	SPCD %	% GOOD	XFOB VALUE
N	002810	RLR PARK A-1	0010	0010												
Y	000200	MEL HM														

LOT 1, BLK 4 FLORA CREST FARMS
UNIT 'A', EX 0.55 AC DESC ORB
942-586. ORB 360-687, 719-424,
750-572, 523-2325

BROWN DOROTHY P
P O BOX 2763
LAKE CITY, FL 32056-2763

28-45-17-08815-000
Columbia County
PRINTED 4/02/2008 10:46 by GAIL
APPR 6/22/2005 TM

CARD 002 of 0
200

USE	000800	MOBILE HME	AE7	N	784	HTD AREA	71.175	INDEX	28417.01	NBHD	P-USE	002802	PARKING/MH	PARK
MOD	2600	MOBILE HME	BATH	1.00	844	EFF AREA	20.641	E-RATE	100.000	%	ST/R	28-45-17		
EXW	2600	MOBILE HME	FIXT	1	17421	RCN		LUMP ADJ	1980	AVB	MA	02	13,832	BLT
%	N/A		BDRM	1	20.00	% GOOD		BLDG VAL	1980	EVB	PUD 1		30,030	XFC
ACVR	01	MINIMUM	RMS					HX	APPR	2006	AC	1.750	23,100	LAN
STR	03	GABLE/HIP	UNTS								NTCD		0	AG
NT	04	PLYWOOD	C-W%								APPC		0	MK
%	N/A		HGHT								CNDO		66,962	JUS
FLR	14	CARPET	PMTR								SUSD		0	CL
%	100	BEST VINYL	STYS	1.0							BLK		0	SOI
HTP	01	NONE	ECON								MAP #		0	ASK
AC	02	WINDOW	FUNC	AP	20.00						HX	SX	0	EXI
QUAL	01		DEPR	09							TXDT	002	0	TXE
ENDN	N/A		UD-1	N/A										
SIZE	N/A		UD-2	N/A										
DEL	N/A		UD-3	N/A										
ARCH	N/A		UD-4	N/A										
ERME	01	NONE	UD-5	N/A										
CTCH	01		UD-6	N/A										
ANDO	N/A		UD-7	N/A										
CLAS	N/A		UD-8	N/A										
DOC	N/A		UD-9	N/A										
COND	03		%											
SUB	A-AREA	%	E-AREA											
BASE93	784100		784											
USP93	8430		42											
UDP93	7025		18											

TOTAL										938	844	3484										
EXTRA FEATURES																						
GRANTOR																						
GRANTEE																						
GRANTOR																						
GRANTEE																						

AE	BN	CODE	DESC	LENGTH	WIDTH	HGHT	QTY	QUAL	YEAR	ADJ	UNITS	UT	PRICE	ADJ UT PRICE	SPCD %	% GOOD	XFOB VALUE
----	----	------	------	--------	-------	------	-----	------	------	-----	-------	----	-------	--------------	--------	--------	------------

AE	LAND CODE	DESC	ZONE TOPO	ROAD UTIL	LUD 1	LUD 3	FRONT BACK	DEPTH DT	ADJUSTMENTS	UNITS	UT	PRICE	ADJ UT PRICE	LAND VALUE
----	-----------	------	-----------	-----------	-------	-------	------------	----------	-------------	-------	----	-------	--------------	------------

LOT 1, BLK 4 FLORA CREST FARMS
UNIT A, EX 0.55 AC DESC ORB
942-586, ORB 360-687, 719-424,
750-572, 523-2325

BROWN DOROTHY P
P O BOX 2763
LAKE CITY, FL 32056-2763

2B-4S-17-08815-000
Columbia County
PRINTED 4/02/2008 10:46 by GAIL
APPR 6/22/2005 TW

CARD 003 of 0

USE	000800	MOBILE HME	AE2	N	460	HTD AREA	74.175	INDEX	2B417.01	NBHD	P USE	002B02	PARKING/MH	PARK
MOD	26	ALM SIDING	BATH	1.00	481	EFF AREA	21.511	E-RATE	100.000	%	S/R	2B-4S-17		
%	26	ALM SIDING	FIXT		10347	RCN			1970	AYB	MA	02	13,832	BLT
30VR	01	MINIMUM	BDRM	2	20.00	% GOOD	2,069	B	BLDG VAL	1970	EVB	PUD 1	30,030	XFC
	N/A		RMS						HX	APPYR	2006	AC	23,100	LAN
3STR	03	GABLE/HIP	UNTS									NTCD	0	AG
NT	04	PLYWOOD	C-W%									APPC	0	MK
	N/A		HGHT									CUDO	66,962	JUG
%	14	CARPET	PMTR									SUBD	0	CL
1R	10	BSHT VINYL	STYS									BLK	0	SOI
HTP	02	CONVECTION	ECON									MAP #	0	AS
YC	02	WINDOW	FUNC									HX	5X	EX
2UAL	01	01	SPCD	AP	20.00							TXDT	002	TXE
3END	N/A		DEPR	09										
3END	N/A		UD-1		N/A									
3ELL	N/A		UD-2		N/A									
ARCH	N/A		UD-3		N/A									
ARCH	N/A		UD-4		N/A									
FRAME	01	NDNE	UD-5		N/A									
KTCH	01	01	UD-6		N/A									
MDO	N/A		UD-7		N/A									
2LAS	N/A		UD-8		N/A									
2OC	N/A		UD-9		N/A									
2OND	03	03	%											
SUB	A-AREA	%	E-AREA		SUB VALUE									
BAS1993	480100		480		1979									
UDP93	8425		21		90									

EXTRA FEATURES											FIELD CHECKED:						
AE	BN	CODE	DESC	LENGTH	WIDTH	HGHT	QTY	QUAL	YEAR	ADJ	UNITS	UT	PRICE	ADJ UT PRICE	SPCD %	% GOOD	XFOB VALUE

BAS1993=446 S10 E26 UDP199
3=S6E14 N6 W14# E20 N10#.

PERMITS			
NUMBER	TYPE / DESC	AMT	DATE ISSUE
BUILDING TRAVERSE			
BOOK	PAGE	DATE	Q/I PRICE


GRANTOR			
GRANTEE			
GRANTOR			
GRANTEE			

28-4S-17-08815-000 2001
Columbia County
PRINTED 4/02/2008 10:46 by GAIL
APPR 4/22/2005 TM

[illegible]

⑤ = 1500

⑤ = 1500



T = 290

⑤ = 1500

⑤ = 1500

Anchor

Main Beam Piers

Soil Bearing Test Site

Torque Test Site

1101 LV

⑤ = 1500 = Piers shall be

placed on 4'5"

⑤ = 290 = 4' Anchors =

5'6"

Door Piers + Fireplace

Piers will Be Placed

where Required

[Signature]

Oasis Bar + Lounge

MH # 10

MH # 9

PUMP shed

MH # 8

MH # 7

10' x 7 1/2' ST
(1650-1750 gallon approx)

MH # 6

MH # 5

MH # 4

ST

9'5' approx.
(400 gallon)

MH # 1

ST

500 gallon

MH # 2

ST

10' x 8' approx.
(1050 gallon)

MH # 3

ST

7' x 5' approx.
(150 gallon)

Columbia CHD

APPROVED

[Signature]

4/15/8

20'

Measured and drawn
4/6/92. Owner present
tank lids staked
REVISED 4/15/8



STATE OF FLORIDA
DEPARTMENT OF HEALTH

APPLICATION FOR ONSITE SEWAGE DISPOSAL SYSTEM CONSTRUCTION PERMIT

Permit Application Number

08-0277

PART II - SITE PLAN

Each block represents 5 feet and 1 inch = 50 feet.

SEE
Attached
Thanks!
Ford's Septic

Notes:

Dorothy Brown

Site Plan submitted by:

RC 741
Ford's Septic

Signature

MASTER

Title

Date 4/15/8

Plan Approved

APPROVED

Not Approved

Columbia CHD

County Health Department

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT