

eavetoppeak.com/RhinoRoof

weather and roof pitch
calzado o clima y la pendiente del
maisons utiliser et le toit pente

may vary with surface conditions, weather
a las condiciones de la superficie,
qui varient dépendant de la tempé

ar and roof pitch
calzado o clima y la pendiente del techo
maisons utiliser et le toit pente

Columbia County, FL
Notar Public
Notar April 16, 2024

CONTRACTOR
Name: [Redacted]
Address: [Redacted]
City: [Redacted] State: [Redacted] Zip: [Redacted]
Phone: [Redacted] Email: [Redacted]

PROJECT DETAILS
Project Name: [Redacted]
Project Address: [Redacted]
Project Description: [Redacted]

NOTAR PUBLIC
Name: [Redacted]
Address: [Redacted]
City: [Redacted] State: [Redacted] Zip: [Redacted]
Phone: [Redacted] Email: [Redacted]

WITNESSES
Name: [Redacted]
Address: [Redacted]
City: [Redacted] State: [Redacted] Zip: [Redacted]
Phone: [Redacted] Email: [Redacted]

NOTAR PUBLIC
Name: [Redacted]
Address: [Redacted]
City: [Redacted] State: [Redacted] Zip: [Redacted]
Phone: [Redacted] Email: [Redacted]

cavetopeak.com/RhinoRoof | 800-567-97

WATERPROOFING
Columbia County
Cavetopeak.com/RhinoRoof

Slip resistance may vary with surface conditions, weather, footwear and foot pitch.
La résistance au glissement peut varier dépendant de la température, chaussures utilisées et la pente.

cavetopack.com/Reinforce | 800-567-9727

ASTM D320 TYPE IV, ASTM D4869 TYPE IV, ASTM D8267

inoRoot | 800-567-9727

Columbia County, FL
Roof Replacement or Repair Permit #00049037
Issued April 16, 2024

PROPERTY	OWNER	ADDRESS	CITY	STATE	ZIP
12345678901234567890	JOHN DOE	12345678901234567890	DOUGLASSVILLE	GA	30135

CONTRACTORS

NAME	ADDRESS	CITY	STATE	ZIP
ABC CONTRACTORS	12345678901234567890	DOUGLASSVILLE	GA	30135

PROJECT DETAILS

DESCRIPTION	QUANTITY	UNIT
REMOVE EXISTING ROOFING	10,000	SQ. FT.
INSTALL NEW ROOFING	10,000	SQ. FT.
REMOVE EXISTING FLASHING	100	LINEAL FT.
INSTALL NEW FLASHING	100	LINEAL FT.
REMOVE EXISTING GUTTERS	100	LINEAL FT.
INSTALL NEW GUTTERS	100	LINEAL FT.

NOTICE TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT MUST BE POSTED ON THE JOB SITE BEFORE THE FIRST INSPECTION. IF YOU ATTEMPT TO RECORD YOUR NOTICE OF COMMENCEMENT WITHOUT OBTAINING FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.



Columbia County, FL
Road Replacement on Highway 100 (Hwy 100)
Issued April 19, 2023

CONTRACTORS

PROJECT DETAILS

ATTORNEY BEPENDING RECORDING YOUR NOTICE OF COMMENCEMENT

DESTROYED BY FIRE
CANTON, ALABAMA
FIRE INSURANCE COMPANY
pepeak.com/RhinoRoof | 800-567-9727

ASTM D226 TYPE II, ASTM D485 TYPE IV, ASTM D2257
S & ARSO,
ECT APPROVAL
inoRoof | 800-567-9727

Slip resistance may vary with surface conditions, weather, footwear and roof pitch.
La resistencia al desliz puede variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del
Le degré de résistance au glissement peut varier dépendant de la température, l'habitué utiliser et le toit pente.

[illegible]

MEETS / SATISFIES: ASTM D228 TYPE II, ASTM D4269 TYPE IV, ASTM D9257
CAN/CSA A123.3 & A220.1
FLORIDA PRODUCT APPROVAL

eavetopeak.com/RhinoRoof | 800-567-9727

MIAMI HERALD