### **CROSSWINDS**

#### Phase 1 & 2 For 2007

Parent Parcel -24-4s-16-03117-000 -58.28 ac. -49.40 = 8.88 ac (left) 24-4s-16-03117-001 -6.17 ac. -1.61 ac. =4.56 ac. (left)

Header Parcel -24-4s-16-03117-100 - A S/D lying in the N1/2 of the SE1/4 of Sec. containing 46.13 ac. Recorded in plat book 8 pages 79 - 83.

Lot	1	24-4s-16-03117-101	1.01 ac.
Lot	2	24-4s-16-03117-102	.77 ac.
Lot	3	24-4s-16-03117-103	.86 ac.
Lot	4	24-4s-16-03117-104	.75 ac.
Lot	5	24-4s-16-03117-105	.78 ac.
Lot	6	24-4s-16-03117-106	.51 ac.
Lot	7	24-4s-16-03117-107	.56 ac.
Lot	8	24-4s-16-03117-108	.50 ac.
Lot	9	24-4s-16-03117-109	.60 ac.
Lot	10	24-4s-16-03117-110	.59 ac.
Lot	11	24-4s-16-03117-111	.52 ac.
Lot	<b>12</b>	24-4s-16-03117-112	.51 ac.
Lot	13	24-4s-16-03117-113	.52 ac.
Lot	14	24-4s-16-03117-114	.53 ac.
Lot	<b>15</b>	24-4s-16-03117-115	.52 ac.
Lot	16	24-4s-16-03117-116	.51 ac.
Lot	<b>17</b>	24-4s-16-03117-117	.51 ac.
Lot	18	24-4s-16-03117-118	.52 ac.
Lot	19	24-4s-16-03117-119	.51 ac.
Lot	20	24-4s-16-03117-120	.60 ac.
Lot	21	24-4s-16-03117-121	.65 ac.
Lot	22	24-4s-16-03117-122	.50 ac.
Lot	23	24-4s-16-03117-123	.50 ac.
Lot	24	24-4s-16-03117-124	.50 ac.
Lot	25	24-4s-16-03117-125	.51 ac.

```
26
            24-4s-16-03117-126
Lot
                                     .50 ac.
Lot
      27
            24-4s-16-03117-127
                                     .50 ac.
      28
Lot
            24-4s-16-03117-128
                                     .50 ac.
Lot
      29
            24-4s-16-03117-129
                                     .50 ac.
      30
                                     .50 ac.
Lot
            24-4s-16-03117-130
Lot
      31
            24-4s-16-03117-131
                                     .50 ac.
      32
Lot
            24-4s-16-03117-132
                                     .50 ac.
Lot
      33
            24-4s-16-03117-133
                                     .50 ac.
Lot
      34
                                     .50 ac.
            24-4s-16-03117-134
Lot
      35
            24-4s-16-03117-135
                                     .50 ac.
Lot
      36
            24-4s-16-03117-136
                                     .50 ac.
Lot
      37
            24-4s-16-03117-137
                                     .49 ac.
Lot
      38
            24-4s-16-03117-138
                                     .50 ac.
Lot
      39
            24-4s-16-03117-139
                                     .52 ac.
Lot
      40
            24-4s-16-03117-140
                                     .50 ac.
Lot
      41
            24-4s-16-03117-141
                                     .50 ac.
Lot
      42
            24-4s-16-03117-142
                                     .50 ac.
Lot
      43
            24-4s-16-03117-143
                                     .50 ac.
Lot
      44
            24-4s-16-03117-144
                                     .50 ac.
Lot
      45
            24-4s-16-03117-145
                                     .50 ac.
Lot
      46
            24-4s-16-03117-146
                                     .50 ac.
            Phase 2
            24-4s-16-03117-147
Lot
      47
                                     .57 ac.
Lot
      48
            24-4s-16-03117-148
                                     .50 ac.
Lot
      49
            24-4s-16-03117-149
                                     .50 ac.
      50
Lot
            24-4s-16-03117-150
                                     .50 ac.
      51
Lot
            24-4s-16-03117-151
                                     .51 ac.
      52
Lot
            24-4s-16-03117-152
                                     .51 ac.
      53
            24-4s-16-03117-153
Lot
                                     .51 ac.
Lot
      54
            24-4s-16-03117-154
                                     .51 ac.
                                     .51 ac.
Lot
      55
            24-4s-16-03117-155
Lot
      56
            24-4s-16-03117-156
                                     .52 ac.
Lot
      57
            24-4s-16-03117-157
                                     .52 ac.
      58
Lot
            24-4s-16-03117-158
                                     .52 ac.
```

.57 ac.

24-4s-16-03117-159

Lot

**59** 

PLAT PREPARED BY MARK D. DUREN, P.S.M.

LS 4708

1604 SW SISTERS WELCOME ROAD LAKE CITY, FLA. 32025


(386 758-9831 OFFICE `(386) 758-8010 FAX

00557FINAL\_PHASE\_ONE\_KEY\_SHEET.DWG

### KEY SHEET

# "CROSSWINDS, PHASE ONE"

A SUBDIVISION OF PART OF SECTION 24, TOWNSHIP 4 SOUTH, RANGE 16 EAST, COLUMBIA COUNTY, FLORIDA.



WEST RIGHT-OF-WAY LINE, 138.17 FEET TO THE SOUTH LINE OF THE NORTH HALF OF SAID SE 1/4; THENCE CONTINUE S.00°44'38"E., 42.84 FEET TO THE NE CORNER OF LOT 1 OF "WINDSWEPT INDUSTRIAL SUBDIVISION, PHASE ONE", A SUBDIVISION AS PER PLAT THEREOF RECORDED IN PLAT BOOK 7 PAGES 84 AND 85 OF THE PUBLIC RECORDS OF COLUMBIA COUNTY, FLORIDA; THENCE S.86°45'29"W., ALONG THE NORTH LINE OF SAID SUBDIVISION AND ITS WESTERLY EXTENSION (BEING THE SAME AS THE NORTH LINE OF LANDS DESCRIBED IN ORB 892 PAGE 391 OF THE OFFICIAL RECORDS OF COLUMBIA COUNTY, FLORIDA) A DISTANCE OF 623.73 FEET; THENCE N.02°52'22"W., 208.70 FEET; THENCE N.47'50'37"W., 53.94 FEET TO A POINT ON A CURVE CONCAVE TO THE NW AND HAVING A RADIUS OF 130.00 FEET AND A CENTRAL ANGLE OF 45°01'46" AND BEING SUBTENDED BY A CHORD HAVING A BEARING OF S.64'40'16"W. AND A CHORD LENGTH OF 99.56 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE AN ARC DISTANCE OF 102.17 FEET TO THE POINT OF TANGENCY OF SAID CURVE; THENCE S.87°11'03"W. 1235.64 FEET: THENCE S.02°48'51"E., 218.86 FEET TO THE AFOREMENTIONED SOUTH LINE OF ORB 892 PAGE 391; THENCE S.86'45'29"W., 363.85 FEET TO A CONCRETE MONUMENT MARKING THE SW CORNER OF THE NORTH HALF OF

THE SE 1/4 OF SAID SECTION 24; THENCE N.01°16'04"W., 1320.32 FEET TO THE POINT

SURVEYOR'S NOTES:

1. BOUNDARY BASED ON MONUMENTATION FOUND IN ACCORDANCE WITH THE RETRACEMENT OF A PREVIOUS SURVEYS OF THE SE 1/4 OF SECTION 24.

4. THIS CONSTITUTES A MAJOR SUBDIVISION AS PER COLUMBIA COUNTY LA DEVELOPEMENT REGULATIONS.
5. MINIMUM ACREAGE OF PLATTED LOTS IS 0.50 ACRES.
6. WASTE WATER DISPOSAL IS TO BE INDIVIDUAL SEPTIC TANKS.
7. WATER SOURCE TO BE INDIVIDUAL WELLS.
8. "NOT VALID WITHOUT THE SIGNATURE AND THE ORIGINAL RAISED SEAL OF A FLORIDA LICENSED SURVEYOR AND MAPPER."
9. CLOSURE OF FIELD SURVEY IS 1/56,831.
10. ZONING IS RSF-2
11. THE PRELIMINARY PLAT WAS APPROVED ON 19 MAY, 2005.

RETRACEMENT OF A PREVIOUS SURVEYS OF THE SE 1/4 OF SECTION 24.


2. BEARINGS BASED ON DEEDS OF RECORD USING MONUMENTS FOUND ON THE NORTH LINE OF THE SE 1/4.

3. PART OF THIS PARCEL IS IN ZONE "X" AND IS DETERMINED TO BE OUTSIDE THE 500 YEAR FLOOD PLAIN AS PER FLOOD INSURANCE RATE MAPS DATED JANUARY 6, 1988, COMMUNITY PANEL NUMBERS 120070 0175 B AND PART OF THIS PARCEL IS IN ZONE "A" AND MAYBE SUBJECT TO FLOODING.

4. THIS CONSTITUTES A MAJOR SUBDIVISION AS PER COLUMBIA COUNTY LAND DEVELOPMENT RECLIFATIONS

CONTAINS 39.38 ACRES, MORE OR LESS.

FIELD SURVEY DATE: 10/24/2002



■ CONCRETE MONUMENT FOUND
□ 4"X4" CONCRETE MONUMENT SET, LS 4708
● IRON PIN OR PIPE FOUND
○ 5/8" IRON ROD SET, LS 4708
— X— WIRE FENCE
— E— ELECTRIC UTILITY LINE (OVERHEAD)
- UGE — UNDERGROUND ELECTRIC SERVICE
— CTV — CABLE TV LINE (OVERHEAD)
— 0 — CHAIN LINK FENCE

— GN — CABLE IV LINE (OVERHEAD)

— O — CHAIN LINK FENCE

— O — WOODEN FENCE

CMP CORRUGATED METAL PIPE

RCP REINFORCED CONCRETE PIPE

LS LAND SURVEYOR

LE LOCKIESE BUSINESS

NO ID. NO IDENTIFICATION

FLA. D.O.T. FLA. DEPT. OF TRANSPORTATION


© CENTERLINE

**⊗** UTILITY POLE

LB LICENSED BUSINESS
ORB OFFICIAL RECORD BOOK
PRM PERMANENT REFERENCE MONUMENT
PCP PERMANENT CONTROL POINT

4"X4" CONCRETE MONUMENT, PRM, LS 4708. CONCRETE MONUMENT


NATIONAL GEODETIC VERTICAL DATUM OF 1929





## "CROSSWINDS, PHASE ONE"

A SUBDIVISION OF PART OF SECTION 24, TOWNSHIP 4 SOUTH, RANGE 16 EAST, COLUMBIA COUNTY, FLORIDA.



LOCATION MAP FROM 7.5 MINUTE SERIES QUADRANGLE MAP. SCALE 1" = 2000'

1. BOUNDARY BASED ON MONUMENTATION FOUND IN ACCORDANCE WITH THE RETRACEMENT OF A PREVIOUS SURVEYS OF THE SE 1/4 OF SECTION 24.

2. BEARINGS BASED ON DEEDS OF RECORD USING MONUMENTS FOUND ON THE NORTH LINE OF THE SE 1/4.

3. PART OF THIS PARCEL IS IN ZONE "X" AND IS DETERMINED TO BE OUTSIDE THE 500 YEAR FLOOD PLAIN AS PER FLOOD INSURANCE RATE MAPS DATED JANUARY 6, 1988, COMMUNITY PANEL NUMBERS 120070 0175 B AND PART OF THIS PARCEL IS IN ZONE "A" AND MAYBE SUBJECT TO FLOODING.

4. THIS CONSTITUTES A MAJOR SUBDIVISION AS PER COLUMBIA COUNTY LAND

DEVELOPMENT REGULATIONS.

DITCH MAINTENANCE EASEMENT

OF SW ERSKINE COURT IS ALSO FOR

SEE SHEET 1 OF 4

<u>DEVELOPER / OWNER:</u> DELTA OMEGA PROPERTIES, INC. JAMES RHETT SMITHEY, PRESIDENT 3454 SW COUNTY ROAD 242

LAKE CITY, FLA. 32024

BY ORDINANCE NO. 98-1.

1481 SE VALENCIA DRIVE

LAKE CITY, FLA. 32025

(386) 755-5267

James, Pitman

FOR LEGAL DESCRIPTION.

, THE UNDERSIGNED REGISTERED PROFESSIONAL ENGINEER, HEREBY CERTIFY THAT THE PROPOSED

REQUIREMENTS OF THE COLUMBIA COUNTY LAND DEVELOPEMENT REGULATIONS ADOPTED MARCH 4, 1998

DRAINAGE SYSTEM IS SUFFICIENT WITH RESPECT TO THE

5. MINIMUM ACREAGE OF PLATTED LOTS IS 0.50 ACRES.
6. WASTE WATER DISPOSAL IS TO BE INDIVIDUAL SEPTIC TANKS.
7. WATER SOURCE TO BE INDIVIDUAL WELLS.

8. "NOT VALID WITHOUT THE SIGNATURE AND THE ORIGINAL RAISED SEAL OF A FLORIDA LICENSED SURVEYOR AND MAPPER." 9. CLOSURE OF FIELD SURVEY IS 1/56,831.

10. ZONING IS RSF-2 11. THE PRELIMINARY PLAT WAS APPROVED ON 19 MAY, 2005.

BEFORE ME PERSONALLY APPEARED JAMES RHETT SMITHEY, AS PRESIDENT OF DELTA OMEGA PROPERTIES, INC., OWNER, TO ME KNOWN TO BE THE PERSON DESCRIBED IN AND WHO EXECUTED THE FOREGOING DEDICATION AND ACKNOWLEDGED THE EXECUTION THEREOF TO BE HIS FREE ACT AND DEED FOR THE USES AND PURPOSES THEREIN EXPRESSED. IN WITNESS WHEREOF I HAVE SET MY HAND AND SEAL ON THE ABOVE DATE.

APPROVAL: STATE OF FLORIDA, COUNTY OF COLUMBIA

THIS PLAT IS HEREBY APPROVED BY THE COLUMBIA COUNTY COMMISSION \_\_\_\_DAY OF\_\_\_\_\_, A.D.

CERTIFICATE OF CLERK

THIS PLAT HAVING BEEN APPROVED BY THE COLUMBIA COUNTY BOARD OF COUNTY COMMISSIONERS IS ACCEPTED FOR FILES AND REGORDED THIS CLERK OF COURT, COLUMBIA COUNTY, FLORIDA.

CERTIFICATE OF COUNTY SURVEYOR:
THIS IS TO CERTIFY THAT ON THIS DAY OF APRIL 200, A.D.,
DONALD F. LEE, A FLORIDA LICENSED SURVEYOR, AND MAPPER, REGISTRATION NUMBER, LS 3628, HAS REVIEWED THIS PLAT FOR CONFORMITY WITH FLORIDA STATUTES, CHAPTER 177, AS AMENDED, FOR THE COUNTY OF COLUMBIA COUNTY, FLORIDA, AND SAID PLAT MEETS ALL THE REQUIREMENTS OF CHAPTER 177, AS AMENDED.

ACRES ELEVATION NATIONAL GEODETIC VERTICAL DATUM OF 1929 CONCRETE MONUMENT IRON ROD IRON PIPE NAIL AND DISC, LS 4708, CL PCP LS#5594

SHEET 2 OF 4.

"NOTICE: THIS PLAT, AS RECORDED IN ITS GRAPHIC FORM, IS THE OFFICIAL DEPICTION OF THE SUBDIVIDED LANDS DESCRIBED HEREIN AND WILL IN NO CIRCUMSTANCES BE SUPPLANTED IN AUTHORITY BY ANY OTHER GRAPHIC OR DIGITAL FORM OF THE PLAT. THERE MAY BE ADDITIONAL RESTRICTIONS THAT ARE NOT RECORDED ON THIS PLAT THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY."

ALL PLATTED UTILITY EASEMENTS SHALL PROVIDE THAT SUCH EASEMENTS SHALL ALSO BE FOR THE CONSTRUCTION, INSTALLATION, MAINTENANCE, AND OPERATION OF CABLE TELEVISION SERVICES: PROVIDED, HOWEVER, NO SUCH CONSTRUCTION, INSTALLATION,
MAINTENANCE, AND OPERATION OF CABLE TELEVISION SERVICES SHALL
INTERFERE WITH THE FACILITIES AND SERVICES OF ELECTRIC, TELEPHONE, GAS, OR OTHER PUBLIC UTILITY. IN THE EVENT THAT A CABLE TELEVISION COMPANY DAMAGES THE FACILITIES OF A PUBLIC UTILITY, IT SHALL BE SOLELY RESPONSIBLE FOR THE DAMAGES.

THERE MAY BE ADDITIONAL RESTRICTIONS THAT ARE NOT RECORDED ON THIS PLAT THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY".

MINIMUM FLOOR ELEVATIONS: SHALL MEET COLUMBIA COUNTY LAND DEVELOPMENT REGULATIONS AS

KNOW ALL MEN BY THESE PRESENT THAT JAMES RHETT SMITHEY, AS PRESIDENT OF THE DELTA OMEGA PROPERTIES, INC., AS OWNER, HAS CAUSED THE LANDS HERON DESCRIBED, TO BE SURVEYED, SUBDIVIDED AND PLATTED, TO BE KNOWN AS "CROSSWINDS, PHASE ONE", AND THAT ALL ROADS, STREETS AND ALL EASEMENTS FOR UTILITIES, DRAINAGE AND OTHER PURPOSES INCIDENT THERETO AS SHOWN AND/OR DEPICTED HEREON ARE HEREBY DEDICATED TO THE PERPETUAL USE OF THE

ACCEPTANCE FOR MAINTENANCE; COUNTY OF COLUMBIA.

"I HEREBY CERTIFY THAT THE IMPROVEMENTS HAVE BEEN CONSTRUCTED IN AN ACCEPTABLE MANNER AND IN ACCORDANCE WITH COUNTY SPECIFICATIONS OR THAT A PERFORMANCE BOND OR INSTRUMENT IN THE AMOUNT OF \$18,930.30 HAS BEEN POSTED TO ASSURE COMPLETION OF ALL REQUIRED IMPROVEMENTS AND MAINTENANCE IN CASE OF DEFAULT."

COUNTY ATTORNEY CERTIFICATE:

I HEREBY CERTIFY THAT I HAVE EXAMINED THE FOREGOING PLAT AND THAT IT COMPLIES IN FORM WITH THE COLUMBIA COUNTY SUBDIVISION ORDINANCE AND CHAPTER 177 OF THE FLORIDA STATUTES.

DATED GOIN 18, 2006 SYMBOL LEGENU

CONCRETE MONUMENT FOUND

A\*X4" CONCRETE MONUMENT SET, LS 4708

IRON PIN OR PIPE FOUND

S'RON ROD SET, LS 4708

"""

WIRE FENCE

E— ELECTRIC UTILITY LINE (OVERHEAD)

UGE — UNDERGROUND ELECTRIC SERVICE

CHU CABLE TV LINE (OVERHEAD)

CHAIN LINK FENCE

WOODEN FENCE

CMP CORRUGATED METAL PIPE

RCP REINFORCED CONCRETE PIPE

LS LAND SURVEYOR

LB LICENSED BUSINESS

ORB OFFICIAL RECORD BOOK SYMBOL LEGEND ORB OFFICIAL RECORD BOOK
PRM PERMANENT REFERENCE MONUMENT
PCP PERMANENT CONTROL POINT

© UTILITY POLE
R/W RIGHT—OF—WAY
NO ID. NO IDENTIFICATION
FLA. D.O.T. FLA. DEPT. OF TRANSPORTATION
© CENTERLINE

E ATMAIN CONCERTS MONIMEDIA

4"X4" CONCRETE MONUMENT, PRM, LS 4708. CONCRETE MONUMENT

PLAT PREPARED BY MARK D. DUREN, P.S.M. LS 4708

COUNTY XTTORNEY

1604 SW SISTERS WELCOME ROAD LAKE CITY, FLA. 32025 (386 758-9831 OFFICE (386) 758-8010 FAX

00557 FP


OOSSTEINAL PHASE ONE DWG

SURVEYORS CERTIFICATION I HEREBY CERTIFY THAT THIS SURVEY WAS MADE UNDER MY RESPONSIBLE DIRECTION AND SUPERVISION AND IS A CORRECT REPRESENTATION OF THE

LAND SURVEYED AND THAT THE PERMANENT REFERENCE POINTS HAVE BEEN SET AND THAT SURVEY DATA AND MONUMENTATION COMPLIES WITH COLUMBIA COUNTY SUBDIVISION ORDINANCE AND CHAPTER 177 OF THE FLORIDA STATUTES.


MARK D. DUREN, P.S.M. FLORIDA CERT. NO. 4708

11 ARRIL ZOOG AD 1604 SW SISTERS WELCOME ROAD LAKE CITY, FLORIDA 32025



SE CORNER
OF SECTION 24. 00.5.57FINAL PHASE\_ONE.DWG





Dewyord verteson

ENGINEER'S CERTIFICATION: I, THE UNDERSIGNED REGISTERED PROFESSIONAL DRAINAGE SYSTEM IS SUFFICIENT WITH RESPECT TO THE REQUIREMENTS OF THE COLUMBIA COUNTY LAND DEVELOPMENT REGULATIONS ADOPTED MARCH 4, 1998

James Pitman JAMES PITTMAN 19481 SE VALENCIA DRIVE

LAKE CITY, FLA. 32025 (386) 755-5267

- 1. BOUNDARY BASED ON MONUMENTATION FOUND IN ACCORDANCE WITH THE RETRACEMENT OF A PREVIOUS SURVEYS OF THE SE 1/4 OF SECTION 24.
- 2. BEARINGS BASED ON DEEDS OF RECORD USING MONUMENTS FOUND ON THE NORTH LINE OF THE SE 1/4.

  3. THIS PARCEL IS IN ZONE "X" AND IS DETERMINED TO BE OUTSIDE THE 500 YEAR FLOOD PLAIN AS PER FLOOD INSURANCE RATE MAPS DATED JANUARY 6, 1988, COMMUNITY PANEL NUMBERS 120070 0175 B.
- 4. THIS CONSTITUTES A MAJOR SUBDIVISION AS PER COLUMBIA COUNTY LAND
- DEVELOPMENT REGULATIONS.

  5. MINIMUM ACREAGE OF PLATTED LOTS IS 0.50 ACRES.

  6. WASTE WATER DISPOSAL IS TO BE INDIVIDUAL SEPTIC TANKS.

  7. WATER SOURCE TO BE INDIVIDUAL WELLS.
- 8. "NOT VALID WITHOUT THE SIGNATURE AND THE ORIGINAL RAISED SEAL OF A FLORIDA LICENSED SURVEYOR AND MAPPER. 9. CLOSURE OF FIELD SURVEY IS 1/56,831.
- 10. ZONING IS RSF-2 11. THE PRELIMINARY PLAT WAS APPROVED ON 19 MAY, 2005.

I HEREBY CERTIFY THAT THIS SURVEY WAS MADE UNDER MY RESPONSIBLE DIRECTION AND SUPERVISION AND IS A CORRECT REPRESENTATION OF THE LAND SURVEYED AND THAT THE PERMANENT REFERENCE POINTS HAVE BEEN SET AND THAT SURVEY DATA AND MONUMENTATION COMPLIES WITH COLUMBIA COUNTY SUBDIVISION ORDINANCE AND CHAPTER 177 OF THE

DATED 4 11/2006, A.D. FLORIDA CERT. NO. 4708 1604 SW SISTERS WELCOME ROAD LAKE CITY, FLORIDA 32025

PUBLIC WORKS DIRECTOR

ACKNOWLEDGMENT: STATE OF FLORIDA. COUNTY OF COLUMBIA I HEREBY CERTIFY THAT ON THIS DAY OF LOUNTY OF COLUMBIA

BEFORE ME PERSONALLY APPEARED JAMES RHETT SMITHEY, AS PRESIDENT OF DELTA OMEGA PROPERTIES, INC., OWNER, TO ME KNOWN TO BE THE PERSON DESCRIBED IN AND WHO EXECUTED THE FOREGOING DEDICATION AND ACKNOWLEDGED THE EXECUTION THEREOF TO BE HIS FREE ACT AND DEED FOR THE USES AND PURPOSES THEREIN EXPRESSED. IN WITNESS WHEREOF I HAVE SET MY HAND AND SEAL ON THE ABOVE ATE Diane S. Edenfield

MY COMMISSION # DD112002

May 26, 2006 NOTARY PUBLIC, STATE OF FLORIDA A LARGE

BONDED THRU TROY FAIN INSURANCE INC.

APPROVAL: STATE OF FLORIDA, COUNTY OF COLUMBIA THIS PLAT IS HEREBY APPROVED BY THE

COLUMBIA COUNTY COMMISSION \_\_DAY OF\_

BONDED THRU INC. FAMILY COMMISSION EXPIRES:\_\_

CERTIFICATE OF CLERK THIS PLAT HAVING BEEN APPROVED BY THE COLUMBIA COUNTY BOARD OF COUNTY COMMISSIONERS IS ACCEPTED FOR FILES AND RECORDED THIS 20 OF ALL 2004, A.D., IN PLAT BOOK 2 PAGE 83. CLERK OF COURT, COLUMBIA COUNTY, FLORIDA

CERTIFICATE OF COUNTY SURVEYOR: 12 DAY OF THIS IS TO CERTIFY THAT ON THIS DAY OF DAY OF AND MAPPER, REGISTRATION NUMBER, LS 3628, HAS REVIEWED THIS PLAT FOR CONFORMITY WITH FLORIDA STATUTES, CHAPTER 177, AS AMENDED, FOR THE COUNTY OF COLUMBIA COUNTY, FLORIDA, AND SAID PLAT MEETS ALL THE REQUIREMENTS OF CHAPTER 177, AS AMENDED. Timo Tut A. Donosas as

PROVIDED, HOWEVER, NO SUCH CONSTRUCTION, INSTALLATION. INTERFERE WITH THE FACILITIES AND SERVICES OF ELECTRIC, TELEPHONE, GAS, OR OTHER PUBLIC UTILITY. IN THE EVENT THAT CABLE TELEVISION COMPANY DAMAGES THE FACILITIES OF A PUBLIC UTILITY, IT SHALL BE SOLELY RESPONSIBLE FOR THE DAMAGES.

THERE MAY BE ADDITIONAL RESTRICTIONS
THAT ARE NOT RECORDED ON THIS PLAT
THAT MAY BE FOUND IN THE PUBLIC
RECORDS OF THIS COUNTY".

MINIMUM FLOOR ELEVATIONS: SHALL MEET COLUMBIA COUNTY LAND DEVELOPMENT REGULATIONS AS AMENDED.

SYMBOL LEGEND CONCRETE MONUMENT FOUND
4"X4" CONCRETE MONUMENT SET, LS 4708
IRON PIN OR PIPE FOUND
5/8" IRON ROD SET, LS 4708 --- CHAIN LINK FENCE
---- WOODEN FENCE
CMP CORRUGATED METAL PIPE
RCP REINFORCED CONCRETE PIPE
LS LAND SURVEYOR LB LICENSED BUSINESS ORB OFFICIAL RECORD BOOK
PRM PERMANENT REFERENCE MONUMENT PCP PERMANENT CONTROL POINT 8 UTILITY POLE R/W RIGHT-OF-WAY NO ID. NO IDENTIFICATION
FLA. D.O.T. FLA. DEPT. OF TRANSPORTATION
CENTERLINE 4"X4" CONCRETE MONUMENT, PRM, LS 4708. CONCRETE MONUMENT ACRES
ELEVATION
NATIONAL GEODETIC VERTICAL DATUM OF 1929

CONCRETE MONUMENT
IRON ROD
IRON PIPE
NAIL AND DISC, LS 4708, CL PCP

218.86 FEET TO A POINT ON THE SOUTH RIGHT-OF-WAY LINE OF A 60 FOOT WIDE PUBLIC ROAD KNOWN AS SW CHESTERFIELD CIRCLE; THENCE N.87°11'03"E. ALONG SAID SOUTH RIGHT—OF—WAY LINE, 1235.64 FEET TO THE POINT OF CURVE OF A CURVE CONCAVE TO THE NW AND HAVING A RADIUS OF 130.00 FEET AND A CENTRAL ANGLE OF 45'01'46" AND BEING SUBTENDED BY A CHORD HAVING A BEARING OF N.64\*40'16"E. AND A CHORD LENGTH OF 99.56 FEET; THENCE NORTHEASTERLY ALONG THE ARC OF SAID CURVE AN ARC DISTANCE OF 102.17 FEET TO A POINT ON THE WESTERLY LINE OF PARCEL "D", A NON-RESIDENTIAL LOT IN SAID "CROSSWINDS, PHASE ONE"; THENCE S.47'50'37"E., 53.94 FEET TO A BEND IN SAID WEST LINE; THENCE S.02°52'22"E., ALONG SAID WEST LINE OF PARCEL "D", 208.70 FEET TO THE AFOREMENTIONED NORTH LINE OF ORB 892 PAGE 391; THENCE S.86'45'29"W., 1366.03 FEET TO THE POINT OF BEGINNING. CONTAINS 6.75 ACRES, MORE OR LESS.

#### CURVE TABLE

NO.	RADIUS	DELTA	ARC	TANGENT	CHORD	CHORD BEARING
15	130.00'	<i>36</i> °07'15"	81.96	42.39'	80.60'	S.60°13'01"W.
16	130.00'	08 <b>:</b> 51 <b>'</b> 00"	20.08	10.06'	20.06'	S.37°43'54"W.
30	100.00	89°19'16"	155.89*	98.82'	140.58	N.48°09'13"W.
31	100.00*	90°18'45"	157.62	100.55	141.81'	S.42°01'47"W.
<i>33</i>	130.00'	08.54.31"	20.21'	10.13'	20.19'	N.82°43'54"E.
3 <i>4</i>	130.00'	45°01'46"	102.17'	53.89'	99.56'	N.64°40'16"E.

DEVELOPER / OWNER: DELTA OMEGA PROPERTIES, INC. JAMES RHETT SMITHEY, PRESIDENT 3454 SW COUNTY ROAD 242 LAKE CITY, FLA. 32024

PLAT PREPARED BY MARK D. DUREN, P.S.M. LS 4708

1604 SW SISTERS WELCOME ROAD LAKE CITY, FLA. 32025 (386 758-9831 OFFICE (386) 758-8010 FAX WO# 00557FP\_PHASE2

GRAPHIC SCALE