	County Building		
This Permit E APPLICANT CAROLYNN PARLATO	xpires One Year From the Da		
ADDRESS 7161 152ND ST	WELBORN	FL 32094	
OWNER BILLY & SHARON WHITE	PHON		
ADDRESS 428 SW WOODGATE TERR		FL 32024	
CONTRACTOR MICHAEL PARLATO	PHON		
	252, L WOODGATE TERR, THEN GO	O TO THE	
	LAST LOT ON THE RIGHT		_
TYPE DEVELOPMENT MH,UTILITY	ESTIMATED COST OF	F CONSTRUCTION 0.00	_
HEATED FLOOR AREA	TOTAL AREA	HEIGHT STORIES	•
FOUNDATION WALLS _	ROOF PITCH	FLOOR	
LAND USE & ZONING RLD	N	MAX. HEIGHT 35	_
Minimum Set Back Requirments: STREET-FROM	NT <u>25.00</u> REAR	R 15.00 SIDE 10.00	
NO. EX.D.U. 1 FLOOD ZONE X	DEVELOPMENT F	PERMIT NO.	
PARCEL ID 08-4S-16-02810-149	SUBDIVISION WOODGATE	VILLAGE	
LOT 49 BLOCK PHASE	UNIT 2	TOTAL ACRES 0.34	
			od -
<u>IH</u>	0000336	Dest. some	O
	ctor's License Number	Applicant/Owner/Contractor	
EXISTING 07-0105-E	CS	JH N	
Driveway Connection Septic Tank Number		Approved for Issuance New Resident	
COMMENTS: FLOOR ONE FOOT ABOVE THE RO	DAD, REMOVE EXISTING MH		_
The state of the s		Check # or Cash 7113	_
			_
	ING & ZONING DEPARTME	NT ONLY (footer/Slab)	
	oundation	Monolithic	_
date/app. by	date/app. by	date/app. by	
Under slab rough-in plumbing date/app. by		Sheathing/Nailing date/app. by	_
Towards -	gh-in plumbing above slab and below v		
date/app. by		date/app. by	-
	at & Air Duct	Peri. beam (Lintel)	
date/app. by	date/app. by	date/app. by	•
Permanent power C.	O. Final date/app. by	Culvert date/app. by	
M/H tie downs, blocking, electricity and plumbing	шин арр. бу	Pool	
D	date/app. by	date/app. by	-
Reconnection p date/app. by	ump pole Utility date/app. by	y Poledate/app. by	
M/H Pole Travel Tr	ailer	Re-roof	
date/app. by	date/app. by	date/app. by	
BUILDING PERMIT FEE \$ 0.00 CER	TIFICATION FEE \$ 0.00	SURCHARGE FEE \$ 0.00	
MISC. FEES \$ 200.00 ZONING CERT	7. FEE \$ _50.00 FIRE FEE \$ _0	0.00 WASTE FEE \$	_
FLOOD DEVELOPMENT FEE \$ FLOOD Z			
	ONE FEE \$ 25.00 CULVERT FEE	TOTAL FEE 275.00	_

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

This Permit Must Be Prominently Posted on Premises During Construction

PLEASE NOTIFY THE COLUMBIA COUNTY BUILDING DEPARTMENT AT LEAST 24 HOURS IN ADVANCE OF EACH INSPECTION, IN ORDER THAT IT MAY BE MADE WITHOUT DELAY OR INCONVIENCE, PHONE 758-1008. THIS PERMIT IS NOT VALID UNLESS THE WORK AUTHORIZED BY IT IS COMMENCED WITHIN 6 MONTHS AFTER ISSUANCE.

07-0105-E CR# 7113

_	TEISMIT ALL PROPERTY MANOT ACTORED HOME INCIDENTAL APPEICATION									
1	For Office Use Only (Revised 9-22-06) Zoning Official of 17/07 Building Official OK 77/1/2-1-07									
4	AP# 070/-108 Date Received 1-3/-07 By C/+ Permit # 25529									
ام	Flood Zone Development Permit NA Zoning RR Land Use Plan Map Category RLD.									
Just Con	Comments Kenrove existing MH									
Ί.										
F	EMA Map# Elevation Finished Floor River In Floodway									
1	Site Plan with Setbacks Shown EH Signed Site Plan									
	Copy of Recorded Deed or Affidavit from land owner 🛘 Letter of Authorization from installer									
	State Road Access □ Parent Parcel # □ STUP-MH									
L	Lot 49 UnitI									
Dra	——————————————————————————————————————									
FIC	operty ID # 08 - 45 - 16 - D28 10 - 149 Subdivision woodgate Village									
•	New Mobile HomeYear_೨೮೦೧									
•	Applicant Cardy A. Parlato Phone # 386-963-1373									
•	Address 7161 152nd St. Wellhom Fl 32094									
	Name of Property Owner Billy + Thoron White Phone#386-719-2108									
•	911 Address 428 DW Woodgate Terrace Lake City F1 30024									
	(Circle One) - <u>FL Power & Light</u> - <u>Clay Electric</u> (Circle One) - <u>Suwannee Valley Electric</u> - <u>Progress Energy</u>									
•	Name of Owner of Mobile Home Billy for Shoron White Phone # 384-719-2108									
	Address 428 500 woodqode Terraca Lake City F1 30024									
_	.3									
-	Relationship to Property Owner <u>Same</u>									
•	Current Number of Dwellings on Property									
•	Lot Size Total Acreage344									
	Do you : Have Existing Drive or Private Drive or need Culvert Permit or Culvert Waiver (Circle one)									
	(Currently using) (Blue Road Sign) (Putting in a Culvert) (Not existing but do not need a Culvert)									
•	Is this Mobile Home Replacing an Existing Mobile Home 125 pd \$215									
-	Driving Directions to the Property that 900 to 252 Tune (2) so to "woodgate									
	"Teerace" Turn Q go all the way chown to "next to last									
	lot" on the Right									
	3									
	Name of Licensed Dealer/Installer Michael J. Parluto Phone # 386-963-1373									
	Installers Address 7181 152nd 54. (Dellown F1 32094)									
	License Number $\underline{TH0000336}$ Installation Decal # 281215									
	motanation betai # OA I OLD									

23D -Till- Madien CANO 19 n 22.07

Recording Pour | Dogumentary spring () 7 1874 | | () Total: Report by Anthony to THE AND MICHAEL COUNTY SE Pile o'Pay - Congress Property Application (C) | Property Application Property Application Property Applications Property Property Applications Property Property Applications Property Prope 1998 JUL 23 PR 4 44 Property Asignateurs Petroel LD. Numbe 08-45-16-02010-149 Crame(t) 23.400

estant the field مروس وزرار والمرادية CULTURE IN THE SECOND

WARRANTY DEED

THIS WARRANTY DEED made and executed the 17th day of July, 1995, by FREEDOM MOSELE HOME SALES, INC., MINISTER, a corporation existing under the laws of the State of Fiorida, and having its principal place of business at RT 11_BOX_19._LAKE CITY_FL_32026, hereinafter called the Grantor, to BILLY R. WHITE and SHARON R. WHITE, HIS WIFE, whose post office address for Rt. 21, Sox 352, Lake City, Florida 32024 percinafter called the Grantee:

(Wherest used hashe the same "first party" and "sumed party" shall beliefe stagether and planel, belief, buyll representatives, and analyse of individuals, and the successes and sudges of corporations, wherever the content on admits or topology.)

WEENESSEE HE: That the Counter, for and its consideration of the must of TEN DOLLARS

(\$10.00) and other valuable considerations, receipt whereof is hereby acknowledged, by these possesses does grant, bergain, sell, alien, receise, selects, donvey and confirm unto the Guantee all that cortain band situate, lying and being in COLUMBIA County, State of Florida, viz.

 \preceq lot 49, unit II, woodgate village, a subdivision of a part of the ewa \preceq of this 55% of section 5, township 4 south, range 14 east and η recorded by plat book 5, page 84/84A of the rublic records of COLUMBIA COUNTY, VLORIDA.

SUBJECT TO: RESTRICTIVE COVENANTS IN O.R. BOOK 406, PAGE 749.

Subject to: Eastment granted to Florida Power and Light in C.K. BOOK 5P4, PAGE 530.

SUBJECT TO: MINERAL RESERVATION FER WARRANTY DEED IN O.R. BOOK 458, PAGE 471,

Subject to Reperictions, Reservations and Engagements of Record.

TOGET" "R. with all the remembers, heredinaments and appurtenament thereto belonging or in

TO HAVE AND TO HOLD the same in the simple forever.

AND the Grantor hereby coverages with said Grantor that the Grantor is lawfully seized of said hard in the simple; that the Grantor has good right and lawful ambority to sail and convey said hard, and hereby warrants the this to said land and will defend the same against the lawful claims of all persons pever, and that said land is free of all encumbrances

IN WITNESS WHISTEOF, the sold Grantor has caused these pressures to be executed in his s, and its corporate send to be because utilized, by its proper officers thereunto duly authorized, the day and year first above written.

al, souled and delivered

non of:

PHYSICION MORNA HUME SALES, INC.

Addr: Needle 27 RT 11. BOX 19. LAKELCHY, PL 32004

ELCIMUNTSON ATTEST:

(CORPORATE SEAL)

7206.50

UATERCATE DISE

į

 $p_{\rm eff}$ mility R, where and sharron R. White, his wife page 2

8K 0862 P62441

STATE OF Florida COUNTY OF Columbia

OFFICIAL RECORDS

I hereby cardify that on this day, before not, an officer duly authorized in the mass aforesaid and in the county aforesaid to take acknowledgements, personally appeared Stave L. Smith and respectively of the corporation used as Granter in the foregoing dead, who are personally known to me and who took an eath that they severally acknowledged exceeding the same in the presence of two subscribing winnesses fively and voluntarily under authority duly vested in them by said corporation, and that the seal attitud thereto is the true corporate seal of said corporation.

Witness my band and official seal in the county and state afterestic this Lightny of July, 1998.

Marry Public Sign

My Commission #:_


My Commission expires:



		marriage wall piers within 2 of end of home per Rule 15C			Typical pier spacing lateral Show locations of Longitudinal and Lateral Systems longitudinal (use dark lines to show these locations)	I nome is a urbre or quad wide sketch in remainder of nome I understand Lateral Arm Systems cannot be used on any home (new or used) where the sidewall ties exceed 5 ft 4 in. Installer's initials	Address of home 438 SW Woodgate Terrace being installed Lalle City TI 33034 Manufacturer Fleetwood Length x width 28 x 80 NOTE: if home is a single wide fill out one half of the blocking plan
Manufacturer NON COMPONENTS within 2' of end of home spaced at 5' 4" oc Longitudinal Stabilizing Device (LSD) Manufacturer NON COMPONENTS Sidewall Longitudinal Congitudinal Stabilizing Device w/ Lateral Arms Manufacturer NON Shearwall Shearwall	Opening Pier pad size 4 ft 5 ft FRAME TIES	Draw the approximate locations of marriage wall openings 4 foot or greater. Use this symbol to show the piers. List all marriage wall openings greater than 4 foot and their pier pad sizes below.	Pad Size Sq Ir 16 x 16 256 258 16 x 18 288 16 x 22.5 360 17 x 22 374 374 17 x 22 3	Ri	Footer 16" x 16" 18 1/2" (sq in) (256) (3 psf 4'6" psf 6' psf 7'6"	PIER SPACING TABLE FOR USED HOMES	New Home Subsection Used Home III Subsection Manual IIII IIIIIIIIIIIIIIIIIIIIIIIIIIIIIII

374 400 441 576

26" x 26" (676)



PERMIT NUMBER

POCKET PENETROMETER TEST

or check here to declare 1000 lb. soil The pocket penetrometer tests are rounded down to without testing 1500 bg Sg

X Jago

Spage

X Jago

POCKET PENETROMETER TESTING METHOD

- Test the perimeter of the home at 6 locations
- 'n Take the reading at the depth of the footer
- 3. Using 500 lb. increments, take the lowest reading and round down to that increment

San Cx

X Sago

X

TORQUE PROBE TEST

showing 275 inch pounds or less will require 5 foot anchors. here if you are declaring 5' anchors without testing The results of the torque probe test is 280 inch pounds or check

Note: A state approved lateral arm system is being used and 4 ft anchors are allowed at the sidewall locations. I understand 5 ft anchors are required at all centerline tie points where the torque test requires anchors with 4000 le-tolding capacity reading is 275 or less and where the mobile home manufacturer may

Installer's initials

ALL TESTS MUST BE PERFORMED BY ALICENSED INSTALLER

Installer Name

Date Tested

3,000 -30-0

Electrical

Connect electrical conductors between multi-wide units, but not to the main power source. This includes the bonding wire between mult-wide units. . Pg.

Connect all sewer drains to an existing sewer tap or septic tank. Pg. A

Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg.

Site Preparation

Debris and organic material removed Water drainage: Natural Swale Swale

Pad

Other

Fastening multi wide units

Type Fastener: \

Floor:

Roof: Walls:

Length: 38 × \ Spacing: Length: 38 × \ Spacing: Length: 38 × Spacing: Length: 38 × \ Spacing: •

ئي وي

will be centered over the peak of the roof and fastened with galv Type Fastener: \ \ Length: \\ Spacing: Spacing: \\ Spacing: \ Spacing: \\ Spac roofing nails at 2" on center on both sides of the centerline by.

Gasket (weatherproofing requirement)

of tape will not serve as a gasket a result of a poorly installed or no gasket being installed. I understand a strip homes and that condensation, mold, meldew and buckled marriage walls are I understand a properly installed gasket is a requirement of all new and used

nstaller's initials **2**

Type gasket Yours

Installed: Bottom of ridgebeam Yes Between Walls Yes Between Floors Yes

Weatherproofing

Siding on units is installed to manufacturer's specifications. Yes تeplace chimney installed so as not to allow intrusion of rain water. Yes التحديد The bottomboard will be repaired and/or taped. Yes Pg. WA


Miscellaneous

Dryer vent installed outside of skirting. Yes Range downflow vent installed outside of skirting. Skirting to be installed. Yes Other: Electrical crossovers protected. Drain lines supported at 4 foot intervals. Yes N N A'N


Installer verifies all information given with this permit worksheet is accurate and true based on the

Installer Signature manufacturer's installation instructions and or Rule 15C-1 & 2

Date 1-31-0



This information, GIS Map Updated: 12/29/2005, was derived from data which was compiled by the Columbia County Property Appraiser Office solely for the governmental purpose of property assessment. This information should not be relied upon by snyone as a determination of the ownership of property or






STATE OF FLORIDA DEPARTMENT OF HEALTH

APPLICATION FOR ONSITE SEWAGE DISPOSAL SYSTEM CONSTRUCTION PERMIT

Permit Application Number 07-00105 M



ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT



OGGETAZG

COLUMBIA COUNTY, FLORIDA

Department of Building and Zoning Inspection
This Certificate of Occupancy is issued to the below named permit holder for the building and premises at the below named location, and certifies that the work has been completed in accordance with the Columbia County Building Code.

Parcel Number 08-4S-16-02810-149

Building permit No. 000025529

Permit Holder MICHAEL PARLATO

Owner of Building **BILLY & SHARON WHITE**

Location: 428 SW WOODGATE TERR(WOODGAE VILLAGE,LOT 49)

Date: 04/09/2007

Building Inspector

POST IN A CONSPICUOUS PLACE (Business Places Only)