

Columbia County BUILDING DEPARTMENT

Revised March 2021

COMMERCIAL MINIMUM PLAN CHECKLIST

MINIMUM PLAN REQUIREMENTS AND CHECKLIST FOR THE 2020 FLORIDA BUILDING CODE, FLORIDA PLUMBING CODE, FLORIDA MECHINICAL CODE, FLORIDA FUEL AND GAS CODE 2020 EFFECTIVE 1 JAN 2021 AND 2017 NATIONAL ELECTRICAL

ALL REQUIREMENTS ARE SUBJECT TO CHANGE

ALL BUILDING PLANS MUST INDICATE COMPLIANCE WITH THE CURRENT FLORIDA BUILDING CODES. ALL PLANS OR DRAWING SHALL PROVIDED CALCULATIONS AND DETAILS THAT HAVE THE SEAL AND SIGNATURE OF A CERTIFIED ARCHITECT OR ENGINEER REGISTERED IN THE STATE OF FLORIDA, OR ALTERNATE METHODOLOGIES, APPROVED BY THE STATE OF FLORIDA BUILDING COMMISSION.

FOR DESIGN PURPOSES THE FOLLOWING BASIC WIND SPEEDS ARE PER FLORIDA BUILDING CODE FIGURE 1609.3 (1) THROUGH (4) ULTIMATE DESIGN WIND SPEEDS FOR RISK CATEGORY AND BUILDINGS AND OTHER STRUCTURES

	GENERAL REQUIREMENTS:	Box s		ude Each Marked cable	
1	All drawings must be clear, concise and drawn to scale, details that are not used shall be marked void.	YES	NO	N/A	
2	If the design professional is an architect or engineer legally registered under the laws of this state regulating the practice of architecture as provided for in Chapter 481, Florida Statutes, Part I, or engineering as provided for in Chapter 471, Florida Statutes, then he or she shall affix his or her official seal to said drawings, specifications and accompanying data, as required by Florida Statute.	YES	NO	N/A	-
3	The design professional signature shall be affixed to the plans	YES	NO	N/A	
4	Two (2) complete sets of plans with the architecture or engineer signature and the date the affix embossed official seal was placed on the plans	YES	NO	N/A]-

Two (2) complete sets of plans containing the following information:

	Building Site Plan Requirements	Iter Each				
4	Parking, including provision Florida Building Code Accessibility Code	Yes	Ng	N/A	-	-
5	Fire access, showing all drive way which will be accessible for emergency vehicles	Yes	No	N/A	-	
6	Driving/turning radius of parking lots	Yes	No	N/A	-	
7	Vehicle loading include truck dock loading or rail site loading	Yes	No	N/A	-	
8	Nearest or number of onsite Fire hydrant/water supply/post indicator valve (PIV)	Yes	No	N/A	-	
9	Set back of all existing or proposed structures from each structure and property boundaries, Show all separation including assumed property lines	Yos	No	N/A	-	
10	Location of specific tanks(above or under grown ,water lines and sewer lines and septic tank and drain fields	Yes	No	-N/A	-	

11	All structures exterior views include finished floor elevation								Yos		No	N/A		-					
12	Total l	neight of	structur	e(s)	form estab	lished grade	e							Yes	-	No	N/A		-
		Povi	ow room	irad	l by the Co	lumbia Co	unter Eis	T	Department	ttom	o 12T	h 42							
		Kevi	ew requ		(We Conta					rtem	S 13	- 43							
	Occum		Croun	_	Cassa	C	T C		C			T.C.			0	55000			
	Occup		Group A		Group B	Group E	Group F		Group H	Gro	up	Group M	Gro R	oup	Grou S	ıp	U	oup D	
	circle :	all																	
12	uses.	Smanial													**			_	-
13					requiremen									-	Yes	N			
14		NORTH-SERVE TO			- W	ire footage	tor each	roc	m of use ar	ea)					Yes	N		/	-
15			occupan				VILLOSEPSEMENTO AZ			0 78577					Yes	N			-
16									HOURS F					ion t	Yes	N TRC		4	-
17	T	уре I		Тур	e II	Type II	I		pe IV	cy use	Тур		- Luci	ion c	ype i	· DC	102		
	(F	BC:602.	.2)	(FB	C:602.2)	(FBC:6	502.3)	(FI	BC:602.4)		(FBC	C:602.5)							
		Fir	e-resist:	ant	constructio	n requirer	ments sh	all	be shown,	includ	le the	following	com	pone	ents				
18					sistant sepa										Yes	No	N/A		-
19					sistant prote		me of co	nst	ruction						Yes	No		-	-
20			276.277						of rated wall	e					Yes	No			_
21									of rated wall						Yes	No		1	-
22							141		lated fire re						Yes	No			
22			111	COL					ns shall be			ude:			ies	No	N/A	-	
23			Ear	rly v	varning smo	oke evacuat	tion syste	ems	Schematic	fire s	prinkl	ers Standp	ipes		Yes	No	N/A	/	-
24			Sta	ındp	ipes										Yes	No	N/A	/	-
25			Pre	e-en	gineered sy	stems									Yes	No	N/A	1	-
26			Ris	ser d	iagram										Yes	No		_	-
						all be show	wn inclu	de '	the followi	ng rec	quirer	nents:				/			
27			Oc	cupa	ant load and	l egress cap	acities								Yes	No	N/A	e	-
28			Ear	rly v	varning										Yes	No	N/A	_	-
29			Sm	oke	control										Yes	No	NA		-
30			Sta	ir p	ressurizatio	n									Yes	No	N/A		-
31					s schemati										Yes	No	N/A		-
32						ss require	ments sh	all	be shown i	nclud	e:								
33		1/2			ancy load										Yes	No	N/A		- 1
34			Gı	ross	occupancy	load								-	Yes	No	N/A		-
1.000.00			N	et o	ccupancy lo	oad									Yes	No	N/A	e	-
35			M	lean	s of egress										Yes	No	N/A		-
36			Е	xit a	iccess									-	Yes	No	N/A		-
37			Ex	it di	scharge										Yes	No	N/A	6	-
38			Sta	irs (construction	n/geometry	and prot	ecti	ion						Yes	No	N/A		-
39			Do	ors											Yes	No	N/A		-
40			En	erge	ency lightin	g and exit	signs								Yes	No	N/A	er	-
41			Spo	ecifi	c occupanc	y requireme	ents								Yes	No	N/A		_

42	Construction requirements	Yes	No	N/A	_
43	Horizontal exits/exit passageways		_		_
	monzontai exits/exit passageways	Yes	No	N/A	
		Items Each I Marke	Box shed as		
44	Structural requirements shall be shown include:				
2.5	Soil conditions/analysis	Yes	No	N/A	-
45	Termite protection	Yes	No	N/A	-
46	Design loads	Yes	No	N/A	-
47	Wind requirements	Yes	No	N/A	-
48	Building envelope	Yes	No	N/A	-
49	Structural calculations (if required)	Yes	No	N/A	-
50	Foundation For structures with foundation which establish new electrical utility	Yes	No	N/A	
	companies service connection a Concrete Encased Electrode will be required within the foundation to serve as an grounding electrode system. Per the National Electrical Code article 250.52.3				-
51	W. H	-	-		
52	Wall systems	Yes	No	N/A	-
53	Floor systems	Yes	No	N/A	-
54	Roof systems	Yes	No	N/A	-
55	Threshold inspection plan	Yes	No	N/A	-
-55	Stair systems	Yes	No	N/A	-
56	Materials shall be shown include the following Wood		T.,		
57		Yes	No	N/A	-
58	Steel	Yes	No	N/A	-
59	Aluminum	Yes	No	N/A	-
60	Concrete	Yes	No	N/A	
61	Plastic	Yes	No	NA	-
25.35	Glass	Yes	No	N/A	-
62	Masonry	Yes	No	N/A	-
63	Gypsum board and plaster	Yes	No	N/A	-
64	Insulating (mechanical)	Yes	No	N/A	-
65	Roofing	Yes	No	N/A	-
66	Insulation	Yes	No	N/A	-
67	Accessibility requirements shall be shown include the following]		
68	Site requirements	Yes	No	N/A	-
69	Accessible route	Yes	No	N/A	-
0.80	Vertical accessibility	Yes	No	N/A	-
70	Toilet and bathing facilities	Yes	No	N/A	-
71	Drinking fountains	Yes	No	N/A	-
72	Equipment	Yes	No	N/A	HVAC
73	Special occupancy requirements	Yes	No	N/A	-
74	Fair housing requirements	Yes	No	N/A]-

	Interior requirements shall include the following				
75	Review required by the Columbia County Fire Department Items 75 Th 80 Interior finishes (flame spread/smoke development)	Yes	No	N/A	-
76	Light and ventilation	Yes	No	N/A	<u></u> p
77	Sanitation	Yes	No	N/A	-
	Special systems			L. Valide J. J.	
78	Elevators	Yes	No	N/A	-
79	Escalators	Yes	No	N/A	-
80	Lifts	Yes	No	N/A	-
	Swimming pools				
81	Barrier requirements	Yes	No	NA	-
82	Spas and Wading pools	Yes	No	N/A	-:
83	Access required per Florida Building Code 454.1.2.5	Yes	No	N/A	

	Electrical				
34	Wiring	Yes	No	N/A	-
35	Services For structures with foundation which establish new electrical utility	Yes	No	N/A	
	companies service connection a Concrete Encased Electrode will be required	1			
	within the foundation to serve as an grounding electrode system. Per the National Electrical Code article 250.52.3				-
	Fer the National Electrical Code article 250.52.3				
6	Feeders and branch circuits	Yes	No	N/A	-
7	Overcurrent protection	Yes	No	N/A	-
8	Grounding	1			
39		Yes	No	N/A	_
00	Wiring methods and materials	Yes	No	N/A	-
)1	GFCIs	Yes	No	N/A	-
	Equipment	Yes	No	N/A	-
2	Special occupancies	Yes	No	N/A	-
93	Emergency systems	Yes	No	N/A	-
94	Communication systems	Yes	No	N/A	-
)5	Low voltage	Yes	No	N/A	-
96	Load calculations	Yes	No	N/A	-
	Plumbing				
7	Minimum plumbing facilities	Yes	No	N/A	-
98	Fixture requirements	Yes	No	N/A	-
9	Water supply piping	Yes	No	N/A	-
100	Sanitary drainage	Yes	No	N/A	-
101	Water heaters	Yes	No	N/A	-
02	Vents	Yes	No	N/A	_
03	Roof drainage	Yes	No	N/A	_
104	Back flow prevention	Yes	No	N/A	_

105	Irrigation	1			_
106		Yes	No	N/A	
107	Location of water supply line	Yes	No	N/A	-
108	Grease traps	Yes	No	N/A	-
109	Environmental requirements	Yes	No	N/A	-
	Plumbing riser Mechanical	Yes	No	N/A	-
110					
111	Energy calculations Review required by the Columbia County Fire Department Items 111 Th 114	Yes	No No	N/A N/A	-
	Exhaust systems	res	NO	N/A	-
112	Clothes dryer exhaust	Yes	No	N/A	-
113	Kitchen equipment exhaust	Yes	No	NA	-
114	Specialty exhaust systems	Yes	No	N/A	-
	Equipment location				
115	Make-up air	Yes	No	N/A	-
116	Roof-mounted equipment	Yes	No -	N/A	-
117	Duct systems	Yes	No	N/A	-
118	Ventilation	Yes	No	N/A	-
119	Laboratory	Yes	No	N/A	
120	Combustion air	Yes	No	N/A	-
121	Chimneys, fireplaces and vents	Yes	No	N/A	-
122	Appliances	Yes	No	N/A	-
123	Boilers	Yes	No	N/A	-
124	Refrigeration	Yes	No	N/A	-
125	Bathroom ventilation	Xes	No	N/A	-
		Items t	o Inclu	ıde-	
		Each B		ill be	
		Market Applic			
	Gas	- Appare	4010		1
126	Review required by the Columbia County Fire Department Items 126 Th 134 Gas piping	Yes	No	N/A	-
127	Venting	Yes	No	N/A	-
128	Combustion air	Yes	No	N/A	-
129	Chimneys and vents	Yes	No	N/A	-
130	Appliances	Yes	No	N/A	-
131	Type of gas	Yes	No	N/A	-
132	Fireplaces	Yes	No	N/A	_
133	LP tank location	Yes	No	N/A	_
134	Riser diagram/shutoffs	Yes	No	N/A	-
	Notice of Commencement	103	140	1 1 / A	-
135	A recorded (in the Columbia County Clerk Office) notice of commencement is required to be on file with the building department. Before Any Inspections Will Be Done	Yes	No	N/A	-
	Disclosure Statement for Owner Builders				-
		Yes	No	N/A	