


631.98

631.84

Sally: And
6.15.20

APPROVED

Clinton Walker
302 SW Colony Gln.
Lake City, 32024



20-0444

Franklin
19-2064
6-5-20
Klem



STATE OF FLORIDA
DEPARTMENT OF HEALTH
ON-SITE SEWAGE TREATMENT AND DISPOSAL
SYSTEM
APPLICATION FOR CONSTRUCTION PERMIT

APPLICATION FOR:
☒ New System
☐ Repair

☐ Existing System
☐ Abandonment

☐ Holding Tank
☐ Temporary

☐ Innovative

APPLICANT:

Clinton Walker

AGENT:

Tommy Jones - Jones Plumbing

MAILING ADDRESS:

1490 NE 130th St. Titon, FL 32693

TELEPHONE: 352-221-4473

PROPERTY INFORMATION

LOT: 37 BLOCK:

SUBDIVISION: Meadows Pk 3

PLATTED:

PROPERTY ID #: 06-65-17-03761-137

ZONING:

I/M OR EQUIVALENT: [] Y / [] N

PROPERTY SIZE: 5

ACRES WATER SUPPLY: [X] PRIVATE PUBLIC [] <=2000GPD [] >2000GPD

PROPERTY ADDRESS:

308 SW Cdony Gln, Lake City, 32024

DIRECTIONS TO PROPERTY:

"See attached"

BUILDING INFORMATION

Unit Type of

No. of Establishment

Bedrooms

Building Area Sqft

Commercial/Institutional System Design Table 1, Chapter 64E-6, FAC

1

SFR

4

1841

4

3

2

1

SIGNATURE:

[] Floor/Equipment Drains [] Other (Specify)

DATE:

6-5-20

DR 4015, 08/09 (Obsoletes previous editions which may not be used) Incorporated 64E-6.001, FAC

RECEIVED
Page 1 of 4

JUN 10 2020

Initial

25

PERMIT NO. 06-24414
DATE PAID: 5/28/20
FEE PAID: 310.80
RECEIPT #: 15054484



STATE OF FLORIDA
DEPARTMENT OF HEALTH
ONSITE SEWAGE TREATMENT AND DISPOSAL
SYSTEM

PERMIT #: 12-SC-2089497
APPLICATION #: AP1508784
DATE PAID: 5/8/20
FEE PAID:
RECEIPT #:
DOCUMENT #: PR1352895

CONSTRUCTION PERMIT FOR: OSTDS New

APPLICANT: CLINTON**20-0444 WALKER

PROPERTY ADDRESS: 302 SW COLONY Gln Lake City, FL 32024

LOT: BLOCK: SUBDIVISION: MEADOWLANDS PH-3

PROPERTY ID #: 03761-137 [SECTION, TOWNSHIP, RANGE, PARCEL NUMBER]
[OR TAX ID NUMBER]

SYSTEM MUST BE CONSTRUCTED IN ACCORDANCE WITH SPECIFICATIONS AND STANDARDS OF SECTION 381.0065, F.S., AND CHAPTER 64E-6, F.A.C. DEPARTMENT APPROVAL OF SYSTEM DOES NOT GUARANTEE SATISFACTORY PERFORMANCE FOR ANY SPECIFIC PERIOD OF TIME. ANY CHANGE IN MATERIAL FACTS, WHICH SERVED AS A BASIS FOR ISSUANCE OF THIS PERMIT, REQUIRE THE APPLICANT TO MODIFY THE PERMIT APPLICATION. SUCH MODIFICATIONS MAY RESULT IN THIS PERMIT BEING MADE NULL AND VOID. ISSUANCE OF THIS PERMIT DOES NOT EXEMPT THE APPLICANT FROM COMPLIANCE WITH OTHER FEDERAL, STATE, OR LOCAL PERMITTING REQUIRED FOR DEVELOPMENT OF THIS PROPERTY.

SYSTEM DESIGN AND SPECIFICATIONS

T 1,050] GALLONS / GPD
A 1,050] GALLONS / GPD
N 1,050] GALLONS GREASE INTERCEPTOR CAPACITY [MAXIMUM CAPACITY SINGLE TANK:1250 GALLONS]
K 1,050] GALLONS DOSING TANK CAPACITY [] GALLONS @ [] DOSES PER 24 HRS #Pumps []
D 500] SQUARE FEET
R 500] SQUARE FEET
A TYPE SYSTEM: [] STANDARD [] FILLED [] MOUND []
I CONFIGURATION: [] TRENCH [] BED []
N

E LOCATION OF BENCHMARK: Nail with pink ribbon in tree near site.
I ELEVATION OF PROPOSED SYSTEM SITE [15.00] [INCHES] [] ABOVE [] BELOW [] BENCHMARK/REFERENCE POINT
E BOTTOM OF DRAINFIELD TO BE [9.00] [INCHES] [] ABOVE [] BELOW [] BENCHMARK/REFERENCE POINT
D FILL REQUIRED: [0.00] INCHES EXCAVATION REQUIRED: [0.00] INCHES

O The system is sized for 4 bedrooms with a maximum occupancy of 8 persons (2 per bedroom), for a total estimated flow of 400 gpd.
T Specifications by: Kameron Keen "PSE"
H
E
R

SPECIFICATIONS BY: Kameron Keen, TITLE: JSE
APPROVED BY: Dustin W Jones
DATE ISSUED: 06/12/2020
EXPIRATION DATE: 12/12/2021
Columbia CHD

DH 4016, 08/09 (Obsoletes all previous editions which may not be used)
Incorporated: 64E-6.003, FAC