



Timberlake ALUM. CONST. INC



544 NW Bert Ave
Lake City, FL 32055



[Home](#)
[About This Site](#)
[Lat/Long Finder](#)
[Related Resources](#)
[Sponsors](#)
[About ATC](#)
[Contact](#)

Search Results

Latitude: 30 2168
Longitude: -82 7279

ASCE 7-10 Wind Speeds
(3-sec peak gust MPH*):

Risk Category I: 109
Risk Category II: 119
Risk Category III-IV: 128
MRI 10 Year:** 76
MRI 25 Year:** 84
MRI 50 Year:** 91
MRI 100 Year:** 97

ASCE 7-05: 100
ASCE 7-93: 89

*MPH (Miles per hour)
 **MRI Mean Recurrence Interval (years)


Users should consult with local building officials
 to determine if there are community-specific wind speed
 requirements that govern



[Download a PDF of your results](#)



[Print your results](#)



WIND SPEED WEB SITE DISCLAIMER:

While the information presented on this web site is believed to be correct, ATC assumes no responsibility or liability for its accuracy. The material presented in the wind speed report should not be used or relied upon for any specific application without competent examination and verification of its accuracy, suitability and applicability by engineers or other licensed professionals. ATC does not intend that the use of this information replace the sound judgment of such competent professionals, having experience and knowledge in the field of practice, nor to substitute for the standard of care required of such professionals in interpreting and applying the results of the wind speed report provided by this web site. Users of the information from this web site assume all liability arising from such use. Use of the output of this web site does not imply approval by the governing building code bodies responsible for building code approval and interpretation for the building site(s) described by latitude/longitude location in the wind speed report.



Google earth

