District No. 1 - Ronald Williams District No. 2 - Dewey Weaver

District No. 4 - Stephen E. Bailey

District No. 5 - Scarlet P. Frisina

Date of Review:

District No. 3 - Jody DuPree

28147



BOARD OF COUNTY COMMISSIONERS

• COLUMBIA COUNTY

ME	MO OF REVIEW FO	OR CORRECTNESS AND	COMPLETION	V	
In accordance with participation in the I completion prior to acceptance by the cand provided with requested copies of	community. This cor	mpleted form shall be atta	are required to bached to all elev	pe reviewed for correctness and ation certificates maintained on fil	€
The attached elevation certific acceptance by the community. The attached elevation certific Minor corrections have been in	r. ated is complete and	d correct.		prior to unity Official.	
	SECTION	A - PROPERTY INFORM	ATION	For Insurance Company Use:	1
A1. Building Owner's Name				Policy Number	Ī
A2. Building Street Address (including Apt., I	Jnit, Suite, and/or Bldg.	No.) or P.O. Route and Box No.	2.	Company NAIC Number	4
City		State		ZIP Code	L
A3. Property Description (Lot and Block Num	bers, Tax Parcel Numb	er, Legal Description, etc.)			-
A4. Building Use (e.g., Residential, Non-Res A5. Latitude/Longitude: Lat. A6. Attach at least 2 photographs of the build A7. Building Diagram Number A8. For a building with a crawl space or end a) Square footage of crawl space or end b) No. of permanent flood openings in the enclosure(s) walls within 1.0 foot about c) Total net area of flood openings in Ai SECTI B1. NFIP Community Name & Community Num B4. Map/Panel Number B5. Suffix	LongLong	A9. For a b	uilding with an atta uare footage of atta of permanent flood is within 1.0 foot at al net area of flood	ched garage, provide: ched garage sq ft d openings in the attached garage cove adjacent grade openings in A9.b sq in	
B10. Indicate the source of the Base Flood Ele FIS Profile FIRM C B11. Indicate elevation datum used for BFE in B12. Is the building located in a Coastal Barrie Designation Date COMMENTS:	ommunity Determined Item B9: NGVD 19: Ir Resources System (C	Other (Describe)	Other (Describe) _	Yes No	

All elevation certificates shall be maintained by the community and copies with the attached memo made available upported the

AND TERMINAURINA PRICINI P. M.

U.S. DEPARTMENT OF HOMELAND SECURITY Foderal Emergency Management Agency National Flood Insurance Program

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expires March 31, 2012

Important: Read the instructions on pages 1-9.

	PERTY INFORMATION	For Insurance Company Use:		
A1. Building Owner's Name Theodore F. Smith		Policy Number		
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P. 382 SE Riverview Circle	O. Route and Box No.	Company NAIC Number		
City High Springs State FI ZIP Code 32643				
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal I Lot 3, Riverview - Plat Bk 5, Pages 73-74	Description, etc.)			
 A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) A5. Latitude/Longitude: Lat. 29°51.379 Long. 82°36.232 A6. Attach at least 2 photographs of the building if the Certificate is being used A7. Building Diagram Number 5/2 A8. For a building with a crawlspace or enclosure(s): a) Square footage of crawlspace or enclosure(s) b) No. of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade c) Total net area of flood openings in A8.b N/A N/A N/A Sq in d) Engineered flood openings? 	Horizontal Datum: to obtain flood insurance. A9. For a building with an attact a) Square footage of attact	hed garage N/A sq ft openings in the attached garage jacent grade N/A penings in A9.b N/a sq in		
SECTION B - FLOOD INSURANCE	RATE MAP (FIRM) INFORMATION			
B1. NFIP Community Name & Community Number Columbia County, Florida 120070 B2. County Na Columbia	-	33. State Florida		
12023C0551 C Date Effective	FIRM Panel B8. Flood Zone(s) AE	B9. Base Flood Elevation(s) (Zone AO, use base flood depth) 47		
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9. FIS Profile				
SECTION C - BUILDING ELEVATION I				
C1. Building elevations are based on: "A new Elevation Certificate will be required when construction of the building. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE below according to the building diagram specified in Item A7. Use the same Benchmark Utilized Florida DOT Vertical Datum NAVD1988 Conversion/Comments N/A	☐ Building Under Construction* g is complete.), AR, AR/A, AR/AE, AR/A1-A30, AR/AH.	☑ Finished Construction AR/AO. Complete Items C2.a-h		
a) Top of bottom floor (including basement, crawlspace, or enclosure floor				
a) I op of bottom floor (including basement, crawispace, or enclosure floorb) Top of the next higher floor	N/A feet _ meters (Puerto	• 1		
c) Bottom of the lowest horizontal structural member (V Zones only)	N/A feet meters (Puerto			
d) Attached garage (top of slab)	N/A.	• • • • • • • • • • • • • • • • • • • •		
e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments)	50.10			
f) Lowest adjacent (finished) grade next to building (LAG)	35.3	Rico only)		
g) Highest adjacent (finished) grade next to building (HAG)	36.5			
 Lowest adjacent grade at lowest elevation of deck or stairs, including structural support 	N/A feet meters (Puerto	Rico only)		
SECTION D - SURVEYOR, ENGINEER	R, OR ARCHITECT CERTIFICATION			
This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.				
	and longitude in Section A provided by a			
licensed land s				
Certifier's Name Timothy A. Delbene	License Number LS 5594	-		
Title Land Surveyor & Mapper Company Name Donald F. Lee & Associates, Inc.				
Address 140 NW Ridgewood Ave. City Lake City	State FL ZIP Code 32055			
Sinngfurn + 11 (1) 1 1 1 1 2 1/17/2010	Tolonhono 396 755 6166	- 1 1		

IMPORTANT: In these spaces			F	For Insurance Company Use:
Building Street Address (including A 382 SE Riverview Circle	pt., Unit, Suite, and/or Bldg. No.)	or P.O. Route and Box No.	F	Policy Number
City High Springs State FL ZIP Co	ode 32643		Č	Company NAIC Number
SECTIO	ON D - SURVEYOR, ENGINE	ER, OR ARCHITECT CERTIF	ECATION (CONTI	NUED)
Copy both sides of this Elevation Ce	ertificate for (1) community official	, (2) insurance agent/company, ar	nd (3) building owner	
Comments Mechanical equipment	is Air Conditioner on house deck.			
Signature	allehan	Date 3/17/2010		☐ Check here if attachments
SECTION E - BUILDINGLEL	EVATION INFORMATION (S	SURVEY NOT REQUIRED) FO	OR ZONE AO AND	ZONE A (WITHOUT BFE)
b) Top of bottom floor (including E2. For Building Diagrams 6-9 with (elevation C2.b in the diagrams E3. Attached garage (top of slab) E4. Top of platform of machinery at E5. Zone AO only: If no flood depordinance?	al grade, if available. Check the nation of the following and check the application of the following and check the application of the following basement, crawlspace, or enclar basement flood openings provings of the building is and/or equipment servicing the building of the following of the building is and/or equipment servicing the building of the following of the following of the building is and/or equipment servicing the building of the following of the building of the following of the follo	neasurement used. In Puerto Ricopropriate boxes to show whether cosure) is fee cosure) is fee ded in Section A Items 8 and/or 9 feet meters above or below to tilding is feet of the bottom floor elevated in accommust certify this information in Sections A, B, and E for Zone	o only, enter meters. the elevation is above the elevation is above the meters above the elevation and the elevation above the elevation is above the elevation in elevation is above the elevation in elevation is above the elevation in elevation is above the elevation is above the elevation in elevation is above the elevation in elevation in elevation is above the elevation in elevation in elevation in elevation is above the elevation in elevation i	ve or below the highest adjacent ove or below the HAG. ove or below the LAG. istructions), the next higher floor incomplete the below the HAG. incomplete
				Charle have if attach
	SECTION G - COMM	MUNITY INFORMATION (OPT	IONAL)	Check here if attachments
The local official who is authorized by and G of this Elevation Certificate. Co	law or ordinance to administer the	e community's floodplain manager	ment ordinance can	
is authorized by law to certif	fy elevation information. (Indicate	the source and date of the elevat	tion data in the Comr	· ·
	•	ed in Zone A (without a FEMA-isso nunity floodplain management pur	•	sued BFE) or Zone AO.
G4. Permit Number	G5. Date Permit Issued	G6. Date Ce	ertificate Of Complian	ce/Occupancy Issued
G7. This permit has been issued for:	_	Substantial Improvement	nam (mm) m	
G8. Elevation of as-built lowest floorG9. BFE or (in Zone AO) depth of flo			eters (PR) Datum _ eters (PR) Datum _	
G10. Community's design flood elevat			eters (PR) Datum _	
Local Official's Name		Title		
Community Name		Telephone		
Signature		Date		
Comments				

Building Photographs See Instructions for Item A6.

		For Insurance Company Use:
Building Street Address (including Apt., Unit, Suite, an	d/or Bldg. No.) or P.O. Route and Box No.	Policy Number
382 SE Riverview Circle		
City High Springs State FL ZIP Code 32643		Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least two building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page on the



FRONT VIEW OF HOUSE



REAR VIEW OF HOUSE

DIAGRAM 3

All split-level buildings that are slab-on-grade, either detached or row type (e.g., townhouses); with or without attached garage.

Distinguishing Feature - The bottom floor (excluding garage) is at or above ground level (grade) on at least one side.




DIAGRAM 4

All split-level buildings (other than slab-on-grade), either detached or row type (e.g., townhouses); with or without attached garage.

Distinguishing Feature - The bottom floor (basement or underground garage) is below ground level (grade) on all sides."




DIAGRAM 5

All buildings elevated on piers, posts, piles, columns, or parallel shear walls. No obstructions below the elevated floor.

Distinguishing Feature - For all zones, the area below the elevated floor is open, with no obstruction to flow of flood waters (open lattice work and/or





DIAGRAM 6

All buildings elevated on piers, posts, piles, columns, or parallel shear walls with full or partial enclosure below the elevated floor.

Distinguishing Feature - For all zones, the area below the elevated floor is enclosed, either partially or fully. In A Zones, the partially or fully enclosed area below the elevated floor is with or without openings** present in the walls of the enclosure. Indicate information about enclosure size and openings in Section A -- Property Information



- A floor that is below ground level (grade) on all sides is considered a basement even if the floor is used for living purposes, or as an office, garage, workshop, etc.
- An "opening" is a permanent opening that allows for the free passage of water automatically in both directions without human intervention. Under the NFIP, a minimum of two openings is required for enclosures or crawlspaces. The openings shall provide a total net area of not less than one square inch for every square foot of area enclosed, excluding any bars, louvers, or other covers of the opening. Alternatively, an Individual Engineered Flood Openings Certification or an Evaluation Report issued by the International Code Council Evaluation Service (ICC ES) must be submitted to document that the design of the openings will allow for the automatic equalization of hydrostatic flood forces on exterior walls. A window, a door, or a garage door is not considered an opening; openings may be installed in doors. Openings shall be on at least two sides of the enclosed area. If a building has more than one enclosed area, each area must have openings to allow floodwater to directly enter. The bottom of the openings must be no higher than one foot above the higher of the exterior or interior grade or floor immediately below the opening. For more guidance on openings, see NFIP Technical Bulletin 1.