

**FLORIDA ENERGY EFFICIENCY CODE FOR BUILDING CONSTRUCTION****Florida Department of Business and Professional Regulation - Residential Performance Method**

|                                                                                                                   |                                                                                                                |
|-------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|
| Project Name: Mowry Residence<br>Street:<br>City, State, Zip: , FL,<br>Owner:<br>Design Location: FL, Gainesville | Builder Name:<br>Permit Office:<br>Permit Number:<br>Jurisdiction:<br>County: columbia(Florida Climate Zone 2) |
|-------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|

  

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1. New construction or existing      New (From Plans)<br>2. Single family or multiple family      Detached<br>3. Number of units, if multiple family      1<br>4. Number of Bedrooms      3<br>5. Is this a worst case?      No<br>6. Conditioned floor area above grade (ft²)      2251<br>Conditioned floor area below grade (ft²)      0<br>7. Windows(369.5 sqft.)      Description      Area<br>a. U-Factor:      Dbl, U=0.26      369.50 ft²<br>SHGC:      SHGC=0.20<br>b. U-Factor:      N/A      ft²<br>SHGC:<br>c. U-Factor:      N/A      ft²<br>SHGC:<br>Area Weighted Average Overhang Depth:      1.500 ft<br>Area Weighted Average SHGC:      0.200<br>8. Skylights      Description      Area<br>U-Factor:(AVG)      N/A      N/A ft²<br>SHGC(AVG):      N/A<br>9. Floor Types      Insulation      Area<br>a. Slab-On-Grade Edge Insulation      R= 0.0      2251.00 ft²<br>b. N/A      R=      ft²<br>c. N/A      R=      ft² | 10. Wall Types(2656.3 sqft.)      Insulation      Area<br>a. Frame - Wood, Exterior      R=13.0      2300.80 ft²<br>b. Frame - Wood, Adjacent      R=13.0      355.50 ft²<br>c. N/A<br>d. N/A<br>11. Ceiling Types(2251.0 sqft.)      Insulation      Area<br>a. Single assembly, no ai (Unvented)      R=0.0      2251.00 ft²<br>b. N/A<br>c. N/A<br>12. Roof(Comp. Shingles, Unvent) Deck R=30.0      2930 ft²<br>13. Ducts, location & insulation level      R      ft²<br>a. Sup: Main, Ret: Main, AH: Main      6      450<br>b.<br>c.<br>14. Cooling Systems      kBtu/hr      Efficiency<br>a. Central Unit      48.0      SEER2:15.00<br><br>15. Heating Systems      kBtu/hr      Efficiency<br>a. Electric Heat Pump      48.0      HSPF2:8.20<br><br>16. Hot Water Systems<br>a. Electric      Cap: 50 gallons<br>EF: 0.920<br>b. Conservation features<br>None<br>17. Credits      CF, Pstat |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

  

|                                                                                                                                                                                                    |                                      |             |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|-------------|
| Glass/Floor Area: 0.164                                                                                                                                                                            | Total Proposed Modified Loads: 53.92 | <b>PASS</b> |
|                                                                                                                                                                                                    | Total Baseline Loads: 64.16          |             |
| NOTE: Proposed residence must have annual total normalized Modified Loads that are less than or equal to 95 percent of the annual total loads of the standard reference design in order to comply. |                                      |             |

  

|                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                          |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| I hereby certify that the plans and specifications covered by this calculation are in compliance with the Florida Energy Code.<br><br>PREPARED BY: <br>DATE: 10-31-24<br><br>I hereby certify that this building, as designed, is in compliance with the Florida Energy Code.<br>OWNER/AGENT: _____<br>DATE: _____ | Review of the plans and specifications covered by this calculation indicates compliance with the Florida Energy Code. Before construction is completed this building will be inspected for compliance with Section 553.908 Florida Statutes.<br><br><br><br>BUILDING OFFICIAL: _____<br>DATE: _____ |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

- Compliance requires certification by the air handler unit manufacturer that the air handler enclosure qualifies as certified factory-sealed in accordance with R403.3.2.1.
- Compliance with a proposed duct leakage Qn requires a PERFORMANCE Duct Leakage Test Report confirming duct leakage to outdoors, tested in accordance with ANSI/RESNET/ICC 380, is not greater than 0.030 Qn for whole house.
- Compliance requires an Air Barrier and Insulation Inspection Checklist in accordance with R402.4.1.1 and this project requires a PERFORMANCE envelope leakage test report with envelope leakage no greater than 5.24 ACH50 (R402.4.1.2).

INPUT SUMMARY CHECKLIST REPORT

PROJECT

Title: Mowry Residence

Building Type: User

Owner:

Builder Home ID:

Builder Name:

Permit Office:

Jurisdiction:

Family Type: Detached

New/Existing: New (From Plans)

Year Construct: 2024

Comment:

Bedrooms: 3

Conditioned Area: 2251

Total Stories: 1

Worst Case: No

Rotate Angle: 0

Cross Ventilation:

Whole House Fan:

Terrain: Rural

Shielding: Moderate/Rural

Address type: Street Address

Lot #: ---

Block/SubDivision: ---

PlatBook: ---

Street:

County: columbia

City, State, Zip: , FL,

CLIMATE

✓ Design Location

Tmy Site

Design Temp 97.5% 2.5%

Int Design Temp Winter Summer

Heating Degree Days

Design Moisture

Daily temp Range

\_\_\_ FL, Gainesville

FL\_GAINESVILLE\_REGIONA

32 92

70 75

1305.5

51

Medium

BLOCKS

✓ Number

Name

Area

Volume

\_\_\_ 1

Block1

2251

20259 cu ft

SPACES

✓ Number

Name

Area

Volume

Kitchen

Occupants

Bedrooms

Finished

Cooled

Heated

\_\_\_ 1

Main

2251

20259

Yes

6

3

Yes

Yes

Yes

FLOORS (Total Exposed Area = 2251 sq.ft.)

✓ #

Floor Type

Space

Exposed Perim(ft)

Area

R-Value Perim.

U-Factor Joist

Slab Insul. Vert/Horiz

Tile

Wood

Carpet

\_\_\_ 1

Slab-On-Grade Edge Ins

Main

284

2251 sqft

0 ---

0.563

0 (ft)/0 (ft)

0.20

0.60

0.20

ROOF

✓ #

Type

Materials

Roof Area

Gable Area

Roof Color

Rad Barr

Solar Absor.

SA Tested

Emitt

Emitt Tested

Deck Insul.

Pitch (deg)

\_\_\_ 1

Gable or shed

Composition shingles

2930 ft²

938 ft²

Dark

N

0.92

No

0.9

No

30

39.81

ATTIC

✓ #

Type

Ventilation

Vent Ratio (1 in)

Area

RBS

IRCC

\_\_\_ 1

No attic

Unvented

0

2251 ft²

N

N

CEILING (Total Exposed Area = 2251 sq.ft.)

✓ #

Ceiling Type

Space

R-Value

Ins. Type

Area

U-Factor

Framing Frac.

Truss Type

\_\_\_ 1

Single assembly, no airspace(Unvented)

Main

0.0

Blown

2251.0ft²

0.031

0.11

Wood

# INPUT SUMMARY CHECKLIST REPORT

| WALLS  |      |             |              |       |                |          |    |           |    |             |          |                |            |              | (Total Exposed Area = 2656 sq.ft.) |  |  |  |  |
|--------|------|-------------|--------------|-------|----------------|----------|----|-----------|----|-------------|----------|----------------|------------|--------------|------------------------------------|--|--|--|--|
| ✓ #    | Ornt | Adjacent To | Wall Type    | Space | Cavity R-Value | Width Ft | In | Height Ft | In | Area sq.ft. | U-Factor | Sheath R-Value | Frm. Frac. | Solar Absor. | Below Grade                        |  |  |  |  |
| ___ 1  | N    | Exterior    | Frame - Wood | Main  | 13.0           | 12.0     | 0  | 9.0       | 0  | 108.0       | 0.084    |                | 0.23       | 0.75         | 0 %                                |  |  |  |  |
| ___ 2  | E    | Exterior    | Frame - Wood | Main  | 13.0           | 12.0     | 0  | 9.0       | 0  | 108.0       | 0.084    |                | 0.23       | 0.75         | 0 %                                |  |  |  |  |
| ___ 3  | N    | Exterior    | Frame - Wood | Main  | 13.0           | 28.0     | 8  | 10.0      | 0  | 286.7       | 0.084    |                | 0.23       | 0.75         | 0 %                                |  |  |  |  |
| ___ 4  | W    | Exterior    | Frame - Wood | Main  | 13.0           | 2.0      | 4  | 10.0      | 0  | 23.3        | 0.084    |                | 0.23       | 0.75         | 0 %                                |  |  |  |  |
| ___ 5  | N    | Exterior    | Frame - Wood | Main  | 13.0           | 11.0     | 4  | 10.0      | 0  | 113.3       | 0.084    |                | 0.23       | 0.75         | 0 %                                |  |  |  |  |
| ___ 6  | W    | Exterior    | Frame - Wood | Main  | 13.0           | 24.0     | 8  | 9.0       | 0  | 222.0       | 0.084    |                | 0.23       | 0.75         | 0 %                                |  |  |  |  |
| ___ 7  | N    | Exterior    | Frame - Wood | Main  | 13.0           | 24.0     | 0  | 9.0       | 0  | 216.0       | 0.084    |                | 0.23       | 0.75         | 0 %                                |  |  |  |  |
| ___ 8  | E    | Exterior    | Frame - Wood | Main  | 13.0           | 35.0     | 10 | 9.0       | 0  | 322.5       | 0.084    |                | 0.23       | 0.75         | 0 %                                |  |  |  |  |
| ___ 9  | S    | Garage      | Frame - Wood | Main  | 13.0           | 39.0     | 6  | 9.0       | 0  | 355.5       | 0.084    |                | 0.23       | 0.75         | 0 %                                |  |  |  |  |
| ___ 10 | S    | Exterior    | Frame - Wood | Main  | 13.0           | 40.0     | 0  | 10.0      | 0  | 400.0       | 0.084    |                | 0.23       | 0.75         | 0 %                                |  |  |  |  |
| ___ 11 | E    | Exterior    | Frame - Wood | Main  | 13.0           | 4.0      | 8  | 9.0       | 0  | 42.0        | 0.084    |                | 0.23       | 0.75         | 0 %                                |  |  |  |  |
| ___ 12 | S    | Exterior    | Frame - Wood | Main  | 13.0           | 12.0     | 0  | 9.0       | 0  | 108.0       | 0.084    |                | 0.23       | 0.75         | 0 %                                |  |  |  |  |
| ___ 13 | W    | Exterior    | Frame - Wood | Main  | 13.0           | 39.0     | 0  | 9.0       | 0  | 351.0       | 0.084    |                | 0.23       | 0.75         | 0 %                                |  |  |  |  |

  

| DOORS |      |             |           |       |        |         |          |    |           |    |         |  |  |  | (Total Exposed Area = 96 sq.ft.) |  |  |  |  |
|-------|------|-------------|-----------|-------|--------|---------|----------|----|-----------|----|---------|--|--|--|----------------------------------|--|--|--|--|
| ✓ #   | Ornt | Adjacent To | Door Type | Space | Storms | U-Value | Width Ft | In | Height Ft | In | Area    |  |  |  |                                  |  |  |  |  |
| ___ 1 | N    | Exterior    | Insulated | Main  | None   | 0.46    | 3.00     | 0  | 8.00      | 0  | 24.0ft² |  |  |  |                                  |  |  |  |  |
| ___ 2 | E    | Exterior    | Insulated | Main  | None   | 0.46    | 3.00     | 0  | 8.00      | 0  | 24.0ft² |  |  |  |                                  |  |  |  |  |
| ___ 3 | S    | Garage      | Insulated | Main  | None   | 0.46    | 3.00     | 0  | 8.00      | 0  | 24.0ft² |  |  |  |                                  |  |  |  |  |
| ___ 4 | S    | Exterior    | Insulated | Main  | None   | 0.46    | 3.00     | 0  | 8.00      | 0  | 24.0ft² |  |  |  |                                  |  |  |  |  |

  

| WINDOWS |      |         |       |              |               |      |      |       |                  |            |            |             |                         |           | (Total Exposed Area = 370 sq.ft.) |        |      |  |  |
|---------|------|---------|-------|--------------|---------------|------|------|-------|------------------|------------|------------|-------------|-------------------------|-----------|-----------------------------------|--------|------|--|--|
| ✓ #     | Ornt | Wall ID | Frame | Panes        | NFRC U-Factor | SHGC | Imp  | Storm | Total Area (ft²) | Same Units | Width (ft) | Height (ft) | --Overhang-- Depth (ft) | Sep. (ft) | Interior Shade                    | Screen |      |  |  |
| ___ 1   | N    | 1       | Vinyl | Low-E Double | Y             | 0.26 | 0.20 | N     | N                | 30.0       | 2          | 2.50        | 6.00                    | 1.5       | 1.3                               | None   | None |  |  |
| ___ 2   | N    | 3       | Vinyl | Low-E Double | Y             | 0.26 | 0.20 | N     | N                | 36.0       | 2          | 3.00        | 6.00                    | 1.5       | 1.3                               | None   | None |  |  |
| ___ 3   | N    | 3       | Vinyl | Low-E Double | Y             | 0.26 | 0.20 | N     | N                | 24.0       | 1          | 4.00        | 6.00                    | 1.5       | 1.3                               | None   | None |  |  |
| ___ 4   | N    | 3       | Vinyl | Low-E Double | Y             | 0.26 | 0.20 | N     | N                | 36.0       | 1          | 6.00        | 6.00                    | 1.5       | 1.3                               | None   | None |  |  |
| ___ 5   | N    | 5       | Vinyl | Low-E Double | Y             | 0.26 | 0.20 | N     | N                | 24.0       | 1          | 6.00        | 4.00                    | 1.5       | 1.3                               | None   | None |  |  |
| ___ 6   | W    | 6       | Vinyl | Low-E Double | Y             | 0.26 | 0.20 | N     | N                | 18.0       | 1          | 3.00        | 6.00                    | 1.5       | 1.3                               | None   | None |  |  |
| ___ 7   | N    | 7       | Vinyl | Low-E Double | Y             | 0.26 | 0.20 | N     | N                | 24.0       | 2          | 2.00        | 6.00                    | 1.5       | 1.3                               | None   | None |  |  |
| ___ 8   | N    | 7       | Vinyl | Low-E Double | Y             | 0.26 | 0.20 | N     | N                | 6.0        | 1          | 4.00        | 1.50                    | 1.5       | 1.3                               | None   | None |  |  |
| ___ 9   | E    | 8       | Vinyl | Low-E Double | Y             | 0.26 | 0.20 | N     | N                | 12.0       | 1          | 6.00        | 2.00                    | 1.5       | 1.3                               | None   | None |  |  |
| ___ 10  | E    | 8       | Vinyl | Low-E Double | Y             | 0.26 | 0.20 | N     | N                | 7.5        | 1          | 1.50        | 5.00                    | 1.5       | 1.3                               | None   | None |  |  |
| ___ 11  | S    | 10      | Vinyl | Low-E Double | Y             | 0.26 | 0.20 | N     | N                | 72.0       | 4          | 3.00        | 6.00                    | 1.5       | 1.3                               | None   | None |  |  |
| ___ 12  | S    | 10      | Vinyl | Low-E Double | Y             | 0.26 | 0.20 | N     | N                | 32.0       | 2          | 2.00        | 8.00                    | 1.5       | 1.3                               | None   | None |  |  |
| ___ 13  | S    | 12      | Vinyl | Low-E Double | Y             | 0.26 | 0.20 | N     | N                | 30.0       | 2          | 2.50        | 6.00                    | 1.5       | 1.3                               | None   | None |  |  |
| ___ 14  | W    | 13      | Vinyl | Low-E Double | Y             | 0.26 | 0.20 | N     | N                | 12.0       | 1          | 2.00        | 6.00                    | 1.5       | 1.3                               | None   | None |  |  |
| ___ 15  | W    | 13      | Vinyl | Low-E Double | Y             | 0.26 | 0.20 | N     | N                | 6.0        | 1          | 4.00        | 1.50                    | 1.5       | 1.3                               | None   | None |  |  |

  

| INFILTRATION |            |                  |         |       |       |        |        |       |          |                          |
|--------------|------------|------------------|---------|-------|-------|--------|--------|-------|----------|--------------------------|
| ✓ #          | Scope      | Method           | SLA     | CFM50 | ELA   | EqLA   | ACH    | ACH50 | Space(s) | Infiltration Test Volume |
| ___ 1        | Wholehouse | Proposed ACH(50) | 0.00030 | 1769  | 97.08 | 182.25 | 0.1076 | 5.2   | All      | 20259 cu ft              |

## INPUT SUMMARY CHECKLIST REPORT

| GARAGE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                           |                             |                                      |                    |                         |                           |                         |               |             |                     |          |          |          |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-----------------------------|--------------------------------------|--------------------|-------------------------|---------------------------|-------------------------|---------------|-------------|---------------------|----------|----------|----------|
| ✓ #                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Floor Area                                                | Roof Area                   | Exposed Wall Perimeter               | Avg. Wall Height   | Exposed Wall Insulation |                           |                         |               |             |                     |          |          |          |
| ___ 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 576 ft²                                                   | 576 ft²                     | 62 ft                                | 9 ft               | 1                       |                           |                         |               |             |                     |          |          |          |
| MASS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                           |                             |                                      |                    |                         |                           |                         |               |             |                     |          |          |          |
| ✓ #                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Mass Type                                                 | Area                        | Thickness                            | Furniture Fraction | Space                   |                           |                         |               |             |                     |          |          |          |
| ___ 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Default(8 lbs/sq.ft.)                                     | 0 ft²                       | 0 ft                                 | 0.30               | Main                    |                           |                         |               |             |                     |          |          |          |
| HEATING SYSTEM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                           |                             |                                      |                    |                         |                           |                         |               |             |                     |          |          |          |
| ✓ #                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | System Type                                               | Subtype/Speed               | AHRI #                               | Efficiency         | Capacity<br>kBtu/hr     | ---Geothermal HeatPump--- |                         |               |             | Ducts               | Block    |          |          |
| ___ 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Electric Heat Pump                                        | None/Single                 |                                      | HSPF2: 8.20        | 48.0                    | Entry                     | Power                   | Volt          | Current     | sys#1               | 1        |          |          |
| COOLING SYSTEM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                           |                             |                                      |                    |                         |                           |                         |               |             |                     |          |          |          |
| ✓ #                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | System Type                                               | Subtype/Speed               | AHRI #                               | Efficiency         | Capacity<br>kBtu/hr     | Air Flow<br>cfm           | SHR                     | Duct          | Block       |                     |          |          |          |
| ___ 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Central Unit                                              | None/Single                 |                                      | SEER2:15.0         | 48.0                    | 1440                      | 0.75                    | sys#1         | 1           |                     |          |          |          |
| HOT WATER SYSTEM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                           |                             |                                      |                    |                         |                           |                         |               |             |                     |          |          |          |
| ✓ #                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | System Type                                               | Subtype                     | Location                             | EF(UEF)            | Cap                     | Use                       | SetPnt                  | Fixture Flow  | Pipe Ins.   | Pipe length         |          |          |          |
| ___ 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Electric                                                  | None                        | Garage                               | 0.92 (0.92)        | 50.00 gal               | 60 gal                    | 120 deg                 | Standard      | None        | 99                  |          |          |          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Recirculation<br>System                                   | Recirc Control<br>Type      | Loop<br>length                       | Branch<br>length   | Pump<br>power           | DWHR                      | Facilities<br>Connected | Equal<br>Flow | DWHR<br>Eff | Other Credits       |          |          |          |
| ___ 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | No                                                        |                             | NA                                   | NA                 | NA                      | No                        | NA                      | NA            | NA          | None                |          |          |          |
| DUCTS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                           |                             |                                      |                    |                         |                           |                         |               |             |                     |          |          |          |
| ✓ Duct #                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Location                                                  | Supply-----<br>R-Value Area | Return-----<br>Location R-Value Area | Leakage Type       | Air<br>Handler          | CFM 25<br>TOT             | CFM 25<br>OUT           | QN<br>OUT     | RLF         | HVAC #<br>Heat Cool |          |          |          |
| ___ 1 Main                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                           | 6.0 450 ft²                 | Main 6.0 113 ft²                     | Prop. Leak Free    | Main                    | ---                       | ---                     | 0.030         | 0.50        | 1 1                 |          |          |          |
| TEMPERATURES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                           |                             |                                      |                    |                         |                           |                         |               |             |                     |          |          |          |
| Programable Thermostat: Y      Ceiling Fans: N<br>Cooling <input type="checkbox"/> Jan <input type="checkbox"/> Feb <input type="checkbox"/> Mar <input type="checkbox"/> Apr <input type="checkbox"/> May <input checked="" type="checkbox"/> Jun <input checked="" type="checkbox"/> Jul <input checked="" type="checkbox"/> Aug <input checked="" type="checkbox"/> Sep <input type="checkbox"/> Oct <input type="checkbox"/> Nov <input type="checkbox"/> Dec<br>Heating <input checked="" type="checkbox"/> Jan <input checked="" type="checkbox"/> Feb <input checked="" type="checkbox"/> Mar <input type="checkbox"/> Apr <input type="checkbox"/> May <input type="checkbox"/> Jun <input type="checkbox"/> Jul <input type="checkbox"/> Aug <input type="checkbox"/> Sep <input type="checkbox"/> Oct <input checked="" type="checkbox"/> Nov <input checked="" type="checkbox"/> Dec<br>Venting <input type="checkbox"/> Jan <input type="checkbox"/> Feb <input checked="" type="checkbox"/> Mar <input checked="" type="checkbox"/> Apr <input type="checkbox"/> May <input type="checkbox"/> Jun <input type="checkbox"/> Jul <input type="checkbox"/> Aug <input type="checkbox"/> Sep <input checked="" type="checkbox"/> Oct <input checked="" type="checkbox"/> Nov <input type="checkbox"/> Dec |                                                           |                             |                                      |                    |                         |                           |                         |               |             |                     |          |          |          |
| ✓                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Thermostat Schedule: HERS 2006 Reference<br>Schedule Type | 1                           | 2                                    | 3                  | 4                       | 5                         | 6                       | 7             | 8           | 9                   | 10       | 11       | 12       |
| ___                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Cooling (WD)                                              | AM<br>80                    | 78<br>80                             | 78<br>80           | 78<br>80                | 78<br>80                  | 78<br>80                | 78<br>80      | 78<br>80    | 78<br>80            | 80<br>78 | 80<br>78 | 80<br>78 |
| ___                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Cooling (WEH)                                             | AM<br>80                    | 78<br>80                             | 78<br>80           | 78<br>80                | 78<br>80                  | 78<br>80                | 78<br>80      | 78<br>80    | 78<br>80            | 80<br>78 | 80<br>78 | 80<br>78 |

# INPUT SUMMARY CHECKLIST REPORT

## TEMPERATURES(Continued)

|                   |    |    |    |    |    |    |    |    |    |    |    |    |    |
|-------------------|----|----|----|----|----|----|----|----|----|----|----|----|----|
| ___ Heating (WD)  | AM | 65 | 65 | 65 | 65 | 65 | 65 | 65 | 68 | 68 | 68 | 68 | 68 |
|                   | PM | 68 | 68 | 68 | 68 | 68 | 68 | 68 | 68 | 68 | 68 | 68 | 68 |
| ___ Heating (WEH) | AM | 65 | 65 | 65 | 65 | 65 | 65 | 65 | 68 | 68 | 68 | 68 | 68 |
|                   | PM | 68 | 68 | 68 | 68 | 68 | 68 | 68 | 68 | 68 | 68 | 68 | 68 |