Columbia County New Building Permit Application For Office Use Only Application # 1907-23 Date Received 7/8 By [ W Permit # 38378 H Date 7-16-19 Flood Zone Land Use A6 /A MFE N/A River N/A Dev Permit # □ Letter of Auth. from Contractor □ Land Owner Affidavit □ Ellisville Water ₼ App Fee Paid □ Sub VF Form 19-385-6 Applicant (Who will sign/pickup the permit) LAWRENCE C. ANNEN Phone 863:205-1967 Address 158 S.W. CHIPPEUS GLEN FORT WHOTE PL. 32038 Owners Name LAWRENCE C. ANNEN & Sheree AUNEN Phone 863-205- 1967 911 Address 158 S.W. CHIPPEWA GLEN FORT WHITE FL 32038 Phone 863-25-1967 Contractors Name Lawrence C. Annen Address 158 Sw Chippeum Glen Fort white, FL 33038 Contractor Email 1917 gnail. Com \*\*\*Include to get updates on this job. Fee Simple Owner Name & Address Bonding Co. Name & Addres Architect/Engineer Name & Address Hoors / PE 1009 EAST AVE NORTH AGUSTA S.C.29841 Mortgage Lenders Name & Address None Circle the correct power company | FL Power & Light | Clay Elec. | Suwannee Valley Elec. | Duke Energy Property ID Number 03-65-16-03766-127 Estimated Construction Cost 11,052 Subdivision Name APPALACIES TRACE UNREC Lot 27 Block Unit Phase Driving Directions from a Major Road FROM HMY 47 & HERLANG GO EAST ON HERLANG YYMI. TURN NORTH ON APPALACHEE TRACE (PRIVATE RD) /4 MI TO S.W. CHIPPEWA GLN. TURN EAST, FIRST DRIVE ON RIGHT, MARKED 158 AT GATE. Construction of GARAGE/RESIDENTAL Commercial OR V Residential Proposed Use/Occupancy VEHICLE STORAGE Number of Existing Dwellings on Property Is the Building Fire Sprinkled? No If Yes, blueprints included Or Explain D.O.T. Permit or Have an Existing Drive Circle Proposed **Culvert Permit** Culvert Waiver Actual Distance of Structure from Property Lines - Front 271' Side 240' Side 369' Rear 455' Number of Stories 1 Heated Floor Area 780 Soft Total Floor Area 780 Soft Acreage 10.00 Zoning Applications applied for (Site & Development Plan, Special Exception, etc.)

#### **Columbia County Building Permit Application**

#### CODE: Florida Building Code 2017 and the 2014 National Electrical Code.

Application is hereby made to obtain a permit to do work and installations as indicated. I certify that no work or installation has commenced prior to the issuance of a permit and that all work be performed to meet the standards of all laws regulating construction in this jurisdiction.

**TIME LIMITATIONS OF APPLICATION:** An application for a permit for any proposed work shall be deemed to have been abandoned 180 days after the date of filing, unless pursued in good faith or a permit has been issued.

<u>TIME LIMITATIONS OF PERMITS:</u> Every permit issued shall become invalid unless the work authorized by such permit is commenced within 180 days after its issuance, or if the work authorized by such permit is suspended or abandoned for a period of 180 days after the time work is commenced. A valid permit receives an approved inspection every 180 days. Work shall be considered not suspended, abandoned or invalid when the permit has received an approved inspection within 180 days of the previous approved inspection.

FLORIDA'S CONSTRUCTION LIEN LAW: Protect Yourself and Your Investment: According to Florida Law, those who work on your property or provide materials, and are not paid-in-full, have a right to enforce their claim for payment against your property. This claim is known as a construction lien. If your contractor fails to pay subcontractors or material suppliers or neglects to make other legally required payments, the people who are owed money may look to your property for payment, even if you have paid your contractor in full. This means if a lien is filed against your property, it could be sold against your will to pay for labor, materials or other services which your contractor may have failed to pay.

NOTICE OF RESPONSIBILITY TO CONTRACTOR AND AGENT: YOU ARE HEREBY NOTIFIED as the recipient of a building permit from Columbia County, Florida, you will be held responsible to the County for any damage to sidewalks and/or road curbs and gutters, concrete features and structures, together with damage to drainage facilities, removal of sod, major changes to lot grades that result in ponding of water, or other damage to roadway and other public infrastructure facilities caused by you or your contractor, subcontractors, agents or representatives in the construction and/or improvement of the building and lot for which this permit is issued. No certificate of occupancy will be issued until all corrective work to these public infrastructures and facilities has been corrected.

WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOU PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT MUST BE RECORDED AND POSTED ON THE JOB SITE BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.

OWNERS CERTIFICATION: I CERTIFY THAT ALL THE FOREGOING INFORMATION IS ACCURATE AND THAT ALL WORK WILL BE DONE IN COMPLIANCE WITH ALL APPLICABLE LAWS REGULATING CONSTRUCTION AND ZONING.

NOTICE TO OWNER: There are some properties that may have deed restrictions recorded upon them. These restrictions may limit or prohibit the work applied for in your building permit. You must verify if your property is encumbered by any restrictions or face possible litigation and or fines.

	- personal miganeri aria er mies.	
LAWRENCE C. ANNEN	OCO	**Property owners <u>must sign</u> here <u>before</u> any permit will be issued.
Print Owners Name	Owners Signature	
**If this is an Owner Builder Permit Ap	plication then, ONLY the owner c	can sign the building permit when it is issued.
	III the above written responsibi	ee that I have informed and provided this ilities in Columbia County for obtaining tations.
	\	
	Contracto	x's License Number
Contractor's Signature	Columbia Competer	ncy Card Number
Affirmed under penalty of perjury to by	the <u>Contractor</u> and subscribed b	pefore me this day of 20 .
Personally known or Produced Id	\ <u>-</u>	
	SEAL:	
State of Florida Notary Signature (For t	the Contractor)	

Inst. Number: 201912002022 Book: 1377 Page: 341 Page 1 of 1 Date: 1/25/2019 Time: 8:30 AM P.DeWitt Cason Clerk of Courts, Columbia County, Florida Doc Deed: 322.00

#### **General Warranty Deed**

AMERICAN TITLE SERVICES 321 SW MAIN BLVD, STE 105 LAKE CITY, FLORIDA 32025

Made this January 2019 A.D.

By JOHN DIMAURO, and MARY DIMAURO, his wife, whose address is: 6923 SW Cinnamon Court, Stuart, Florida 34997, hereinafter called the grantor,

To LAWRENCE C. ANNEN, and SHEREE A. ANNEN, his wife, whose post office address is: 1826 Gray Street South, Gulfport, Florida 33707, hereinafter called the grantee:

(Whenever used herein the term "grantor" and "grantee" include all the parties to this instrument and the heirs, legal representatives and assigns of individuals, and the successors and assigns of corporations)

Witnesseth, that the grantor, for and in consideration of the sum of Ten Dollars, (\$10.00) and other valuable considerations, receipt whereof is hereby acknowledged, hereby grants, bargains, sells, aliens, remises, releases, conveys and confirms unto the grantee, all that certain land situate in Columbia County, Florida, viz:

LOT 27 ~ APPALACHIE TRACE (unrecorded)
SECTION 3, TOWNSHIP 6 SOUTH, RANGE 16 EAST

SECTION 3: Commence at the Southeast corner of Section 3, Township 6 South, Range 16 East, Columbia County, Florida and run North 01° 18' 53" West along the East line of said Section 3 a distance of 752.75 feet; Thence South 87° 37' 11" West, 1158.70 feet to the Point of Beginning; Thence continue South 87° 37' 11" West, 579.35 feet to a point on the Easterly line of a private road; Thence North 01° 18' 41" West, along said Easterly line, 752.77 feet to its intersection with the Southerly line of another private road; Thence North 87° 37' 11" East, along said Southerly line, 579.35 feet; Thence South 01° 18' 41" East, 752.77 feet to the Point of Beginning. IN COLUMBIA COUNTY, FLORIDA.

SUBJECT TO: Easements for utilities across the North 15.00 feet and the West 15.00 feet thereof.

Parcel ID Number: R03766-127

Together with all the tenements, hereditaments and appurtenances thereto belonging or in anywise appertaining.

To Have and to Hold, the same in fee simple forever.

And the grantor hereby covenants with said grantee that the grantor is lawfully seized of said land in fee simple; that the grantor has good right and lawful authority to sell and convey said land; that the grantor hereby fully warrants the title to said land and will defend the same against the lawful claims of all persons whomsoever; and that said land is free of all encumbrances except taxes accruing subsequent to December 31, 2019.

In Witness Whereof, the said grantor has signed and sealed these presents the day and year first above written.

Signed, sealed and delivered in our presence:

itness Printed Name KWHILL C. T.IKS

Mynul Francis Santas

Witness Printed Name Mguel Santos

State of FLORIDA
County of West Turn

JOHN DIMAURO


Address 6923 SW Cinnerson Court Street Florido 24007

Address: 6923 SW Cinnamon Court, Stuart, Florida 34997

(Seal)
RY DJMAURO
SS:
Inst: 201912002022 Date: 01/25/2019 Time: 8:30AM

Inst: 201912002022 Date: 01/25/2019 Time: 8:30AM
Page 1 of 1 B: 1377 P: 341, P.DeWitt Cason, Clerk of Court
Columbia, County, By: BD
Deputy ClerkDoc Stamp-Deed: 322,00

The foregoing instrument was acknowledged before me this 20 day of January, 2019, by JOHN DIMAURO, and MARY DIMAURO, his wife, who is/are personally known to me or who has produced DRIVERS LICENSES as identification.



Notary Public
P
Name: Pamela J Hadley
n

District No. 1 - Ronald Williams District No. 2 - Rocky Ford District No. 3 - Bucky Nash District No. 4 - Toby Witt District No. 5 - Tim Murphy



#### BOARD OF COUNTY COMMISSIONERS O COLUMBIA COUNTY

#### **Address Assignment and Maintenance Document**

To maintain the county wide Addressing Policy you must make application for a 9-1-1 Address at the time you apply for a building permit. The established standards for addressing and posting numbers to all principal buildings, dwellings, businesses and industries are contained in Columbia County Ordinance 2001-9. The addressing system is to enable Emergency Services Agencies to locate you in an emergency, and to assist the United States Postal Service and the public in the timely and efficient provision of services to residents and businesses of Columbia County

Date/Time Issued:

1/31/2019 4:30:10 PM

Address:

158 SW CHIPPEWA Gln

City:

FORT WHITE

State:

FL

Zip Code

32038

Parcel ID

03766-127

**REMARKS**: Address Verification.

NOTICE: THIS ADDRESS WAS ISSUED BASED ON LOCATION AND ACCESS INFORMATION RECEIVED FROM THE REQUESTER. SHOULD, AT A LATER DATE, THE LOCATION AND/OR ACCESS INFORMATION BE FOUND TO BE IN ERROR OR CHANGED. THIS ADDRESS IS SUBJECT TO CHANGE.

Address Issued By:

Signed:/ Matt Crews

Columbia County GIS/911 Addressing Coordinator

COLUMBIA COUNTY
911 ADDRESSING / GIS DEPARTMENT


- 2) Footprint of proposed and existing structures (including decks), label these with existing addresses
- 3) Distance from structures to all property lines
- 4) Location and size of easements
- 5) Driveway path and distance at the entrance to the nearest property line
- 6) Location and distance from any waters; sink holes; wetlands; and etc.
  - 7) Show slopes and or drainage paths
- 8) Arrow showing North direction

#### SITE PLAN EXAMPLE

Revised 7/1/15

NOTE:


This site plan can be copied and used with the 911 Addressing Dept. application forms.



158 S.W. CHIPPSWA GLEN

LOT 27

(PRIVATE RD)



4N

APPRIACHIE TRACE (PRIVATE RD)

#### NOTICE OF COMMENCEMENT

Clerk's Office Stamp

Tax Parcel Identification Number:

2. General description of improvements:

Inst: 201912015503 Date: 07/08/2019 Time: 10:13AM
Page 1 of 1 B: 1388 P: 572, P.DeWitt Cason, Clerk of Court Colum

County, By: BD Deputy Clerk

THE UNDERSIGNED hereby gives notice that improvements will be made to certain real property, and in accordance with Section 713.13 of the Florida Statutes, the following information is provided in this NOTICE OF COMMENCEMENT.

1. Description of property (legal description): 03-65-16-03766-127 APPALACHEE TRACE UNREC
a) Street (job) Address: 158 5. W. CHIPPEUM GLEN FORT WHITE FL 32038

3. Owner Information or Lessee information if the Lessee contracted for the improvements:  a) Name and address: LAWRENCE C. ANNEN 158 S.W. CHIPPEUM GLEN FT.WHITE FL32038	
b) Name and address of fee simple titleholder (if other than owner)	
4. Contractor Information a) Name and address: 5/A LAWNENCE C. ANNEN	
b) Telephone No.: 863-305-1967  5. Surety Information (if applicable, a copy of the payment bond is attached):	
a) Name and address: NA	
b) Amount of Bond:	
c) Telephone No.:	
6 Lender	
a) Name and address: N/A b) Phone No	
7. Person within the State of Florida designated by Owner upon whom notices or other documents may be served as provided by Section	
a) Name and address: SHEREE ANNEN 158 5.10 CHIPPEUM GIEN FT. WHOE FL 32038	
b) Telephone No.:	
8. In addition to himself or herself, Owner designates the following person to receive a copy of the Lienor's Notice as provided in Section 713.13(I)(b). Florida Statutes:	
a) Name: OFOF	
b) Telephone No.:	
o) receptions not	
9. Expiration date of Notice of Commencement (the expiration date will be 1 year from the date of recording unless a different date is specified):	
WARNING TO OWNER: ANY PAYMENTS MADE BY THE OWNER AFTER THE EXPIRATION OF THE NOTICE OF COMMENCEMENT ARE CONSIDERED IMPROPER PAYMENTS UNDER CHAPTER 713, PART I, SECTION 713.13, FLORIDA STATUTES, AND CAN RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY; A NOTICE OF COMMENCEMENT MUST BE RECORDED AND POSTED ON THE JOB SITE BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING, CONSULT YOUR LENDER OR AN ATTORNEY BEFORE COMMENCING WORK OR RECORDING YOUR NOTICE OF COMMENCEMENT.	
STATE OF FLORIDA	
COUNTY OF COLUMBIA  10  Signature of Owner or Lessee, or Owner's or Lessee's Authorized Office/Director/Partner/Manager	
LANDENCE C ANNEN	
Printed Name and Signatory's Title/Office	
The foregoing instrument was acknowledged before me, a Florida Notary, this Aday of July 2019 by:	
as for	
(Name of Person) (Type of Authority) (name of party on behalf of whom instrument was executed)	
Personally Known OR Produced Identification Type Aug. Lin A550-52 Notary Public - State of Flor	
Notary Signature Down L Buch Notary Stamp or Seal: My Comm. Expires Jul 11, 20 Bonded through National Boary A	isn.



#### COLUMBIA COUNTY BUILDING DEPARTMENT

135 NE Hernando Ave., Suite B-21 Lake City, FL 32055

Office: 386-758-1008 Fax: 386-758-2160

#### **OWNER BUILDER DISCLOSURE STATEMENT**

I understand that state law requires construction to be done by a licensed contractor and have applied for an owner-builder permit under an exemption from the law. The exemption specifies that I, as the owner of the property listed, may act as my own contractor with certain restrictions even though I do not have a license.

I understand that building permits are not required to be signed by a property owner unless he or she is responsible for the construction and is not hiring a licensed contractor to assume responsibility.

I understand that, as an owner-builder, I am the responsible party of record on a permit. I understand that I may protect myself from potential financial risk by hiring a licensed contractor and having the permit filed in his or her name instead of my own name. I also understand that a contractor is required by law to be licensed and bonded in Florida and to list his or her license numbers on permits and contracts.

I understand that I may build or improve a one-family or two-family residence or farm outbuilding. I may also build or improve a commercial building if the costs do not exceed \$75,000. The building or residence must be for my own use or occupancy. It may not be built or substantially improved for sale or lease. If a building or residence that I have built or substantially improved myself is sold or leased with in 1 year after the construction is complete, the law will presume that I built or substantially improved it for sale or lease, which violates the exemption.

I understand that, as the owner-builder, I must provide direct, onsite supervision of the construction.

I understand that I may not hire an unlicensed person to act as my contractor or to supervise persons working on my building or residence. It is my responsibility to ensure that the persons whom I employ have the licenses required by law and by county or municipal ordinance.

I understand that it is frequent practice of unlicensed persons to have the property owner obtain an owner-builder permit that erroneously implies that the property owner is providing his or her own labor and materials. I, as an owner-builder, may be held liable and subjected to serious financial risk for any injuries sustained by an unlicensed person or his or her employees while working on my property. My homeowner's insurance may not provide coverage for those injuries. I am willfully acting as an owner-builder and am aware of the limits of my insurance coverage for injuries to workers on my property.

I understand that I may not delegate the responsibility for supervising work to a licensed contractor who is not licensed to perform the work being done. Any person working on my building who is not licensed must work under my direct supervision and must be employed by me, which means that I must comply with laws requiring the withholding of federal income tax and social security contributions under the Federal Insurance Contributions Act (FICA) and must provide workers' compensation for the employee. I understand that my failure to follow these laws may subject me to serious financial risk.

I agree that, as the party legally and financially responsible for this proposed construction activity, I will abide by all applicable laws and requirements that govern owner-builders as well as employers. I also understand that the construction must comply with all applicable laws, ordinances, building codes, and zoning regulations.

I understand that I may obtain more information regarding my obligations as an employer from the Internal Revenue Service, the United States Small Business Administration, the Florida Department of Financial Services, and the Florida Department of Revenue. I also understand that I may contact the Florida Construction Industry Licensing Board at 850-487-1395 or Internet website address <a href="http://www.myfloridalicense.com/dbpr/">http://www.myfloridalicense.com/dbpr/</a> for more information about licensed contractors.

I am aware of, and consent to, an owner-builder building permit applied for in my name and understand that I am the party legally and financially responsible for the proposed construction activity at the following address:

158 SW Chippewa GIN

I agree to notify Columbia County Building Department immediately of any additions, deletions, or changes to any of the information that I have provided on this disclosure. Licensed contractors are regulated by laws designed to protect the public. If you contract with a person who does not have a license, the Construction Industry Licensing Board and Department of Business and Professional Regulation may be unable to assist you with any financial loss that you sustain as a result of a complaint. Your only remedy against an unlicensed contractor may be in civil court. It is also important for you to understand that, if an unlicensed contractor or employee of an individual of firm is injured while working on your property, you may be held liable for damages. If you obtain an owner-builder permit and wish to hire a licensed contractor, you will be responsible for verifying whether the contractor is properly licensed and the status of the contractor's workers' compensation coverage.

I understand that if I hire subcontractors they must be licensed for that type of work in Columbia County, ex: framing, stucco, masonry, and state registered builders. Registered Contractors must have a minimum of \$300,000.00 in General Liability insurance coverage and the proper workers' compensation. Specialty Contractors must have a minimum of \$100,000.00 in General Liability insurance coverage and the proper workers' compensation coverage.

Before a building permit can be issued, this disclosure statement must be completed and signed by the property owner and returned to Columbia County Building Department.

TYPE OF CONSTRUCTION

# () Single Family Dwelling () Two-Family Residence () Farm Outbuilding () Addition, Alteration, Modification or other Improvement ( ) Commercial, Cost of Construction for construction of Vother StongE Building , have been advised of the above disclosure \* statement for exemption from contractor licensing as an owner/builder. I agree to comply with all requirements provided for in Florida Statutes allowing this exception for the construction permitted by Columbia County Building Permit. NOTARY OF OWNER BUILDER SIGNATURE personally known to me or produced identification \_\_\_\_\_ FOR BUILDING DEPARTMENT USE ONLY I hereby certify that the above listed owner builder has been given notice of the restriction stated above.

Building Official/Representative

Revised: 7-1-15 DISCLOSURE STATEMENT 15 Documents: B&Z Forms

## Columbia County, FLA - Building & Zoning Property Map

Printed: Tue Jul 16 2019 07:24:56 GMT-0400 (Eastern Daylight Time)



Contours

default(Contours.shp) **DEFAULT** 

2018 Flood Zones

0.2 PCT ANNUAL CHANCE

AE

= AH Parcels

#### Roads

Roads

others

Dirt

Interstate

Main Other

Paved Private

DevZones1

others

□ A-1

□ A-2 □ A-3

□ CG

CHI CI CI

□ CN

CSV

□ ESA-2

D ILW ■ MUD-I

PRD PRD

PRRD

RMF-1

□ RMF-2

RO RO

RR RR

RSF-1

RSF-2

RSF-3 RSF/MH-1

RSF/MH-2

RSF/MH-3

DEFAULT

Addressing:2018 Base Flood Elevations Group Parcel No: 03-6S-16-03766-127

**DEFAULT** 

**Base Flood Elevations** 

2018 Base Flood Elevation Zones

0.2 PCT ANNUAL CHANCE B A

■ AE

AH



#### Parcel Information

2018 Base Flood Elevations Owner: DIMAURO JOHN & MARY

Subdivision: APPALACHIE TRACE UNR

Lot:

Acres: 10.0163927 Deed Acres: 10.01 Ac

District: District 5 Tim Murphy Future Land Uses: Agriculture - 3

Flood Zones:

Official Zoning Atlas: A-3

All data, information, and maps are provided "as is" without warranty or any representation of accuracy, timeliness of completeness. Columbia County, FL makes no warranties, express or implied, as to the use of the information obtained here. There are no implies warranties of merchantability or fitness for a particular purpose. The requester acknowledges and accepts all limitations, including the fact that the data, information, and maps are dynamic and in a constant state of maintenance, and update.



## STRUCTURAL DESIGN

# ENCLOSED BUILDING EXPOSURE B

# MAXIMUM 30'-0" WIDE X 20'-0" EAVE HEIGHT- BOX EAVE FRAME AND BOW FRAME

18 December 2017 Revision 4 M&A Project No. 16022S/17300S

Prepared for:

Tubular Building Systems, LLC 631 SE Industrial Circle Lake City, Florida 32025

Prepared by:


Moore and Associates Engineering and Consulting, Inc. 1009 East Avenue North Augusta, SC 29841

> 401 S. Main Street, Suite 200 Mount Airy, NC 27030











BOX EAVE RAFTER COLUMN
CONNECTION DETAIL
FOR HEIGHTS 10'-0" < TO < 14'-0"
SCALE: NTS



2 RAFTER COLUMN/BASE RAIL CONNECTION DETAIL



BOX EAVE RAFTER COLUMN CONNECTION DETAIL FOR HEIGHTS < 10'-0'

5 I/B.


18 CA U-CHANNEL BRACE
FASTENED TO THE COLUMN
AND ROCEF BEAM, WITH (4)
#12-14x3/4 SEFS AT EACH
END (8 PER BRACE)


BRACE SECTION
SCALE: NTS



THIS DOCUMENT IS THE PROPERTY OF MODRE AND ASSOCIATES ENGINEERING AND	DRAWN BY: LT	TUBULAR BUILDING SYSTEMS 30'-0"x20'-0" ENCLOSED BUILDING EXP		
	PROJECT MGR: WSM	DATE: 12-18-17	SCALE: NTS	JOB NO: 16022\$/17300\$
CONSULTING. THE UMANITHORIZED REPRODUCTION, COPYING, OR OTHERWISE USE OF THIS DOCUMENT IS STRICTLY PROHIBITED AND ANY INFRINGEMENT THEREUPON MAY BE SUBJECT TO LEGAL ACTION.	CLIENT: TRS	SHT. 8B	DWG. NO: SK-3	REV.: 4

#### BASE RAIL ANCHORAGE OPTIONS FOR LOW AND HIGH WIND SPEED





3A

#### CONCRETE MONOLITHIC SLAB BASE RAIL ANCHORAGE

SCALE: NTS (MINIMUM ANCHOR EDGE DISTANCE IS 4')
\* COORDINATE WITH LOCAL CODES/ORD

GROUND BASE HELIX ANCHORAGE 3B (CAN BE USED FOR ASPHALT) SCALE: NTS

#### **GENERAL NOTES**

#### CONCRETE:

CONCRETE SHALL HAVE A MINIMUM SPECIFIED COMPRESSIVE STRENGTH OF 3,000 PSI AT 28 DAYS

#### COVER OVER REINFORCING STEEL:

FOR FOUNDATIONS, MINIMUM CONCRETE COVER OVER REINFORCING BARS SHALL BE PER ACI-318

3 INCHES IN FOUNDATIONS WHERE THE CONCRETE IS CAST AGAINST
AND PERMANENTLY IN CONTACT WITH THE EARTH OR EXPOSED TO
THE EARTH OR WEATHER, AND 1 1/2 INCHES ELSEWHERE

#### REINFORCING STEEL:


THE TURNDOWN REINFORCING STEEL SHALL BE ASTM A615 GRADE 60 THE SLAB REINFORCEMENT SHALL BE WELDED WIRE FABRIC MEETING ASTM A185 OR FIBERGLASS FIBER REINFORCEMENT.

#### REINFORCEMENT MAY BE BENT IN THE SHOP OR THE FIELD PROVIDED:

- REINFORCEMENT IS BENT COLD
- 2 THE DIAMETER OF THE BEND, MEASURED ON THE INSIDE OF THE BAR, IS NOT LESS THAN SIX-BAR DIAMETERS 3 REINFORCEMENT PARTIALLY EMBEDDED IN CONCRETE SHALL NOT
- BE FIELD BENT

#### HELIX ANCHOR NOTES:

- 1 FOR VERY DENSE AND/OR CEMENTED SANDS, CGARSE CRAVEL AND COBBLES, CALICHE, PRELOADED SILTS AND CLAYS USE MINIMUM (2) 4" HELICES WITH MINIMUM 30 INCH EMBEDMENT
- 2 FOR CORAL USE MINIMUM (2) 4" HELICES WITH MINIMUM 30 INCH EMBEDMENT
- 3 FOR MEDIUM DENSE COARSE SANDS, SANDY GRAVELS, VERY STIFF SILTS, AND CLAYS USE MINIMUM (2) 4' HELICES WITH MINIMUM 30 INCH EMBEDMENT
- 4 FOR LODSE TO MEDIUM DENSE SANDS, FIRM TO STIFF CLAYS AND SILTS ALLUVIAL FILL USE MINIMUM (2) 6' HELICES WITH MINIMUM 50 INCH EMBEDMENT
- 5 FOR VERY LOSE TO MEDIUM DENSE SANDS, FIRM TO STIFFER CLAYS AND SILTS, ALLUVIAL FILL USE MINIMUM (2) 8' HELICES WITH MINIMUM 60 INCH EMBEDMENT.




MOORE AND ASSOCIATES
ENGINEERING AND CONSULTING, INC.

THIS DOCUMENT IS THE PROPERTY OF MODRE AND ASSOCIATES EL	
CONSULTING. THE UNAUTHORIZED REPRODUCTION, COPYING, OR OTHER	ERVISE USE OF
THIS DOCUMENT IS STRICTLY PROHIBITED AND ANY INFRINGEMENT BE SUBJECT TO LEGAL ACTION.	THEREUPON MAY

DRAWN BY: LT	<b>⊣</b>	ULAR BUILDING 0" ENCLOSED B	
PROJECT MGR: VSM	DATE: 12-18-17	SCALE: NTS	JOB NO: 16022\$/17300\$

#### OPTIONAL FOUNDATION ANCHORAGE FOR LOW & HIGH WIND SPEED



1A

#### CONCRETE MONOLITHIC SLAB BASE RAIL ANCHORAGE

(MINIMUM ANCHOR EDGE DISTANCE IS 1 1/2") \* COORDINATE WITH LOCAL CODES/ORD

#### **GENERAL NOTES**

#### CONCRETE:

CONCRETE SHALL HAVE A MINIMUM SPECIFIED COMPRESSIVE STRENGTH DF 3,000 PSI AT 28 DAYS

#### COVER OVER REINFORCING STEEL:


FOR FOUNDATIONS, MINIMUM CONCRETE COVER OVER REINFORCING BARS SHALL BE PER ACI-318
3 INCHES IN FOUNDATIONS WHERE THE CONCRETE IS CAST AGAINST AND PERMANENTLY IN CONTACT WITH THE EARTH OR EXPOSED TO THE EARTH OR WEATHER, AND 1 1/2 INCHES ELSEWHERE

#### REINFORCING STEEL:

THE TURNDOWN REINFERCING STEEL SHALL BE ASTM A615 GRADE 60. THE SLAB REINFERCEMENT SHALL BE WELDED WIRE FABRIC MEETING ASTM A185 OR FIBERGLASS FIBER REINFORCEMENT

#### REINFORCEMENT MAY BE BENT IN THE SHOP OR THE FIELD PROVIDED:

- 1 REINFORCEMENT IS BENT COLD
  2 THE DIAMETER OF THE BEND, MEASURED ON THE INSIDE OF THE BAR, IS NOT LESS THAN SIX-BAR DIAMETERS
  3 REINFORCEMENT PARTIALLY EMBEDDED IN CONCRETE SHALL NOT
- BE FIELD BENT



10

ANCHOR ROD THROUGH BASE RAIL DETAIL


MOORE AND ASSOCIATES

THIS DOCUMENT IS THE PROPERTY OF MODRE AND ASSOCIATES ENGINEERING AND CONSULTING. THE UMAUTHORIZED REPRODUCTION, COPYING, OR OTHERWISE USE OF THIS DOCUMENT IS STRICTLY PROHIBITED AND ANY INFRINGEMENT THEREUPON MAY BE SUBJECT TO LEGAL ACTION.

ENGINEERING AND CONSULTING, INC.

SCALE: NTS

DRAWN BY: LT TUBULAR BUILDING SYSTEMS 30'-0"x20'-0" ENCLOSED BUILDING EXP. B CHECKED BY: PDH JOB NO: 160225/173005 PROJECT MGR: VSM DATE: 12-18-17 SCALE: NTS SHT. 9B REV: 4 DWG. NO: SK-3 CLIENT: TBS




CONCRETE MONOLITHIC SLAB BASE RAIL ANCHORAGE 1B

> (MINIMUM ANCHOR EDGE DISTANCE IS 1 1/2') \* COORDINATE WITH LOCAL CODES/ORD



#### BOX EAVE RAFTER END WALL AND SIDE WALL OPENINGS

5 12



# TYPICAL BOX EAVE RAFTER END WALL FRAMING SECTION

TYPICAL BOX EAVE RAFTER END WALL OPENINGS FRAMING SECTION


7

OPENING FOR ROLL-UP DOOR WITH HEADER

6


SEE NOTES (SHEET 3) FOR MAXIMUM SPACING

7



TYPICAL BOX EAVE RAFTER SIDE WALL OPENINGS FRAMING SECTION

SCALE NTS




MOORE AND ASSOCIATES
ENGINEERING AND CONSULTING, INC.

THIS DOCUMENT IS THE PROPERTY OF MODRE AND ASSOCIATES ENGINEERING AND CONSULTING. THE UNAUTHORIZED REPRODUCTION, COPYING, OR OTHERWISE USE OF THIS DOCUMENT IS STRICTLY PROHIBITED AND ANY INFRINGEMENT THEREUPON MAY BE SUBJECT TO LEGAL ACTION.


DRAWN BY: LT	TUBULAR BUILDING SYSTEMS 30'-0"x20'-0" ENCLOSED BUILDING EXP. B				
PROJECT MGR: VSM	DATE: 12-18-17	7 SCALE: NTS 160225/173005			
CLIENT: TBS	SHT. 10	DVG. NO: SK-3	REV2 4		

#### BOW RAFTER END WALL AND SIDE WALL OPENINGS




# TYPICAL BOX EAVE RAFTER END WALL FRAMING SECTION

SCALE: NTS




## TYPICAL BOX EAVE RAFTER END WALL OPENINGS FRAMING SECTION

SCALE: NTS




TYPICAL BOX EAVE RAFTER SIDE WALL OPENINGS FRAMING SECTION

SCALE NTS



ENGINEEDING AND CONCULTING INC	DRAWN BY: LT	TUBULAR BUILDING SYSTEMS 30'-0"x20'-0" ENCLOSED BUILDING EXP. B		
THIS DOCUMENT IS THE PROPERTY OF MOORE AND ASSOCIATES ENGINEERING AND CONSULTING. THE UNAUTHORIZED REPRODUCTION, COPYING, OR OTHERWISE USE OF THIS DOCUMENT IS STRICTLY PROHIBITED AND ANY INFRINGEMENT THEREUPON MAY BE SUBJECT TO LEGAL ACTION.			SCALE: NTS	JOB NO: 16022S/17300S REV.: 4

#### BOW AND BOX EAVE RAFTER WALL OPENING DETAILS



TS COLUMN (CORNER) MINIMUM 6' LDNG, MINIMUM 15 GA, TS NIPPLE SECURE WITH (4) #12-14x3/4' SDF'S 2'x2'x2' 16 GA CLIP ANGLE SECURE TO RAFTER COLUMN AND BASE RAIL W/(4) #12-14x3/4' SDF'S NIPPLE TO BASE RAIL 3/16 IS CONTINUOUS BASE RAIL

TS COLUMN OR END COLUMN -2"x2"x2" 16 GA ANGLE
CLIP SECURE TO COLUMN
AND EITHER TOP OF
HEADER, OR BOTTOM OF
VINDOW RAIL WITH
#12-14x3/4" SDF'S TS HEADER OR WINDOW RAIL

END COLUMN/RAFTER CONNECTION DETAIL 4


SCALE: NTS

END COLUMN/BASE RAIL CONNECTION DETAIL

SCALE NTS

HEADER OR WINDOW RAIL TO COLUMN CONNECTION DETAIL

6 SCALE: NTS



2'x2'x2' 16 GA ANGLE CLIP SECURE TO CDLUMN (EACH SIDE) AND RAFTER CHORD/RAIL VITH #12-14x3/4' SDF'S 2 ON BOTTOM AND 2 DN SIDE

NOTE AT RELL-UP DEER
OPENINGS, PEST SHEULD
BE FLUSH WITH RAIL
END CLIP PEST TO
RAIL ONLY ON SIDE
OPPOSITE THE OPENING

3/16 NIPPLE TO HEADER 3-12 3/16 MINIMUM 6' LDNG, MINIMUM 15 GA, TS NIPPLE SECURE EACH WITH (4) #12-14x3/4' SDF'S О TS COLUMN

TS COLUMN NIPPLE TO HEADER MINIMUM 6' LONG, MINIMUM 15 GA, TS NIPPLE SECURE WITH (4) #12-14x3/4' SDF'S 3/16 TS DEUBLE HEADER 3-12

COLUMN TO HEADER, BASE RAIL, OR WINDOW RAIL CONNECTION DETAIL SCALE NTS

DOUBLE HEADER/COLUMN CONNECTION DETAIL 8

COLUMN/DOUBLE HEADER CONNECTION DETAIL 9

TS COLUMN MINIMUM 6' LDNG MINIMUM 15 GA, TS NIPPLE SECURE EACH WITH (4) MI2-14x3/4' SCF'S NIPPLE TO BASE RAIL 3/16


COLUMN/BASE RAIL CONNECTION DETAIL 10 SCALE NTS

SHINN TOENS OF THE STATE OF WAR

MOORE AND ASSOCIATES ENGINEERING AND CONSULTING, INC.


THIS DOCUMENT IS THE PROPERTY OF MODRE AND ASSOCIATES ENGINEERING AND CONSULTING. THE UNMUTHORIZED REPRODUCTION, COPYING, OR OTHERWISE USE OF THIS DOCUMENT IS STRICTLY PROHIBITED AND ANY INFRINGEMENT THEREUPON MAY BE SUBJECT TO LEGAL ACTION.

DRAWN BY: LT	TUBULAR BUILDING SYSTEMS 30'-0"x20'-0" ENCLOSED BUILDING EXP. B				
 PROJECT MGR: VSM	DATE: 12-18-17	SCALE: NTS	160S	ND: 2S/17300S	
		DVG. NO: SK-3		REV.: 4	



TYPICAL BOX EAVE RAFTER LEAN-TO OPTIONS FRAMING SECTION (BOTH OPTIONS SHOWN)

SCALE: NTS MAXIMUM WIDTH OF SINGLE MEMBER RAFTER LEAN-TO IS 16'-0".




SIDE EXTENSION RAFTER/COLUMN DETAIL




MOORE AND ASSOCIATES ENGINEERING AND CONSULTING, INC.	DRAWN BY: LT	TUBULAR BUILDING SYSTEMS 30'-0"x20'-0" ENCLOSED BUILDING EXP. B		
THIS DOCUMENT IS THE PROPERTY OF MODRE AND ASSOCIATES ENGINEERING AND CONSULTING. THE UNAUTHORIZED REPRODUCTION, COPYING, OR OTHERVISE USE OF	PROJECT MGR: VSM	DATE: 12-18-17	SCALE: NTS	JOB NO: 20027173005
THIS DOCUMENT IS STRICTLY PROHIBITED AND ANY INFRINGEMENT THEREUPON MAY  BE SUBJECT TO LEGAL ACTION.	CLIENT: TBS	SHT. 13	DVG. NO: SK-3	REV: 4

## **BOW RAFTER LEAN-TO OPTIONS**




#### TYPICAL BOW RAFTER LEAN-TO OPTIONS FRAMING SECTION (BOTH OPTIONS SHOWN)

SCALE: NTS MAXIMUM WIDTH DF SINGLE MEMBER RAFTER LEAN-TO IS 16'-0'




13 SIDE EXTENSION RAFTER/COLUMN DETAIL




ENCINEED INC. AND CONCULTING INC.	DRAWN BY: LT	TUBULAR BUILDING SYSTEMS 30'-0"x20'-0" ENCLOSED BUILDING EXP. B		
THIS DOCUMENT IS THE PROPERTY OF MODRE AND ASSOCIATES ENGINEERING AND CONSULTING. THE UMAUTHORIZED REPRODUCTION, COPYING, OR OTHERWISE USE OF THIS DOCUMENT IS STRICTLY PROFIBITED AND ANY INFRINGEMENT THEREUPON MAY BE SUBJECT TO LEGAL ACTION.	PROJECT MGR: VSM		SCALE: NTS	JOB ND: 16022\$/17300\$


### **BOX EAVE RAFTER VERTICAL ROOF/SIDING OPTION**




TYPICAL END ELEVATION VERTICAL ROOF/SIDING OPTION




TYPICAL SIDE ELEVATION
VERTICAL ROOF/SIDING OPTION



# TYPICAL SECTION VERTICAL ROOF/SIDING OPTION



TYPICAL FRAMING SECTION VERTICAL ROOF/SIDING OPTION




ROOF PANEL ATTACHMENT

(ALTERNATE FOR VERTICAL ROOF PANELS) SCALE NTS




MOORE AND ASSOCIATES ENGINEERING AND CONSULTING, INC.	DRAWN BY: LT	-	TUBULAR BUILDING SYSTEMS 30'-0"x20'-0" ENCLOSED BUILDING EXP. B		
THIS DOCUMENT IS THE PROPERTY OF MODRE AND ASSOCIATES ENGINEERING AND CONSULTING. THE UNAUTHORIZED REPRODUCTION, COPYING, OR OTHERVISE USE OF THIS DOCUMENT IS STRICTLY PROHIBITED AND ANY INFRINGEMENT THEREUPON MAY BE SUBJECT TO LEGAL ACTION.	PROJECT MGR: VSM	DATE: 12-18-17 SHT. 15		ICB NO: 6022\$/17300\$ REV: 4	

### **OPTIONAL DOOR HEADER**



HEADER DETAIL FOR DOOR
OPENINGS 12'-0" < LENGTH < 15'-0"

SCALE: NTS



HEADER DETAIL FOR DOOR OPENINGS LENGTH ≤ 12'-0"

SCALE: NTS



MOORE AND ASSOCIATES ENGINEERING AND CONSULTING, INC.	DRAWN BY: LT	TUBULAR BUILDING SYSTEMS 30'-0"x20'-0" ENCLOSED BUILDING EXP. B		
THIS DOCUMENT IS THE PROPERTY OF MODRE AND ASSOCIATES ENGINEERING AND CONSULTING. THE UNAUTHORIZED REPRODUCTION, COPYING, OR OTHERVISE USE OF THIS DOCUMENT IS STRICTLY PROHIBITED AND ANY INFRINGEMENT THEREUPON MAY BE SUBJECT TO LEGAL, ACTION.	PROJECT MGR: VSM		SCALE: NTS	JOB ND: 16022\$/17300\$ REV: 4



## **Florida Product Approval Codes**

Roll-Up Doors:

Janus International Corporation Model 750: 21450.8

EXP 12/31/2019

Walk-In Door:

Elixir Door & Metal Company blank (no window): 17996.5

EXP 9/14/2020

Window:

Kinro 993.7

EXP 10/19/21

Roof Deck:

Capital Metal Supply Inc. Ag Panel: 20147.1

EXP 07/20/2020

Wall Panel:

Capital Metal Supply Inc. Ag Panel: 20148.1

EXP 07/20/2020

If you have any questions on concern, please contact Donald Little at 386-961-0006 or at tubularbuildingsystems@gmail.com.