

DATE 09/08/2005

Columbia County Building Permit

PERMIT

This Permit Expires One Year From the Date of Issue

000023582

APPLICANT DENNIS O'NEIL PHONE 454-2476
ADDRESS P.O. BOX 1633 HIGH SPRINGS FL 32643
OWNER KEVIN & STEPHANIE HERLONG PHONE 497-4934
ADDRESS 14138 SW SR 47 FT. WHITE FL 32038
CONTRACTOR DENNIS O'NEIL PHONE 454-2476
LOCATION OF PROPERTY 47S, 2/10 OF MILE ON RIGHT PAST HERLONG ROAD

TYPE DEVELOPMENT SFD,UTILITY ESTIMATED COST OF CONSTRUCTION 85350.00
HEATED FLOOR AREA 1707.00 TOTAL AREA 2658.00 HEIGHT .00 STORIES 1
FOUNDATION CONC WALLS FRAMED ROOF PITCH 8/12 FLOOR SLAB
LAND USE & ZONING A-3 MAX. HEIGHT 22
Minimum Set Back Requirments: STREET-FRONT 30.00 REAR 25.00 SIDE 25.00
NO. EX.D.U. 0 FLOOD ZONE X DEVELOPMENT PERMIT NO.

PARCEL ID 09-6S-16-03802-006 SUBDIVISION
LOT BLOCK PHASE UNIT TOTAL ACRES

CGC061581
Culvert Permit No. Culvert Waiver Contractor's License Number Applicant/Owner/Contractor
EXISTING 05-0823-N BK Y
Driveway Connection Septic Tank Number LU & Zoning checked by Approved for Issuance New Resident

COMMENTS: ONE FOOT ABOVE THE ROAD, NOC ON FILE

Check # or Cash 17780

FOR BUILDING & ZONING DEPARTMENT ONLY

(footer/Slab)

Temporary Power date/app. by Foundation date/app. by Monolithic date/app. by
Under slab rough-in plumbing date/app. by Slab date/app. by Sheathing/Nailing date/app. by
Framing date/app. by Rough-in plumbing above slab and below wood floor date/app. by
Electrical rough-in date/app. by Heat & Air Duct date/app. by Peri. beam (Lintel) date/app. by
Permanent power date/app. by C.O. Final date/app. by Culvert date/app. by
M/H tie downs, blocking, electricity and plumbing date/app. by Pool date/app. by
Reconnection date/app. by Pump pole date/app. by Utility Pole date/app. by
M/H Pole date/app. by Travel Trailer date/app. by Re-roof date/app. by

BUILDING PERMIT FEE \$ 430.00 CERTIFICATION FEE \$ 13.29 SURCHARGE FEE \$ 13.29
MISC. FEES \$.00 ZONING CERT. FEE \$ 50.00 FIRE FEE \$ WASTE FEE \$
FLOOD ZONE DEVELOPMENT FEE \$ CULVERT FEE \$ TOTAL FEE 506.58

INSPECTORS OFFICE CLERKS OFFICE

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

This Permit Must Be Prominently Posted on Premises During Construction

PLEASE NOTIFY THE COLUMBIA COUNTY BUILDING DEPARTMENT AT LEAST 24 HOURS IN ADVANCE OF EACH INSPECTION, IN ORDER THAT IT MAY BE MADE WITHOUT DELAY OR INCONVENIENCE, PHONE 758-1008. THIS PERMIT IS NOT VALID UNLESS THE WORK AUTHORIZED BY IT IS COMMENCED WITHIN 6 MONTHS AFTER ISSUANCE.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.

Columbia County Building Permit Application

Revised 9-23-04

For Office Use Only Application # 0508-71 Date Received 8/18/05 By JN Permit # 23582
Application Approved by - Zoning Official BZK Date 01.09.05 Plans Examiner AKJTH Date 8-22-05
Flood Zone X Development Permit NA Zoning A-3 Land Use Plan Map Category A-3
Comments Consolidated En. Health & Safety Plan

Applicants Name O'Neil Consttution/Dennis O'Neil Phone 386-454-2476
Address P.O. Box 1633 High Springs FL 32643
Owners Name Kevin & Stephanie Herlong Phone 497-4934
911 Address 14138 S.W. State Rd 47, Ocala, FL 32038
Contractors Name O'Neil Consttution Phone _____
Address P.O. 1633 High Springs FL 32643
Fee Simple Owner Name & Address N/A
Bonding Co. Name & Address N/A
Architect/Engineer Name & Address Colacino 352-472-3462
Mortgage Lenders Name & Address CASH
Circle the correct power company - FL Power & Light - Clay Elec. - Suwannee Valley Elec. - Progressive Energy
Property ID Number PARCEL# 09-65-16-03802-006 Estimated Cost of Construction _____
Subdivision Name N/A Lot _____ Block _____ Unit _____ Phase _____
Driving Directions From LAKE City take 47 towards Fort White Job is 2 1/2 of Mile on Right PAST Herlong Rd.

Type of Construction WOOD FRAME - SFD Number of Existing Dwellings on Property NONE
Total Acreage 5 Lot Size _____ Do you need a - Culvert Permit or Culvert Waiver or Have an Existing Drive
Actual Distance of Structure from Property Lines - Front 363' Side 166' Side 166' Rear 130'
Total Building Height 22' Number of Stories 1 Heated Floor Area 1707 Roof Pitch 8/12
Porches 551 CARPORT 400 TOTAL 2658

Application is hereby made to obtain a permit to do work and installations as indicated. I certify that no work or installation has commenced prior to the issuance of a permit and that all work be performed to meet the standards of all laws regulating construction in this jurisdiction.

OWNERS AFFIDAVIT: I hereby certify that all the foregoing information is accurate and all work will be done in compliance with all applicable laws and regulating construction and zoning.

WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOU PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.

Owner Builder or Agent (Including Contractor)

STATE OF FLORIDA
COUNTY OF COLUMBIA

Sworn to (or affirmed) and subscribed before me

this 17th day of August 2005

Personally known ✓ or Produced Identification My comm. exp. Feb 18, 2006

DAPHNE ALESE BROWN
Notary Public, State of Florida
My comm. exp. Feb 18, 2006
Comm. No. DD 085153

Contractor Signature

Contractors License Number C6C061581

Competency Card Number _____

NOTARY STAMP/SEAL

Notary Signature

Dennis O'Neil
9-1-05 - CCH message

Quitclaim Deed

THIS QUITCLAIM DEED, executed this 23 day of January, 2005,
by first party, Grantor, Earl Dan Herlong & Glenda T. Herlong
whose post office address is P.O. Box 427 Fort White, FL 32038
to second party, Grantee, Kevin Herlong & Stephanie L. Herlong
whose post office address is 14192 S.W. S.R. 47 Fort White, FL 32038

WITNESSETH, That the said first party, for good consideration and for the sum of Ten Dollars
Dollars (\$ 10.00)

paid by the said second party, the receipt whereof is hereby acknowledged, does hereby remise, release and quitclaim unto the
said second party forever, all the right, title, interest and claim which the said first party has in and to the following described
parcel of land, and improvements and appurtenances thereto in the County of Columbia
State of Florida to wit:

DESCRIPTION:

COMMENCE AT THE NE CORNER OF SECTION 9, TOWNSHIP 6 SOUTH, RANGE 16 EAST, COLUMBIA
COUNTY, FLORIDA AND RUN S.00°00'16"E., ALONG EAST LINE OF SAID SECTION 9, 1004.25 FEET;
THENCE S.88°57'50"W., 50.00 FEET TO THE WEST RIGHT-OF-WAY LINE OF STATE ROAD # 47 FOR
A POINT OF BEGINNING; THENCE CONTINUE S.88°57'50"W., 545.54 FEET; THENCE S.00°00'22"E.,
400.20 FEET; THENCE N.88°57'30"E., 545.54 FEET TO SAID WEST RIGHT-OF-WAY LINE OF STATE
ROAD # 47; THENCE N.00°00'16"W., ALONG SAID RIGHT-OF-WAY LINE, 400.16 FEET TO THE POINT
OF BEGINNING. CONTAINING 5.01 ACRES, MORE OR LESS.

Parcel# 09-6S-16-03802-001

006?

Inst:2005001808 Date:01/26/2005 Time:15:33

Doc Stamp-Deed : 0.70

MK DC, P. Dewitt Cason, Columbia County B:1036 P:1102

IN WITNESS WHEREOF, The said first party has signed and sealed these presents the day and year first above written.
Signed, sealed and delivered in presence of:

Signature of Witness:

Tony D. Henderson

Print name of Witness:

Tony D. Henderson

Signature of Witness:

Tara L. Henderson

Print name of Witness:

Tara L. Henderson

Signature of First Party:

Earl Dan Herlong Glenda T. Herlong

Print name of First Party:

EARL DAN HERLONG & GLENDA T. HERLONG

Signature of Second Party:

Kevin Herlong Stephanie L. Herlong

Print name of Second Party:

Kevin Herlong Stephanie L. Herlong

Signature of Preparer

Stephanie L. Herlong

Print Name of Preparer

Stephanie L. Herlong

Address of Preparer

14192 SW SR 47 Ft White, FL 32038

State of

Florida

County of

Columbia

On 23rd day of Jan. 2005 before me, the undersigned notary
appeared Earl Dan Herlong, Glenda T. Herlong, Kevin Herlong & Stephanie Herlong
personally known to me (or proved to me on the basis of satisfactory evidence) to be the person(s) whose name(s) is/are
subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their authorized
capacity(ies), and that by his/her/their signature(s) on the instrument the person(s), or the entity upon behalf of which the
person(s) acted, executed the instrument.

WITNESS my hand and official seal.

Tara L. Henderson

Signature of Notary

Affiant ☒ Known ☐ Produced ID

Type of ID

(Seal)

ING RESIDENCE
Site Plan

S.88°57'50"W.
50.00' (DEED)
S.88°55'32"W.
50.00' (CALC.)

S.88°57'50"W (CALC.)
S.88°55'32"W. 545.54' (FIELD)

POINT OF BEGINNING
NO IDENTIFICATION

N.00°00'16"W. 400.06' (FIELD)

NO
IMPROVEMENTS
LOCATED
5.01 Acres, ±

Driveway

363'

L.E. BRITT
P.L.S. 1079

N.88°54'58"E. 545.54' (FIELD)
N.88°57'13"E. (CALC.)

05'41"W.
7' (FIELD)

50.00'

STATE ROAD # 47 (PAVED PUBLIC)

S.C.
1004

PREPARED BY & RETURN TO:
DARRYL J. TOMPKINS, ESQUIRE
DARRYL J. TOMPKINS, P.A.
14420 NW 151st Blvd. (32615)
P.O. Box 519
Alachua, FL 32616

Inst: 2005017948 Date: 07/27/2005 Time: 16:14
MK DC: P. Dewitt Cason, Columbia County B. 1053 F: 499

STATE OF FLORIDA)
COUNTY OF ALACHUA)


NOTICE OF COMMENCEMENT


THE UNDERSIGNED HEREBY GIVES NOTICE THAT IMPROVEMENTS WILL BE MADE TO CERTAIN REAL PROPERTY, AND IN ACCORDANCE WITH SECTION 713 OF THE FLORIDA STATUTES, THE FOLLOWING INFORMATION IS PROVIDED IN THIS NOTICE OF COMMENCEMENT:

1. DESCRIPTION OF PROPERTY: See Exhibit "A" attached hereto and made a part hereof.
2. GENERAL DESCRIPTION OF IMPROVEMENT: House Construction
3. OWNER: KEVIN HERLONG & STEPHANIE L. HERLONG
4. OWNER'S INTEREST IN SITE OF IMPROVEMENTS: Fee Simple
5. FEE SIMPLE TITLE HOLDER (if other than owner) N/A
6. GENERAL CONTRACTOR: O'NEIL CONSTRUCTION OF HIGH SPRINGS, INC.
P.O. BOX 1633
HIGH SPRINGS, FL 32655
7. NAME AND ADDRESS OF THE SURETY ON THE PAYMENT BONDS: NONE
8. NAME AND ADDRESS OF CONSTRUCTION LENDER: MILLENNIUM BANK
4340 Newberry Rd.
Gainesville, FL 32607
9. NAME OF PERSON WITHIN THE STATE OF FLORIDA DESIGNATED BY OWNER UPON WHOM NOTICE OR OTHER DOCUMENTS MAY BE SERVED: NA
10. IN ADDITION TO HIMSELF, OWNER DESIGNATES THE FOLLOWING PERSON(S) TO RECEIVE A COPY OF THE LIENOR'S NOTICE AS PROVIDED IN SECTION 713.13(1), FLORIDA STATUTES: NA
11. EXPIRATION DATE OF NOTICE OF COMMENCEMENT (THE EXPIRATION DATE IS ONE (1) YEAR FROM DATE OF RECORDING UNLESS A DIFFERENT DATE IS SPECIFIED).

Signed, Sealed and Delivered
in the presence of:


Printed Name: Rebecca Budny


Printed Name: Stephanie L. Herlong


KEVIN HERLONG


STEPHANIE L. HERLONG

STATE OF FLORIDA
COUNTY OF ALACHUA

I HEREBY CERTIFY that on this day, before me, an officer duly authorized in the State aforesaid and in the County aforesaid to take acknowledgements, the foregoing instrument was acknowledged before me by KEVIN HERLONG & STEPHANIE L. HERLONG, freely and voluntarily. They are personally known to me or who have produced their Florida Drivers License as identification.

WITNESS my hand and seal in the County and State last aforesaid this 21 day of July, 2005.

REBECCA BUDNY
Notary Public, State of Florida
My comm. exp. Dec. 17, 2008
Comm. No. DD 367138



NOTARY PUBLIC STATE OF FLORIDA
Print Name: _____

EXHIBIT "A"

COMMENCE AT THE NE CORNER OF SECTION 9, TOWNSHIP 6 SOUTH, RANGE 16 EAST, COLUMBIA COUNTY, FLORIDA AND RUN S. 00°00'16" E., ALONG EAST LINE OF SAID SECTION 9, 1004.25 FEET; THENCE S. 88°57'50" W., 50.00 FEET TO THE WEST RIGHT-OF-WAY LINE OF STATE ROAD #47 FOR A POINT OF BEGINNING; THENCE CONTINUE S. 88°57'50" W., 545.54 FEET; THENCE S. 00°00'22" E., 400.20 FEET; THENCE N. 88°57'30" E., 545.54 FEET TO SAID WEST RIGHT-OF-WAY LINE OF STATE ROAD #47; THENCE N. 00°00'16" W., ALONG SAID RIGHT-OF-WAY LINE, 400.16 FEET TO THE POINT OF BEGINNING.

Inst:2005017940 Date:07/27/2005 Time:16:14

DC:P.Dewitt Cason,Columbia County B:1050 P:500






STATE OF FLORIDA
DEPARTMENT OF HEALTH

APPLICATION FOR ONSITE SEWAGE DISPOSAL SYSTEM CONSTRUCTION PERMIT

Permit Application Number 05-0823N

PART II - SITE PLAN

Scale: Each block represents 5 feet and 1 inch = 50 feet.



Notes: Drawing Above is Shown on property to right

Site Plan submitted by: [Signature]

Signature

Title

Plan Approved ✓

Not Approved _____

Date

8/29/05

By [Signature]

Columbia

County Health Department

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT

FLORIDA ENERGY EFFICIENCY CODE FOR BUILDING CONSTRUCTION

Florida Department of Community Affairs
Residential Whole Building Performance Method A

Project Name: **HERLONG**
Address:
City, State: ,
Owner: **HERLONG**
Climate Zone: **North**

Builder: **O'NEIL CONSTRUCTION**
Permitting Office: **COLUMBIA COUNTY**
Permit Number: **23582**
Jurisdiction Number: **221000**

- | | | |
|--|--------------------------------|-----------------------|
| 1. New construction or existing | New | — |
| 2. Single family or multi-family | Single family | — |
| 3. Number of units, if multi-family | 1 | — |
| 4. Number of Bedrooms | 3 | — |
| 5. Is this a worst case? | No | — |
| 6. Conditioned floor area (ft ²) | 1707 ft ² | — |
| 7. Glass area & type | Single Pane | Double Pane |
| a. Clear glass, default U-factor | 63.0 ft ² | 241.0 ft ² |
| b. Default tint, default U-factor | 0.0 ft ² | 0.0 ft ² |
| c. Labeled U-factor or SHGC | 0.0 ft ² | 0.0 ft ² |
| 8. Floor types | | |
| a. Slab-On-Grade Edge Insulation | R=0.0, 188.5(p) ft | — |
| b. N/A | — | — |
| c. N/A | — | — |
| 9. Wall types | | |
| a. Frame, Wood, Exterior | R=11.0, 1392.5 ft ² | — |
| b. N/A | — | — |
| c. N/A | — | — |
| d. N/A | — | — |
| e. N/A | — | — |
| 10. Ceiling types | | |
| a. Under Attic | R=30.0, 1706.8 ft ² | — |
| b. N/A | — | — |
| c. N/A | — | — |
| 11. Ducts | | |
| a. Sup: Unc. Ret: Unc. AH: Interior | Sup. R=6.0, 35.0 ft | — |
| b. N/A | — | — |
- | | | |
|--|-------------------|---|
| 12. Cooling systems | | |
| a. Central Unit | Cap: 42.0 kBtu/hr | — |
| | SEER: 12.00 | — |
| b. N/A | — | — |
| c. N/A | — | — |
| 13. Heating systems | | |
| a. PTHP | Cap: 42.0 kBtu/hr | — |
| | COP: 3.40 | — |
| b. N/A | — | — |
| c. N/A | — | — |
| 14. Hot water systems | | |
| a. Electric Resistance | Cap: 40.0 gallons | — |
| | EF: 0.90 | — |
| b. N/A | — | — |
| c. Conservation credits | — | — |
| (HR-Heat recovery, Solar | | |
| DHP-Dedicated heat pump) | | |
| 15. HVAC credits | — | — |
| (CF-Ceiling fan, CV-Cross ventilation, | | |
| HF-Whole house fan, | | |
| PT-Programmable Thermostat, | | |
| MZ-C-Multizone cooling, | | |
| MZ-H-Multizone heating) | | |

Glass/Floor Area: 0.18

Total as-built points: 22053

Total base points: 25898

PASS

I hereby certify that the plans and specifications covered by this calculation are in compliance with the Florida Energy Code.

PREPARED BY: Larry Resmondo A/c

DATE: June 2, 2005

I hereby certify that this building, as designed, is in compliance with the Florida Energy Code.

OWNER/AGENT: O'Neil Construction

DATE: 6/6/05

Review of the plans and specifications covered by this calculation indicates compliance with the Florida Energy Code. Before construction is completed this building will be inspected for compliance with Section 553.908 Florida Statutes.



BUILDING OFFICIAL: _____

DATE: _____

SUMMER CALCULATIONS

Residential Whole Building Performance Method A - Details

ADDRESS: , , ,

PERMIT #:

BASE				AS-BUILT							
GLASS TYPES											
.18 X Conditioned X BSPM = Points Floor Area				Type/SC	Overhang Ornt Len Hgt		Area X SPM X SOF = Points				
.18	1707.0	20.04	6157.5	Double, Clear	E	6.0	6.0	30.0	42.06	0.52	653.4
				Double, Clear	W	7.5	6.0	30.0	38.52	0.48	552.3
				Single, Clear	E	6.0	8.0	21.0	47.92	0.59	596.7
				Double, Clear	E	1.3	6.0	30.0	42.06	0.93	1178.9
				Double, Clear	W	15.0	6.0	30.0	38.52	0.39	445.9
				Single, Clear	E	3.0	8.0	21.0	47.92	0.81	817.0
				Double, Clear	N	1.3	6.0	31.0	19.20	0.95	566.9
				Double, Clear	SW	12.0	6.0	30.0	40.16	0.39	475.1
				Single, Clear	S	12.0	8.0	21.0	40.81	0.47	405.5
				Double, Clear	W	1.3	6.0	30.0	38.52	0.93	1080.4
				Double, Clear	S	1.3	6.0	30.0	35.87	0.89	955.9
				As-Built Total: 304.0 7728.1							
WALL TYPES				Area X BSPM = Points		Type		R-Value		Area X SPM = Points	
Adjacent	0.0	0.00	0.0	Frame, Wood, Exterior		11.0		1392.5		1.70 2367.3	
Exterior	1392.5	1.70	2367.3								
Base Total:				1392.5		2367.3		As-Built Total:		1392.5 2367.3	
DOOR TYPES				Area X BSPM = Points		Type		Area X SPM = Points			
Adjacent	0.0	0.00	0.0								
Exterior	0.0	0.00	0.0								
Base Total:				0.0		0.0		As-Built Total:		0.0 0.0	
CEILING TYPES				Area X BSPM = Points		Type		R-Value		Area X SPM X SCM = Points	
Under Attic	1706.8	1.73	2952.8	Under Attic		30.0		1706.8		1.73 X 1.00 2952.8	
Base Total:				1706.8		2952.8		As-Built Total:		1706.8 2952.8	
FLOOR TYPES				Area X BSPM = Points		Type		R-Value		Area X SPM = Points	
Slab	188.5(p)	-37.0	-6974.5	Slab-On-Grade Edge Insulation		0.0		188.5(p)		-41.20 -7766.2	
Raised	0.0	0.00	0.0								
Base Total:				-6974.5		As-Built Total:		188.5		-7766.2	
INFILTRATION				Area X BSPM = Points		Area X SPM = Points		Area X SPM = Points			
1707.0 10.21 17428.5										1707.0 10.21 17428.5	

SUMMER CALCULATIONS
Residential Whole Building Performance Method A - Details

ADDRESS: , , ,

PERMIT #:

BASE				AS-BUILT						
Summer Base Points: 21931.5				Summer As-Built Points: 22710.3						
Total Summer Points	X	System Multiplier	= Cooling Points	Total Component	X	Cap Ratio	X Duct Multiplier (DM x DSM x AHU)	X System Multiplier	X Credit Multiplier	= Cooling Points
21931.5		0.4266	9356.0	22710.3		1.000	(1.090 x 1.147 x 0.91)	0.284	1.000	7348.7
				22710.3		1.00	1.138	0.284	1.000	7348.7

WINTER CALCULATIONS

Residential Whole Building Performance Method A - Details

ADDRESS: , , ,

PERMIT #:

BASE				AS-BUILT									
GLASS TYPES													
.18 X Conditioned X BWPM = Points Floor Area				Type/SC	Overhang Ornt Len Hgt		Area X WPM X WOF = Points						
.18	1707.0	12.74	3914.5	Double, Clear	E	6.0	6.0	30.0	18.79	1.29	724.9		
				Double, Clear	W	7.5	6.0	30.0	20.73	1.19	740.4		
				Single, Clear	E	6.0	8.0	21.0	26.41	1.21	671.8		
				Double, Clear	E	1.3	6.0	30.0	18.79	1.03	579.6		
				Double, Clear	W	15.0	6.0	30.0	20.73	1.23	766.6		
				Single, Clear	E	3.0	8.0	21.0	26.41	1.08	596.8		
				Double, Clear	N	1.3	6.0	31.0	24.58	1.00	763.2		
				Double, Clear	SW	12.0	6.0	30.0	16.74	1.93	967.1		
				Single, Clear	S	12.0	8.0	21.0	20.24	3.28	1392.1		
				Double, Clear	W	1.3	6.0	30.0	20.73	1.02	632.8		
				Double, Clear	S	1.3	6.0	30.0	13.30	1.08	431.2		
				As-Built Total:		304.0			8266.4				
WALL TYPES				Area X BWPM = Points		Type		R-Value		Area X WPM = Points			
Adjacent	0.0	0.00	0.0	Frame, Wood, Exterior		11.0		1392.5		3.70		5152.3	
Exterior	1392.5	3.70	5152.3										
Base Total:				1392.5		5152.3		As-Built Total:		1392.5		5152.3	
DOOR TYPES				Area X BWPM = Points		Type		Area		X WPM = Points			
Adjacent	0.0	0.00	0.0										
Exterior	0.0	0.00	0.0										
Base Total:				0.0		0.0		As-Built Total:		0.0			
CEILING TYPES				Area X BWPM = Points		Type		R-Value		Area X WPM X WCM = Points			
Under Attic	1706.8	2.05	3498.9	Under Attic		30.0		1706.8		2.05 X 1.00		3498.9	
Base Total:				1706.8		3498.9		As-Built Total:		1706.8		3498.9	
FLOOR TYPES				Area X BWPM = Points		Type		R-Value		Area X WPM = Points			
Slab	188.5(p)	8.9	1677.6	Slab-On-Grade Edge Insulation		0.0		188.5(p)		18.80		3543.8	
Raised	0.0	0.00	0.0										
Base Total:				1677.6		As-Built Total:		188.5		3543.8			
INFILTRATION				Area X BWPM = Points		Area		X WPM = Points					
				1707.0		-0.59		-1007.1					

WINTER CALCULATIONS

Residential Whole Building Performance Method A - Details

ADDRESS: , , ,

PERMIT #:

BASE				AS-BUILT							
Winter Base Points:		13236.2		Winter As-Built Points:		19454.3					
Total Winter Points	X	System Multiplier	= Heating Points	Total Component	X	Cap Ratio	X Duct Multiplier (DM x DSM x AHU)	X System Multiplier	X Credit Multiplier	= Heating Points	
13236.2		0.6274	8304.4	19454.3		1.000	(1.069 x 1.169 x 0.93)	0.294	1.000	6649.8	
				19454.3		1.00	1.162	0.294	1.000	6649.8	

WATER HEATING & CODE COMPLIANCE STATUS

Residential Whole Building Performance Method A - Details

ADDRESS: , , ,

PERMIT #:

BASE				AS-BUILT					
WATER HEATING									
Number of Bedrooms	X	Multiplier	= Total	Tank Volume	EF	Number of Bedrooms	X Tank Ratio	Multiplier X Credit Multiplier	= Total
3		2746.00	8238.0	40.0	0.90	3	1.00	2684.98	8054.9
				As-Built Total:					8054.9

CODE COMPLIANCE STATUS							
BASE				AS-BUILT			
Cooling Points	+	Heating Points	+ Hot Water Points = Total Points	Cooling Points	+	Heating Points	+ Hot Water Points = Total Points
9356		8304	823825898	7349		6650	805522053

PASS



Code Compliance Checklist

Residential Whole Building Performance Method A - Details

ADDRESS: , , ,

PERMIT #:

6A-21 INFILTRATION REDUCTION COMPLIANCE CHECKLIST

COMPONENTS	SECTION	REQUIREMENTS FOR EACH PRACTICE	CHECK
Exterior Windows & Doors	606.1.ABC.1.1	Maximum: .3 cfm/sq.ft. window area; .5 cfm/sq.ft. door area.	
Exterior & Adjacent Walls	606.1.ABC.1.2.1	Caulk, gasket, weatherstrip or seal between: windows/doors & frames, surrounding wall; foundation & wall sole or sill plate; joints between exterior wall panels at corners; utility penetrations; between wall panels & top/bottom plates; between walls and floor. EXCEPTION: Frame walls where a continuous infiltration barrier is installed that extends from, and is sealed to, the foundation to the top plate.	
Floors	606.1.ABC.1.2.2	Penetrations/openings >1/8" sealed unless backed by truss or joint members. EXCEPTION: Frame floors where a continuous infiltration barrier is installed that is sealed to the perimeter, penetrations and seams.	
Ceilings	606.1.ABC.1.2.3	Between walls & ceilings; penetrations of ceiling plane of top floor; around shafts, chases, soffits, chimneys, cabinets sealed to continuous air barrier; gaps in gyp board & top plate; attic access. EXCEPTION: Frame ceilings where a continuous infiltration barrier is installed that is sealed at the perimeter, at penetrations and seams.	
Recessed Lighting Fixtures	606.1.ABC.1.2.4	Type IC rated with no penetrations, sealed; or Type IC or non-IC rated, installed inside a sealed box with 1/2" clearance & 3" from insulation; or Type IC rated with < 2.0 cfm from conditioned space, tested.	
Multi-story Houses	606.1.ABC.1.2.5	Air barrier on perimeter of floor cavity between floors.	
Additional Infiltration reqts	606.1.ABC.1.3	Exhaust fans vented to outdoors, dampers; combustion space heaters comply with NFPA, have combustion air.	

6A-22 OTHER PRESCRIPTIVE MEASURES (must be met or exceeded by all residences.)

COMPONENTS	SECTION	REQUIREMENTS	CHECK
Water Heaters	612.1	Comply with efficiency requirements in Table 6-12. Switch or clearly marked circuit breaker (electric) or cutoff (gas) must be provided. External or built-in heat trap required.	
Swimming Pools & Spas	612.1	Spas & heated pools must have covers (except solar heated). Non-commercial pools must have a pump timer. Gas spa & pool heaters must have a minimum thermal efficiency of 78%.	
Shower heads	612.1	Water flow must be restricted to no more than 2.5 gallons per minute at 80 PSIG.	
Air Distribution Systems	610.1	All ducts, fittings, mechanical equipment and plenum chambers shall be mechanically attached, sealed, insulated, and installed in accordance with the criteria of Section 610. Ducts in unconditioned attics: R-6 min. insulation.	
HVAC Controls	607.1	Separate readily accessible manual or automatic thermostat for each system.	
Insulation	604.1, 602.1	Ceilings-Min. R-19. Common walls-Frame R-11 or CBS R-3 both sides. Common ceiling & floors R-11.	

ENERGY PERFORMANCE LEVEL (EPL)
DISPLAY CARD

ESTIMATED ENERGY PERFORMANCE SCORE* = 85.6
The higher the score, the more efficient the home.

HERLONG, , , ,

1. New construction or existing New
2. Single family or multi-family Single family
3. Number of units, if multi-family 1
4. Number of Bedrooms 3
5. Is this a worst case? No
6. Conditioned floor area (ft²) 1707 ft²
7. Glass area & type Single Pane Double Pane
a. Clear glass, default U-factor 63.0 ft² 241.0 ft²
b. Default tint, default U-factor 0.0 ft² 0.0 ft²
c. Labeled U-factor or SHGC 0.0 ft² 0.0 ft²
8. Floor types
a. Slab-On-Grade Edge Insulation R=0.0, 188.5(p) ft
b. N/A
c. N/A
9. Wall types
a. Frame, Wood, Exterior R=11.0, 1392.5 ft²
b. N/A
c. N/A
d. N/A
e. N/A
10. Ceiling types
a. Under Attic R=30.0, 1706.8 ft²
b. N/A
c. N/A
11. Ducts
a. Sup: Unc. Ret: Unc. AH: Interior Sup. R=6.0, 35.0 ft
b. N/A
12. Cooling systems
a. Central Unit Cap: 42.0 kBtu/hr SEER: 12.00
b. N/A
c. N/A
13. Heating systems
a. PTHP Cap: 42.0 kBtu/hr COP: 3.40
b. N/A
c. N/A
14. Hot water systems
a. Electric Resistance Cap: 40.0 gallons EF: 0.90
b. N/A
c. Conservation credits (HR-Heat recovery, Solar DHP-Dedicated heat pump)
15. HVAC credits (CF-Ceiling fan, CV-Cross ventilation, HF-Whole house fan, PT-Programmable Thermostat, MZ-C-Multizone cooling, MZ-H-Multizone heating)

I certify that this home has complied with the Florida Energy Efficiency Code For Building Construction through the above energy saving features which will be installed (or exceeded) in this home before final inspection. Otherwise, a new EPL Display Card will be completed based on installed Code compliant features.

Builder Signature: Date:

Address of New Home: City/FL Zip:



*NOTE: The home's estimated energy performance score is only available through the FLA/RES computer program. This is not a Building Energy Rating. If your score is 80 or greater (or 86 for a US EPA/DOE EnergyStar™ designation), your home may qualify for energy efficiency mortgage (EEM) incentives if you obtain a Florida Energy Gauge Rating. Contact the Energy Gauge Hotline at 321/638-1492 or see the Energy Gauge web site at www.fsec.ucf.edu for information and a list of certified Raters. For information about Florida's Energy Efficiency Code For Building Construction, contact the Department of Community Affairs at 850/487-1824. EnergyGauge® (Version: FLRCPB v3.4)

**FAX
MEMORANDUM****MEMORANDUM****FLORIDA DEPARTMENT OF TRANSPORTATION**

To: Mr. John Kerce, Dept. Director
Columbia Co. Building & Zoning Dept.
Fax No: 386-758-2160

From: Dale L. Cray, FDOT Permits Insp.
Date: 2-09-2006 **Fax No.** 386-961-7183
Attention: Mr. John Kerce

☐ Sign and return. ☒ For your files. ☐ Please call me. ☐ FYI ☐ For Review

REF: Notice of Driveway Access Review / Inspected On: 2-09-2006

PROJECT: KEVIN & STEPHANIE HERLONG / **PROPOSED:** Residential Access

PARCEL ID No: 09-6S-16-03802-006 **PERMIT#** 05-A-292-0016 **SEC#** 29020

MILE POST 8.543+- **Engineer:** N/A

Mr. Kerce:

Please accept this as our legal notice of an **(NON-COMPLIANCE ACCESS)** that has not completed the RESIDENTIAL ACCESS according to **FDOT STANDARDS**. Meet with Engineer on 2-09-06 and they have promised to fix access to code. FDOT Permits Dept would like for Building & Zoning Dept to hold the **C.O.** until driveway has been inspected and passed final inspection. The owners address:

KEVIN & STEPHANIE HERLONG


14192 S.W. S.R.47 (S)

FORT WHITE, FL.3208

This access has been inspected and **(DO NOT)** meet FDOT standards at this time.

If further information is required on this project please do not hesitate to contact this office for additional access permitting information details. My office number is 961-7193 or 961-7146.

Sincerely,



Dale L. Cray
Access Permits Inspector

#23582

2-09-06

To: Janice Williams

From: D de Croy F.D.OT Inspector

Sub: Non-Compliance Access

Comments: Please hold C.O. until D/W
has had final passing inspection.
(386) 961-7146 for info.

Thanks

DL

**FAX
MEMORANDUM****MEMORANDUM****FLORIDA DEPARTMENT OF TRANSPORTATION**

To: Mr. John Kerce, Dept. Director
Columbia Co. Building & Zoning Dept.
Fax No: 904-758-2160

From: Neil E. Miles, FDOT Permits Coord.
Date: 2-17-06 **Fax No.** 904-961-7180
Attention: In-House Staff

☐ Sign and return. ☐ For your files. ☐ Please call me. ☒ FYI ☐ For Review

REF: Notice of Driveway Access Review / Inspected On: 2-16-06

PROJECT: Inspection of New Access Connection for FDOT Permit Compliance

PROPT. OWNER: KEVIN & STEPHANIE HERLONG/ **PRIOR PROPT. OWNER:** E. D. Herlong

PROPOSED: Inspection of NEW permitted access

PERMITTEE'S MAILING ADDRESS: 14192 SW SR-47 South, Ft. White, Fl. 32038

COUNTY PARCEL ID No: 09-65-16-03802-006 **New Parcel No.** N/A

CONTRACTOR: AM Site Prep / Allan Mincey, Jr. / Phone # 352-339-4444

Note: FDOT Permit No: 05-A-292-0016

Contractor's Phone No. 386-454-2591 / **Engineer:** N/A

Mr. Kerce:

Per our final inspection this permitted access has now met all permitted requirements. The new driveway connection was inspected yesterday morning and has passed FDOT inspection.

Please accept this as our notice of same and lift any Columbia County Permit restrictions that may have applied to this site due to State FDOT Access compliances.

If further information is required on this project please do not hesitate to contact this office for additional access permitting information details. My office number is 961-7193 or 961-7180.

Sincerely,



Neil Miles

Access Permits Coordinator

It's great to have folks like you to work with, thanks again for your assistance!

Total of Six sheets Faxed

#23582

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION
**DRIVEWAY CONNECTION PERMIT
FOR ALL CATEGORIES**850-040-16
SYSTEMS PLANNING
04/03
Page 1 of 3**PART 1: PERMIT INFORMATION**APPLICATION NUMBER: 05-A-292-0016Permit Category: AAccess Classification: 04Project: 20' EARTH LIMEROCK DRIVEWAY WITH DOUBLE 30' TURN RADII.Permittee: KEVIN & STEPHANIE HERLONGSection/Mile Post: 29020 / 8.543+-State Road: 47 (S)Section/Mile Post: N/AState Road: N/A**PART 2: PERMITTEE INFORMATION**Permittee Name: KEVIN & STEPHANIE HERLONGPermittee Mailing Address: 14192 S.W. S.R.47 SOUTHCity, State, Zip: FORT. WHITE, FL. 32038Telephone: (386) 497-2026Engineer/Consultant/or Project Manager: N/A

Engineer responsible for construction inspection:

N/A
NAMEN/A
P.E. #Mailing Address: N/ACity, State, Zip: N/ATelephone: N/AFAX, Mobile Phone, etc. N/A**PART 3: PERMIT APPROVAL**

The above application has been reviewed and is hereby approved subject to all Provisions as attached.

Permit Number: 05-A-292-0016Signature: 

Department of Transportation

Title: PERMIT COORDINATORDepartment Representative's Printed Name NEIL E. MILESTemporary Permit ☐ YES ☒ NO (If temporary, this permit is only valid for 6 months)Special provisions attached ☒ YES ☐ NODate of Issuance: APR 14 2005

If this is a normal (non-temporary) permit it authorizes construction for one year from the date of issuance. This can only be extended by the Department as specified in 14-96.007(6).

See following pages for General and Special Provisions

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION
DRIVEWAY/CONNECTION APPLICATION
CATEGORY A850-040-14
SYSTEMS PLANNING
09/02

(INDIVIDUAL HOMES, DUPLEXES OR OTHER USES LESS THAN 20 TRIPS/DAY TOTAL)

OFFICE USE ONLYApplication Number: 05-A-292-0016Accepted By: Dale L. CrayCategory: A

FDOT STAFF (TYPE OR PRINT)

Section Road Number & Mile Post: 29020 / 8.543+-Date: 04-13-2005**APPLICANT COMPLETE REMAINDER OF FORM****PART I: APPLICANT INFORMATION** (Please type or print)APPLICANT: Kevin & Stephanie HerlongMailing Address: 14192 S.W. State Road 47City, State, Zip: Fort White, FL 32038Telephone: 386-497-2026 (home) 352-334-6079 (work Kevin) 386-462-1231 (work Steph)Physical Address of Site (if different): About 150 feet north of the mailing address, the lot has not been addressed yet. Attach Map & Drawing If Necessary

PROPERTY OWNER: (if different from above) _____

Mailing Address: _____

City, State, Zip: _____

Telephone: _____

PART 2: NOTICE TO APPLICANT

Proposed traffic control features and devices in the right of way, such as median openings and other traffic control devices, are not part of the connection(s) to be authorized by a connection permit. The Department reserves the right to change these features in the future in order to promote safety in the right of way or efficient traffic operations on the highway. Expenditure by the applicant of monies for installation or maintenance of such features shall not create any interest in the features or their maintenance.

PART 3: CERTIFICATION AND SIGNATURE

I certify that I am familiar with the information contained in this application and that to the best of my knowledge and belief such information is true, complete and accurate. I will not begin work on the connection until I receive my Permit and I understand all the conditions of the Permit. When I begin work on the connection I am accepting all conditions listed in my Permit.

Signed: Kevin Herlong Stephanie Herlong

(Applicant)

Date: April 6th, 2005Printed Name: Kevin & Stephanie Herlong**RECEIVED**

APR 11 2005

DEPARTMENT OF TRANSPORTATION
LAKE CITY

Quitclaim Deed

THIS QUITCLAIM DEED, executed this 23 day of January, 2005,
 by first party, Grantor, Earl Dan Herlong & Glenda T. Herlong
 whose post office address is P.O. Box 427 Fort White, FL 32038
 to second party, Grantee, Kevin Herlong & Stephanie L. Herlong
 whose post office address is 14192 S.W. S.R. 47 Fort White, FL 32038

WITNESSETH, That the said first party, for good consideration and for the sum of Ten Dollars
 Dollars (\$ 10.00)

paid by the said second party, the receipt whereof is hereby acknowledged, does hereby remise, release and quitclaim unto the
 said second party forever, all the right, title, interest and claim which the said first party has in and to the following described
 parcel of land, and improvements and appurtenances thereto in the County of Columbia
 State of Florida to wit:

Description:

DESCRIPTION:
 COMMENCE AT THE NE CORNER OF SECTION 9, TOWNSHIP 6 SOUTH, RANGE 16 EAST, COLUMBIA
 COUNTY, FLORIDA AND RUN S.00°00'16"E., ALONG EAST LINE OF SAID SECTION 9, 1004.25 FEET;
 THENCE S.88°57'50"W., 50.00 FEET TO THE WEST RIGHT-OF-WAY LINE OF STATE ROAD # 47 FOR
 A POINT OF BEGINNING; THENCE CONTINUE S.88°57'50"W., 545.54 FEET; THENCE S.00°00'22"E.,
 400.20 FEET; THENCE N.88°57'30"E., 545.54 FEET TO SAID WEST RIGHT-OF-WAY LINE OF STATE
 ROAD # 47; THENCE N.00°00'16"W., ALONG SAID RIGHT-OF-WAY LINE, 400.16 FEET TO THE POINT
 OF BEGINNING. CONTAINING 5.01 ACRES, MORE OR LESS.

Parcel# 09-68-16-03802-001

Inst:2005001808 Date:01/26/2005 Time:15:33

Doc Stamp-Deed : 0.70

ML DC, P. Dewitt Cason, Columbia County B:1036 P:1102

chResults

Page 1 of 2

Columbia County Property Appraiser

DB Last Updated: 4/4/2005

Parcel: 09-6S-16-03802-006

2005 Proposed Values

Owner & Property Info

Search Result: 1 of 1

Owner's Name	HERLONG KEVIN & STEPHANIE L
Site Address	
Mailing Address	14192 SW S R 47 FORT WHITE, FL 32038
Brief Legal	COMM AT NE COR OF SEC, RUN S 1004.25 FT, W 50 FT FOR POB, CONT W 545.54 FT, S 400.20 FT,

Use Desc. (code)	TIMBERLAND (005400)
Neighborhood	9616.00
Tax District	3
UD Codes	
Market Area	02
Total Land Area	5.010 ACRES

Property & Assessment Values

Mkt Land Value	cnt: (0)	\$0.00
Ag Land Value	cnt: (1)	\$1,708.00
Building Value	cnt: (0)	\$0.00
XFOB Value	cnt: (0)	\$0.00
Total Appraised Value		\$1,708.00

Just Value	\$24,048.00
Class Value	\$1,708.00
Assessed Value	\$1,708.00
Exempt Value	\$0.00
Total Taxable Value	\$1,708.00

Sales History

Sale Date	Book/Page	Inst. Type	Sale VImp	Sale Qual	Sale RCode	Sale Price
1/23/2005	1036/1102	QC	V	U	06	\$100.00

Building Characteristics

Bldg Item	Bldg Desc	Year BIt	Ext. Walls	Heated S.F.	Actual S.F.	Bldg Value
NONE						

Extra Features & Out Buildings

Code	Desc	Year BIt	Value	Units	Dims	Condition (% Good)
NONE						

Land Breakdown

Lnd Code	Desc	Units	Adjustments	Eff Rate	Lnd Value
005400	TIMBER 1 (AG)	5.010 AC	1.00/1.00/1.00/1.00	\$341.00	\$1,708.00
009910	MKT.VAL.AG (MKT)	5.010 AC	1.00/1.00/1.00/1.00	\$0.00	\$24,048.00


Columbia County Property Appraiser

DB Last Updated: 4/4/2005

1 of 1

NE CORNER, SECTION 9,
TOWNSHIP 6 SOUTH,
RANGE 16 EAST

SCALE: 1" = 10'



D/W Located MP 8

DESCRIPTION:
COMMENCE AT THE NE CORNER OF SECTION 9, TOWNSHIP 6
COUNTY, FLORIDA AND RUN S.00°00'16\"E., ALONG EAST LINE
THENCE S.88°57'50\"W., 50.00 FEET TO THE WEST RIGHT-OF-
A POINT OF BEGINNING; THENCE CONTINUE S.88°57'50\"W., 54
100.20 FEET; THENCE N.88°57'30\"E., 545.54 FEET TO SAID W
ROAD # 47; THENCE N.00°00'16\"W., ALONG SAID RIGHT-OF-W
OF BEGINNING, CONTAINING 5.01 ACRES, MORE OR LESS.

SURVEYOR'S NOTES

1. BOUNDARY BASED ON MONUMENTATION FOUND IN ACCORDANCE
2. A PREVIOUS SURVEY BY THIS OFFICE
3. BEARINGS ARE BASED ON A PREVIOUS SURVEY BY THIS OFFICE
4. THIS PARCEL IS IN ZONE "X" AND IS DETERMINED TO BE PLAIN AS PER FLOOD RATE MAP, DATED 6 JANUARY, 1981
5. 1200'0 0025 8. HOWEVER, THE FLOOD INSURANCE RATE DATE OF FIELD SURVEY AS SHOWN HEREON
6. IF THEY EXIST, NO UNDERGROUND ENCROACHMENTS AND/L THIS SURVEY EXCEPT AS SHOWN HEREDON
6. THIS SURVEY WAS COMPLETED WITHOUT THE BENEFIT OF POLICY.

SURVEYOR'S CERTIFICATION

CERTIFY THAT THIS SURVEY WAS MADE UNDER MY RESPONSIBLE CHARGE AND MEETS THE MINIMUM STANDARDS AS SET FORTH BY THE FLORIDA BOARD OF PROFESSIONAL SURVEYORS AND MAPPERS PER 61G17-6, FLORIDA ADMINISTRATIVE CODE, PURSUANT TO SECTION 472.027, FLORIDA STATUTES.

DATE 01/05/05
DRAWING DATE

Britt
L. BRITT, P.S.M.
CERTIFICATION # 5757


IT BEARS THE SIGNATURE AND THE ORIGINAL RAISED SEAL OF A FLORIDA LICENSED SURVEYOR AND DRAWING, SKETCH, PLAT OR MAP IS FOR INFORMATIONAL PURPOSES ONLY AND IS NOT VALID.



BRITT SU
LAND SURVEYOR

830 WEST DI
LAKE CITY, FL

TELEPHONE: (386) 752-7163 FAX: (386) 752-5573



COLUMBIA COUNTY FLORIDA

OCCUPANCY

COLUMBIA COUNTY, FLORIDA

Department of Building and Zoning Inspection

This Certificate of Occupancy is issued to the below named permit holder for the building and premises at the below named location, and certifies that the work has been completed in accordance with the Columbia County Building Code.

Parcel Number 09-6S-16-03802-006

Building permit No. 000023582

Use Classification SFD, UTILITY

Fire: 41.44

Permit Holder DENNIS O'NEIL

Waste: 85.75

Owner of Building KEVIN & STEPHANIE HERLONG

Total: 127.19

Location: 14138 SW SR 47, FT. WHITE, FL

Date: 03/02/2006



[Signature]
Building Inspector

POST IN A CONSPICUOUS PLACE
(Business Places Only)

Notice of Treatment

Applicator: Florida Pest Control & Chemical Co. (www.flapest.com)

Address: 116 NW 16 Ave

City Gville Phone 374-2661

Site Location: Subdivision _____

Lot # _____ Block# _____ Permit # 23582

Address 14138 SR 47

Product used	Active Ingredient	% Concentration
--------------	-------------------	-----------------

<input checked="" type="checkbox"/> Premise	Imidacloprid	0.1%
---	--------------	------

<input type="checkbox"/> Terminor	Fipronil	0.12%
-----------------------------------	----------	-------

<input type="checkbox"/> Bora-Care	Disodium Octaborate Tetrahydrate	23.0%
------------------------------------	----------------------------------	-------

Type treatment:

☒ Soil

☐ Wood

Area Treated	Square feet	Linear feet	Gallons Applied
--------------	-------------	-------------	-----------------

<u>Perimeter</u>	_____	<u>150.4</u>	<u>31</u>
------------------	-------	--------------	-----------

As per Florida Building Code 104.2.6 – If soil chemical barrier method for termite prevention is used, final exterior treatment shall be completed prior to final building approval.

If this notice is for the final exterior treatment, initial this line TM.

Date <u>2-9-06</u>	Time <u>10:25</u>	Print Technician's Name <u>Tosh. Richard</u>
--------------------	-------------------	--

Remarks: _____

Applicator - White Permit File - Canary Permit Holder - Pink

Notice of Treatment 40049

Applicator: Florida Pest Control & Chemical Co. (www.flapest.com)

Address: 116 NW 16 Ave

City GL Phone 376 2661

Site Location: Subdivision

Lot # Block # Permit # 23582

Address 14138 SW SR 47 FT white

Product used Active Ingredient % Concentration

☒ Dursban TC Chlorpyrifos 0.5% 1%

☐ Terminor Fipronil 0.06%

☐ Bora-Care Disodium Octaborate Tetrahydrate 25.0%

Type treatment: ☐ Soil ☐ Wood

Area Treated	Square feet	Linear feet	Gallons Applied
<u>116 NW 16 Ave</u>	<u>2658</u>	<u>212</u>	<u>200.4</u>
<u>Garage</u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>

As per Florida Building Code 104.2.6 – If soil chemical barrier method for termite prevention is used, final exterior treatment shall be completed prior to final building approval.

If this notice is for the final exterior treatment, initial this line .

Date 9/27/05 Time 845 Print Technician's Name Tony Osteen

Remarks: 2658 Δ