







LANGBORN
INC.
ORIENTED
STRUCTURAL
BOARD
TECO
TESTED
22-82 PAV 123
200-MY-400
EXPOSURE 1
SHEATHING SP
17/18" 20/16 BATT
22/18" SPAC
LANGBORN
COLUMBIA, GA
PAV 1 207
ROOF/RAIL/FRONT
WALLS
1/8" MIN AT SIDES
1/4" MIN AT ENDS
DO NOT USE FOR
LOADS EXCEEDING
DESIGN
THIS SIDE UP



LANGBORN
INC.
ORIENTED
STRUCTURAL
BOARD
TECO
TESTED
22-82 PAV 123
200-MY-400
EXPOSURE 1
SHEATHING SP
17/18" 20/16 BATT
22/18" SPAC
LANGBORN
COLUMBIA, GA
PAV 1 207
ROOF/RAIL/FRONT
WALLS
1/8" MIN AT SIDES
1/4" MIN AT ENDS
DO NOT USE FOR
LOADS EXCEEDING
DESIGN
THIS SIDE UP

LANGBORN
INC.
ORIENTED
STRUCTURAL
BOARD
TECO
TESTED
22-82 PAV 123
200-MY-400
EXPOSURE 1
SHEATHING SP
17/18" 20/16 BATT
22/18" SPAC
LANGBORN
COLUMBIA, GA
PAV 1 207
ROOF/RAIL/FRONT
WALLS
1/8" MIN AT SIDES
1/4" MIN AT ENDS
DO NOT USE FOR
LOADS EXCEEDING
DESIGN
THIS SIDE UP







TRUSS TESTS

PG 2-52 007-133

FOR UN-ADG

EXPOSURE

1/2 INCH

LANGBOARD

QUINMAN

MILL 207

ROOF 17 1/2 INCH FLOORS

SPACE PANELS

1/3 INCH SIDES

1/2 INCH E

SINGLE-TIP

APPLY HERE

ROOF APPLICATION

RESISTANCE

SPACING

THIS SIDE UP

IN 70'S





eavestopack.com/RhinoRoof

Si la resistencia al desliz puede venir de cualquier tipo de condiciones de la superficie, tipo de calzado o clima y la pendiente del techo.
La résistance au glissement peut venir dépendant de la température, chaussures utilisées et le toit pente.

MEMBER / ASSOCIATE / AFFILIATE WITH A STATE-APPROVED TYPE II, ASTM D6688 TYPE II, ASTM D6688
CERTIFIED / CERTIFICADO / CERTIFICADO
eavestopack.com/RhinoRoof | 800-567-9727

800-567-9727

Rhino

eavestopack.com/RhinoRoof | 800-567-9727

La resistencia al desliz puede venir de cualquier tipo de condiciones de la superficie, tipo de calzado o clima y la pendiente del techo.
La résistance au glissement peut venir dépendant de la température, chaussures utilisées et le toit pente.

Rhino

Rhino

Rhino

800-567-9727