Parcel:

11-68-16-03816-111 (19567)

Owner & Property Info

FLORIDA HOLDINGS TRUST

Owner

POBOX 88

LAKE CITY, FL 32056

Site

6249 SW OLD WIRE Rd, FORT WHITE

AKA LOT 11 CROSS ROADS UNREC: COMM SW COR OF SE1/4 OF NE1/4, RUN E ALONG S

LINE 818.77 FT, N 484.61 FT TO NE COR OF PRCL 12 FOR POB, RUN W PARALLEL TO N LINE

Description* 733.5 FT TO E'LY R/W OLD WIRE RD, NE'LY ALONG R/W 931 FT TO N LINE OF SE1/4 OF OF

NE1/4, E ALONG SAID N LINE 398.27 FT, S 847.62 FT TO POB. EX CO RD R/W TAKEN PRCL #96

AS DESC ORB 1289-2752. 839-2291, 967-338, WD 1361-1784, CT 1465-419, «

Area

9.57 AC

S/T/R

11-6S-16E

Use Code** MODULAR HOME (0201)

Tax District 3

STUP Kimberhar Dots

Inst. Number: 202212019837 Book: 1477 Page: 1055 Page 1 of 2 Date: 10/17/2022 Time: 10:34 AM James M Swisher Jr Clerk of Courts, Columbia County, Florida Doc Mort: 0.00 Int Tax: 0.00 Doc Deed: 3,149.30

Prepared by:

Heritage Title Services of North Florida, Inc. 201 Parshley Street S.W. Live Oak, Florida 32064

File Number: 22-0307

General Warranty Deed

Made this September 26th, 2022 A.D. By Robert B. Ellis, Trustee of the Florida Holdings Trust dated September 26th, 2007, P.O. Box 88, Lake City, Florida 32056, hereinafter called the grantor, to Timothy J Doty and Kathleen M Doty, husband and wife, whose post office address is: 3156 Ivy Drive, Loveland, Colorado 80537, hereinafter called the grantee:

(Whenever used herein the term "grantor" and "grantee" include all the parties to this instrument and the heirs, legal representatives and assigns of individuals, and the successors and assigns of corporations)

Witnesseth, that the grantor, for and in consideration of the sum of Ten Dollars, (\$10.00) and other valuable considerations, receipt whereof is hereby acknowledged, hereby grants, bargains, sells, aliens, remises, releases, conveys and confirms unto the grantee, all that certain land situate in Columbia County, Florida, viz:

PARCEL#11-South

Section 11: Parcel No. 11 South of a Survey by Donald F. Lee and Associates, Inc. dated April 3, 1997, lying in the Southeast 1/4 of the Northeast 1/4 of Section 11, Township 6 South, Range 16 East, and more particularly described as follows:

Commence at the Southwest corner of the Southeast 1/4 of Northeast 1/4 and run thence North 88 degrees 56 minutes 06 seconds East along the South line of Southeast 1/4 of Northeast 1/4 of Sorid Section 11 a distance of \$18.77 feet; thence North 0 degrees 42 minutes 23 seconds West 484.61 feet to the Northeast corner of Parcel 12 of the aforesaid survey by Donald F. Lee and Associates, and the Point of Beginning, thence run South 88 degrees 46 minutes 13 seconds West, and parallel to the North line of said Southeast 1/4 of Northeast 1/4, a distance of 733.50 feet, along the North line of the aforesaid Parcel 12, to the Easterly maintained tight of way line of Old Wire Road; thence Northeasterly along said plan of way line a distance of 428 feet, more or less, thence North 88 degrees 46 minutes 13 seconds East, 505.25 feet; thence South 00 degrees 42 minutes 23 seconds East, and parallel to the East line of said Southeast 1/4 of Northeast 1/4, a distance of 358.42 feet to the Point of Beginning. Subject to power line easement and subject to restrictions recorded in Official Records Book 837, Pages 1033 through 1035, inclusive, of the Public Records of Columbia County, Florida.

PARCEL#11-North

Section 11: Parcel No. 11 North of a Survey by Donald F. Lee and Associates, Inc. dated April 3, 1997, lying in the Southeast 1/4 of the Northeast 1/4 of Section 11, Township 6 South, Range 16 East, and more particularly described as follows:

Commence at the Southwest corner of the Southeast 1/4 of Northeast 1/4 and run thence North 88 degrees 56 minutes 06 seconds East along the South line of Southeast 1/4 of Northeast 1/4 of said Section 11 a distance of 818.77 feet; thence North 0 degrees 42 minutes 23 seconds West 843.03 feet and the Point of Beginning; thence run South 88 degrees 46 minutes 13 seconds West, and parallel to the North line of said Southeast 1/4 of Northeast 1/4, a distance of 505.25 feet, to the Easterly maintained right of way line of Old Wire Road; thence Northeasterly along said right of way line a distance of 502 feet, more or less, to the North line of said Southeast 1/4 of Northeast 1/4 also being a point on the center line of a 60 foot wide ingress-egress easement, thence North 88 degrees 46 minutes 13 seconds East along the North line of said Southeast 1/4 of Northeast 1/4 and along the center line of said ingress-egress easement a distance of 398.27 feet; thence South 0 degrees 42 minutes 23 seconds East, and parallel to the East line of said Southeast 1/4 of Northeast 1/4, a distance of 489.19 feet of the Point of Beginning. Subject to a perpetual ingress-egress easement over and across the North 30 feet of the Orfficial Records of Columbia County, Florida.

LESS AND EXCEPT Parcel 96 Old Wire Road conveyed to Columbia County, Florida as described in Watranty Deed recorded 02/26/2015 in Official Records Book 1289, Page 2752 for road right of way easement.

Said property is not the homestead of the Grantor(s) under the laws and constitution of the State of Florida in that neither Grantor(s) or any members of the household of Grantor(s) reside thereon.

Parcel ID Number: 11-6S-16-03816-111

Subject to any valid and existing oil, gas or mineral right, reservation, royalty transfer or mineral deed conveying or reserving DEED Individual Warranty Deed With Non-Homestead-Legal on Face

Inst. Number: 202212019837 Book: 1477 Page: 1056 Page 2 of 2 Date: 10/17/2022 Time: 10:34 AM James M Swisher Jr Clerk of Courts, Columbia County, Florida Doc Mort: 0.00 Int Tax: 0.00 Doc Deed: 3,149.30

Prepared by:

Heritage Title Services of North Florida, Inc. 201 Parshley Street S.W. Live Oak, Florida 32064

File Number: 22-0307

any interest in the oil, gas or minerals underlying said lands, or any portion thereof, heretofore executed and duly recorded in the public records of said county.

Together with all the tenements, hereditaments and appurtenances thereto belonging or in anywise appertaining.

To Have and to Hold, the same in fee simple forever.

And the grantor hereby covenants with said grantee that the grantor is lawfully seized of said land in fee simple; that the grantor has good right and lawful authority to sell and convey said land; that the grantor hereby fully warrants the title to said land and will defend the same against the lawful claims of all persons whomsoever, and that said land is free of all encumbrances except taxes accruing subsequent to December 31, 2022.

In Witness Whereof, the said grantor has signed and sealed these presents the day and year first above written.

In Tridition Villatory at the plants and specific and spe
Signed, sealed and delivered in our presence:
Witness Printed Name Chery & C
Bothany Y. Hanking
Witness Printed Name Bethany L Hankins
State of Florida County of Symanics (B) Columbia:
The foregoing instrument was acknowledged before me by means of [A] physical presence of [_] online notarization, this [A] day of [_] only the responsible from the content of [_] only the responsible f
September, 2022, by Robert B. Ellis, Trustee of the Florida Holdings Trust dated September 26th, 2007, who is/are personally known to me or who has produced as identification.
(heurs of white)
Notary Public Notary Public Print Name: Nota

DEED Individual Warranty Deed With Non-Homestead-Legal on Face

MOBILE HOME INSTALLATION SUBCONTRACTOR VERIFICATION FORM

APPLICATION NUMBER	CONTRACTOR	Ernest Scott Johnson	PHONE 352-494-8099	

THIS FORM MUST BE SUBMITTED PRIOR TO THE ISSUANCE OF A PERMIT

Kimberlee Doty

In Columbia County one permit will cover all trades doing work at the permitted site. It is <u>REQUIRED</u> that we have records of the subcontractors who actually did the trade specific work under the permit. Per Florida Statute 440 and Ordinance 89-6, a contractor shall require all subcontractors to provide evidence of workers' compensation or exemption, general liability insurance and a valid Certificate of Competency license in Columbia County.

Any changes, the permitted contractor is responsible for the corrected form being submitted to this office prior to the start of that subcontractor beginning any work. Violations will result in stop work orders and/or fines.

FIFETRICAL	Print Name Glenn Whittington	Signature
ELECTRICAL		
	License #: <u>EC 13002957</u>	Phone #:386-972-1700
	Qualifie	Form Attached
MECHANICAL/	Print Name Timothy Shatto	Signature
A/C	License #:CAC 057875	Phone #:
	Qualifie	r Form Attached X

Qualifier Forms cannot be submitted for any Specialty License.

Specialty License	License Number	Sub-Contractors Printed Name	Sub-Contractors Signature
MASON			
CONCRETE FINISHER			

F. S. 440.103 Building permits; identification of minimum premium policy.—Every employer shall, as a condition to applying for and receiving a building permit, show proof and certify to the permit issuer that it has secured compensation for its employees under this chapter as provided in ss. 440.10 and 440.38, and shall be presented each time the employer applies for a building permit.

Revised 10/30/2015



COLUMBIA COUNTY BUILDING DEPARTMENT

135 NE Hernando Ave, Suite B-21, Lake City, FL 32055

Phone: 386-758-1008 Fax: 386-758-2160

LICENSED QUALIFIER AUTHORIZATION

LICENSED QUALIFIE	R AUTHORIZATION
1, Chand Whitington	(license holder name), licensed qualifier
for Whittington ELBEKK ?	(company name), do certify that
the below referenced person(s) listed on this form holder, or is/are employed by me directly or throu officer of the corporation; or, partner as defined in person(s) is/are under my direct supervision and sign permits; call for inspections and sign subcon-	ugh an employee leasing arrangement; or, is an n Florida Statutes Chapter 468, and the said control and is/are authorized to purchase and
Printed Name of Person Authorized	Signature of Authorized Person
1. 00/25/201	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1
3.	3.
4.	4.
5.	5.
I, the license holder, realize that I am responsible under my license and fully responsible for comp Local Ordinances. I understand that the State at authority to discipline a license holder for violatic officers, or employees and that I have full responsed ordinances inherent in the privilege granted	liance with all Florida Statutes, Codes, and nd County Licensing Boards have the power and ons committed by him/her, his/her agents, nsibility for compliance with all statutes, codes
If at any time the person(s) you have authorized officer(s), you must notify this department in write authorization form, which will supersede all prevunauthorized persons to use your name and/or	ting of the changes and submit a new letter of vious lists. Failure to do so may allow
Licensed Qualifiers Signature (Notarized)	License Number Date
NOTARY INFORMATION:	Colombia
The above license holder, whose name is	me or has produced identification this day of, 20
NOTARY'S SIGNATURE	eal/Starke) Y R BISHOP Notary Public - State of Florida





COLUMBIA COUNTY BUILDING DEPARTMENT 135 NE Hernando Ave, Suite B-21, Lake City, FL 32055

Phone: 386-758-1008 Fax: 386-758-2160

LICENSED QUALIFIER AUTHORIZATION


i, Timothy Shatto	(license holder name), licensed qualifier
for Shatto Heat & Air	
the below referenced person(s) listed on this for holder, or is/are employed by me directly or throughout officer of the corporation; or, partner as defined person(s) is/are under my direct supervision and sign permits; call for inspections and sign subcompared to the person of the	in Florida Statutes Chapter 468, and the said
Printed Name of Person Authorized	Signature of Authorized Person
1. Bo Royals	1. BoTh
2. Dale Burd	2.
3.	3.
4.	4.
5.	5.
I, the license holder, realize that I am responsible under my license and fully responsible for complete Local Ordinances. I understand that the State and authority to discipline a license holder for violation officers, or employees and that I have full responsand ordinances inherent in the privilege granted and ordinances inherent in the privilege granted officer(s), you must notify this department in writing authorization form, which will supersede all previous unauthorized persons to use your name and/or line.	is/are no longer agents, employee(s), or and of the changes and submit a new letter of our lists.
Licensed Qualifiers Signature (Notarized)	CAC 057875 2/22/18 License Number Date
NOTARY INFORMATION: STATE OF: FOLIA COUNTY OF:	Union
The above license holder, whose name is Ingpersonally appeared before me and is known by income of i.D.) On the property of i.D. On the property of i.D. NOTARY'S SIGNATURE	me or has produced identification his do day of february, 2018.
TO THE STORY OF	(Seal/Stamp) VICTORIA K. PALMER Notary Public - State of Florida
	al a Valley a series of the of

Commission # FF 207489 My Comm. Expires Mar 9, 2019 Bonded through National Notary Asso

			marriage wall plet's within 2' of end of home per Rule 15C	See factory Blacking Plan I			Show locations of Longitudinal and Lateral Systems (use dark lines to show these locations)	Typical pier spacing	I understand Lateral Arm Systems cannot be used on any home (new or used) where the sidewall ties exceed 5 ft 4 in.	NOTE: If home is a single wide fill out one half of the blocking plan if home is a triple or quad wide sketch in remainder of home	Manufacturer 1010/10000 Length x width 44 x 28	5W OLD WIKE TON	Installer Ernest Scott Johnson License # IH-1025249	PERMIT NUMBER
Longitudinal Stabilizing Device (LSD) Manufacturer Longitudinal Stabilizing Device w/ Lateral Arms Manufacturer Manufacturer Manufacturer Manufacturer Sheanwall	within	Opening Pier pad size 4 ft 5ft	20 x 20 (16 x 25 3/16 1/2 x 25 1/2 24 x 24 26 x 26	5	23x31 POP	3000 psf 8' 8' 8' 8' 8' 8' 8' 8' 8' 8' 8' 8' 8'	4. 6. 4. 5. 6. 7. 6. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8.	Load Footer 16" x 16" 18 1/2" x 18 20" x 20" 22" x 22" 24" X 24" 26" x 26" capacity (sq in) (256) 1/2" (342) (400) (484)* (576)* (676)	Roof System: V Typical Hinged PIER SPACING TABLE FOR USED HOMES	Triple/Quad Serial # FLTHL9720956-	Single wide Wind Zone II Wind Zone III Double wide Installation Decal # 14285	Home installed to the Manufacturer's Installation Manual Home is installed in accordance with Rule 15-C	New Home Used Home	

page 2 of 2

Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg	Plumbing Connect all sewer drains to an existing sewer tap or septic tank. Pg.	Electrical Connect electrical conductors between multi-wide units, but not to the main power source. This includes the bonding wire between mult-wide units. Pg.	ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER Installer Name FYNEST S JOHNSON Date Tested ASSUMED ON THE TIME A HEST A HE HEST A HE HEST A HE HEST A HE HEST A HEST A HE HE HEST A HE HE HEST A HE HEST A HE HE HEST A HE HE HE HE HE HEST A HE	Note: A state approved lateral arm system is being used and 4 ft. anchors are allowed at the sidewall locations. I understand 5 ft anchors are required at all centerline tie points where the torque test reading is 275 or less and where the mobile home manufacturer may requires anchors with 4000 lb holding capacity. Installer's initials	TORQUE PROBE TEST The results of the torque probe test is inch pounds or check here if you are declaring 5' anchors without testing A test showing 275 inch pounds or less will require 5 foot anchors.		POCKET PENETROMETER TESTING METHOD 1. Test the perimeter of the home at 6 locations. 2. Take the reading at the depth of the footer.	The pocket penetrometer tests are rounded down to psf or check here to declare 1000 lb. soil without testing.	PERMIT NUMBER
Installer Signature (20121/22) She pate 10121/22	Installer verifies all information given with this permit worksheet is accurate and true based on the manufacturer's installation instructions and or Rule 15C-1 & 2		Skirting to be installed. Yes No	Weatherproofing The bottomboard will be repaired and/or taped. Yes Pg. Siding on units is installed to manufacturer's specifications. Yes Fireplace chimney installed so as not to allow intrusion of rain water. Yes	Type_gaskel Installed: Pg. + CK-TQY Os Between Floors Yes Between Walls Yes Bottom of ridgebeam Yes	Gasket (weatherproofing requirement) I understand a properly installed gasket is a requirement of all new and used homes and that condensation, mold, meldew and buckled marriage walls are a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket.	Floor: Type Fastener: WS Length: 7' Spacing: 20 Type Fastener: WS Length: W Spacing: 0 Type Fastener: WS Length: 7' Spacing: 0 For used homes a mjh. 30 gauge, 8" wide, galvanized metal strip will be centered over the peak of the roof and fastened with galv. roofing nails at 2" on center on both sides of the centerline.	Debris and organic material removed Water drainage: Natural Swale Pad Other Fastening multi wide units	Site Preparation



STATE OF FLORIDA

DEPARTMENT OF ENVIRONMENTAL PROTECTION

owale

_	NSTRUCTION PERMIT	,	
	AT EIGHTON TON CO	Permit Application No	ımher /
Timothy	v Dotv	· crime Application in	
	PART II - SIT	replan	
Scale: Each block represents	10 feet and 1 inch = 40 feet.	1210	METAL 140+00-
210 Smarlan Kimbrilan	North 85' 142' Szelfr	268 11 38 P 3 1 1 S Q 1 1 1 S Q	
Notes:			
1	of 9.57 Au	002	
	- US I HO	SER Attach	2d
Site Plan submitted by:	The C	<u> </u>	ontractor
Plan Approved	Not Approve	d	Date
Ву	*************************************		County Health Department

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT

