




3/12 PORCH PITCH

APPROVAL OF THIS TRUSS LAYOUT IS REQUIRED BEFORE FABRICATION CAN BEGIN. VERIFY ALL SPANS, PITCHES, OVERHANGS, ELEVATION HEIGHTS, BEARING DETAILS AND TRUSS DETAILS. ACCEPTANCE OF THIS LAYOUT ASSUMES TOTAL RESPONSIBILITY. THE TRUSSES WILL BE BUILT IN ACCORDANCE WITH THIS LAYOUT

APPROVED BY: _____
DATE: _____

JOB NAME: Bundy Residence

CUSTOMER NAME: Axis

ADDRESS: JOB# 1687

DATE: 11/4/2024

PITCH: 7/12
OVERHANG: 1-06-00
ROOF SPACING: 24"

WALL HEIGHT: 9'

LOADING CRITERIA

BUILDING CODE: FBC 2023
WIND STANDARD: ASCE722
WIND VELOCITY: 130 mph
EXPOSURE CATEGORY: B

Roof Loading
TCLL: 20.0 lb/ft²
TCDL: 10.0 lb/ft²
BCDL: 10.0 lb/ft²
Floor Loading
TCLL: 40.0 lb/ft²
TCDL: 10.0 lb/ft²
BCDL: 5.0 lb/ft²

WARNING

IT IS THE RESPONSIBILITY OF THE BUILDING DESIGNER OR ARCHITECT TO PROVIDE ALL CONNECTIONS OTHER THAN TRUSS TO TRUSS, UNLESS SPECIFIED OTHERWISE.

CONVENTIONAL FRAMING, ERECTION OR PERMANENT BRACING IS NOT THE RESPONSIBILITY OF THE TRUSS DESIGNER OR TRUSS MANUFACTURER.

TRUSSES SHALL BE HANDLED WITH REASONABLE CARE DURING ERECTION TO PREVENT DAMAGE

DO NOT CUT OR ALTER TRUSSES IN ANY WAY

NOTES:

*ALL DIMENSIONS ARE FEET- INCHES- SIXTEENTHS

*NO BACKCHARGES WILL BE ACCEPTED



25221 SE HWY 19
Old Town Florida 32680
United States
19lumberinc@gmail.com
(352) 469-5008

Quote

19 Lumber




25221 SE HWY 19
Old Town Florida 32680
Business: (352) 469-5008











Quote Date:	11/4/2024	Job Number:	1687-A
Order Date:		Product:	Roof
Sch. Delivery		Customer P.O. #:	
Superintendent:		Sales Rep:	Monica Register
Estimator:	Monica Register	Sales Area:	
Designer	Monica Register		

SOLD TO	Axis	Address:	Lot:	Subdiv:
	1301 Riverplace Blvd., Suite 800	Plan: Bundy Residence	Delivery Area	
	Jacksonville FL 32207	Delivery Notes:		
SHIP TO		Notes:		

Roof Trusses

Label	Profile	Qty	TC Pitch	Span	TC	L-OH	L-Cant	L-Stub	L-Heel	Wt.
		Ply	BC Pitch	Height	BC	R-OH	R-Cant	R-Stub	R-Heel	Tot. Wt.
BJ9		4	3 / 12	9-08-00	2 x 4	1-06-00	-	-	5-15	42
		1-ply		3-01-02	2 x 4	-	-	-	2-10-15	167
Jack-Closed		Notes:								
G1		1	3 / 12	50-00-00	2 x 6	1-06-00	-	-	5-15	420
		1-ply		10-07-15	2 x 6	1-06-00	-	-	6-10	420
Piggyback Base Supported Gable		Notes:								
G2		1	7 / 12	24-04-00	2 x 4	1-06-00	-	-	6-10	145
		1-ply		7-11-11	2 x 4	1-06-00	-	-	6-10	145
Common Supported Gable		Notes:								
GA2		1	7 / 12	24-04-00	2 x 4	1-06-00	-	-	6-10	142
		1-ply		7-11-11	2 x 4	-	-	-	6-10	142
Common Supported Gable		Notes:								
GR1		1	3 / 12	44-01-00	2 x 4	-	-	-	1-11-11	390
		1-ply		10-07-15	2 x 6	1-06-00	-	-	6-10	390
Piggyback Base Girder		Notes:								
H1		1	3 / 12	9-08-00	2 x 4	1-06-00	-	-	5-15	43
		1-ply		3-00-04	2 x 4	-	-	-	2-10-01	43
Half Hip		Notes:								
H2		1	3 / 12	9-08-00	2 x 4	1-06-00	-	-	5-15	40
		1-ply		2-06-04	2 x 4	-	-	-	2-04-01	40
Half Hip		Notes:								
M1		1	3 / 12	9-08-00	2 x 4	1-06-00	-	-	5-15	41
		1-ply		2-09-08	2 x 4	-	-	-	2-10-15	41
Monopitch Supported Gable		Notes:								
M2		1	3 / 12	8-06-00	2 x 4	1-06-00	-	-	3-14	37
		1-ply		2-09-10	2 x 4	-	-	-	2-05-06	37
Monopitch		Notes:								
M3		15	3 / 12	8-06-00	2 x 4	1-06-00	-	-	3-14	37
		1-ply		2-09-10	2 x 4	-	-	-	2-05-06	550
Monopitch		Notes:								
M4		1	3 / 12	8-06-00	2 x 4	1-06-00	-	-	3-14	33
		1-ply		2-06-00	2 x 4	-	-	-	2-05-06	33
Monopitch Supported Gable		Notes:								
M5		1	3 / 12	8-00-00	2 x 4	1-06-00	-	-	3-14	30
		1-ply		2-04-08	2 x 4	-	-	-	2-03-14	30
Monopitch Supported Gable		Notes:								
PB1		30	7 / 12	7-09-04	2 x 4	-	9-08	-	0-00	25
		1-ply		2-03-03	2 x 4	-	9-08	-	0-00	739
Piggyback		Notes:								

Label	Profile	Qty	TC Pitch	Span	TC	L-OH	L-Cant	L-Stub	L-Heel	Wt.
		Ply	BC Pitch	Height	BC	R-OH	R-Cant	R-Stub	R-Heel	Tot. Wt.
PB2		1	7 /12	7-09-04	2 x 4	-	9-08	-	0-00	26
		1-ply		1-11-02	2 x 4	-	9-08	-	0-00	26
Piggyback		Notes:								
PB3		1	7 /12	7-09-04	2 x 4	-	9-08	-	0-00	26
		1-ply		1-11-02	2 x 4	-	9-08	-	0-00	26
Piggyback		Notes:								
T1		1	3 /12	50-00-00	2 x 6	1-06-00	-	-	5-15	356
		1-ply		10-10-04	2 x 6	1-06-00	-	-	6-10	356
Piggyback Base		Notes:								
T10		1	3 /12	9-08-00	2 x 4	-	-	-	5-15	35
		1-ply		2-07-15	2 x 4	-	-	-	2-04-15	35
Roof Special		Notes:								
T2		10	3 /12	50-00-00	2 x 6	1-06-00	-	-	5-15	351
		1-ply		10-10-04	2 x 6	1-06-00	-	-	6-10	3511
Piggyback Base		Notes:								
T3		7	3 /12	50-00-00	2 x 6	1-06-00	-	-	5-15	363
		1-ply		10-04-04	2 x 6	-	-	8-00-00	3-14	2541
Piggyback Base		Notes:								
T4		10	3 /12	50-00-00	2 x 6	1-06-00	-	-	5-15	350
		1-ply	3 /12	10-04-04	2 x 6	-	-	-	2-03-14	3500
Piggyback Base		Notes:								
T5		1	3 /12	50-00-00	2 x 6	1-06-00	-	-	5-15	367
		1-ply		10-10-04	2 x 6	1-06-00	-	-	6-10	367
Piggyback Base		Notes:								
T6		1	3 /12	50-00-00	2 x 6	1-06-00	-	-	5-15	365
		1-ply		10-10-04	2 x 6	1-06-00	-	-	6-10	365
Piggyback Base		Notes:								
T7		6	7 /12	24-04-00	2 x 4	1-06-00	-	-	6-10	121
		1-ply		8-03-11	2 x 4	1-06-00	-	-	6-10	728
Common		Notes:								
T8		5	7 /12	24-04-00	2 x 4	1-06-00	-	-	6-10	119
		1-ply		8-03-11	2 x 4	-	-	-	6-10	594
Common		Notes:								
T9		1	7 /12	24-04-00	2 x 4	1-06-00	-	-	6-10	119
		1-ply		8-03-11	2 x 4	-	-	-	6-10	119
Common		Notes:								

Hangers				
QTY	TYPE	SIZE	LENGTH	NOTE
1	Hanger	JUS24		
Total Hangers:				

Accepted by Buyer

PURCHASER: _____

BY: _____ TITLE: _____

ADDRESS: _____

PHONE: _____ DATE: _____

Sub-Total	\$13,400.00
7% (7%)	\$938.00
Grand Total	\$14,338.00

Price subject to market conditions. Price good for five days.

Notes:

- Price is subject to change without notice.
- Customer needs to verify span, pitch, heel height, and overhang.
- We only supply what is listed on our sign off.
- Trusses will be delivered as close to job site as the job site conditions permit.
- Cutting or altering items in any manner will result in customer taking sole ownership and responsibility of items.
- Back Charges will not be accepted without express consent from 19 Lumber.