·	1/2005			•	Buildi	_			PERMIT
APPLICANT	STEVEN		ermit Expir	es One Y	ear From th	PHONE	497-4107	_ (	000022972
ADDRESS	5796	SW ICHETUCK	NEE AVE		FT. WHITE	Ξ		<u>FL</u> _	32038
OWNER	STEVEN	& CONNIE BOWI	Е		_	PHONE	497-4107		
ADDRESS	5796	SW ICHETUCK	NEE AVE		LAKE CIT	Y		FL	32038
CONTRACTO	OR OW	NER BUILDER				PHONE	497-4107		
LOCATION O	F PROPER	ΓΥ <u>4</u> 7S, W	EST ON 240,	TR ON ICH	ETUCKNEE A	AVE, 4.7 N	IILES, ON		
		THE R	IGHT, 5796 O	N CEDAR	MAILBOX				
TYPE DEVEL	OPMENT	SFD,UTILITY		ES	TIMATED CC	ST OF CO	NSTRUCTIO	ON 10	4200.00
HEATED FLO	OR AREA	2084.00		TOTAL ARI	EA2316.00		HEIGHT	.00	STORIES 1
FOUNDATION	N CONC	W	ALLS FRAM	IED 1	ROOF PITCH	4/12		FLOOR	SLAB
LAND USE &	ZONING	A-3				MAX	. HEIGHT	18	
Minimum Set I	Back Requir	ments: STRE	ET-FRONT	30.00		REAR	25.00	SIDE	25.00
NO. EX.D.U.	1	FLOOD ZON	E X		DEVELOPM	ENT PER	MIT NO.		
PARCEL ID	01-6S-15-	00498-004	S	UBDIVISIO	N				
LOT	BLOCK	PHASE	3	UNIT		TOTA	AL ACRES	7.30	
Culvert Permit N EXISTING Driveway Conn	ection	Culvert Waiver 05-0113-N Septic Tank Numb		вк	nber ng checked by	_	Applicant/Ow roved for Issu		YNew Resident
COMMENTS:	-	T ABOVE THE RO	100 - 01						
MH TO BE RE	MOVED UP	ON COMPLETIO	N OF SFD				Chaole# as	. Cash	3954
							Check # or	Casn -	7,5,5,4
Temporary Pow	er	FOR	BUILDING Founda		IG DEPAR	TMENT	Monolithic	;	(footer/Slab)
		date/app. by		13:	date/app. by	3		_	ate/app. by
Under slab roug	h-in plumbi	ng		Slab			Sheathi	ng/Nailing	
Б		date	app. by		date/app				date/app. by
Framing	date/app	by	Rough-in	plumbing ab	ove slab and be	elow wood	floor		
Electrical rough		. oy 	11 0. 1	· B					late/app. by
		date/app. by	Heat & A	ir Duct	date/app. b		Peri. beam (Li	intel)	date/app. by
Permanent powe		25	C.O. Fin	al	date/app. 0	У	Culvert		date/app. by
		e/app. by		d	ate/app. by		_	dat	e/app. by
M/H tie downs, b	olocking, ele	ctricity and plumbi	ng	date/app.	her		Pool		
Reconnection			_ Pump p		The state of the s	Utility Pol	9	date	app. by
M/H Pole	da	te/app. by	ravel Trailer	date/a	app. by		date/app	. by	
	e/app. by	1	ravei Trailer	da	ite/app. by	-	Re-roof	date/a	pp. by
BUILDING PER	MIT EEE 6	525.00	CERTIFIC	ATION PER	n 11.50		avin avv n		10.00
			<b>-</b> :	ATION FEE	30 89		SURCHAR		11.58
MISC. FEES \$	.00	ZONIN	G CERT. FEE	\$ 50.00	_ FIRE FEE	\$	WA	STE FEE \$	=
FLOOD ZONE D	DEVELOPM	ENT FEES	CI	JLVERT FE	E \$	_	TOTAL F	EE _ 598	3.16
NSPECTORS O	OFFICE _	Male	1800	m	CLERKS	OFFICE _	CX		
MOTTOR BLAD	DITTONI TO	OF FEE IN 12 OF 1 AND 100 A							

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

This Permit Must Be Prominently Posted on Premises During Construction

PLEASE NOTIFY THE COLUMBIA COUNTY BUILDING DEPARTMENT AT LEAST 24 HOURS IN ADVANCE OF EACH INSPECTION, IN ORDER THAT IT MAY BE MADE WITHOUT DELAY OR INCONVIENCE, PHONE 758-1008. THIS PERMIT IS NOT VALID UNLESS THE WORK AUTHORIZED BY IT IS COMMENCED WITHIN 6 MONTHS AFTER ISSUANCE.

**Notary Signature** 

Personally known\_\_\_\_ or Produced Identification

Copy

This Instrument Prepared by & return to:

Name:

Cindy L. Jones

Address:

5926 SW ICHETUCKNEE AVE

FT. WHITE, FL 32038

Inst:2005002436 Date:02/02/2005 Time:13:45

Doc Stamp-Deed :

0.70

\_DC,P.DeWitt Cason,Columbia County B:1037 P:20

Parcel I.D. #: 00498 - 004

SPACE ABOVE THIS LINE FOR PROCESSING DATA

SPACE ABOVE THIS LINE FOR RECORDING DATA

### THIS WARRANTY DEED Made the 1st day of January, A.D. 2005, by

CINDY L. JONES, a single person, hereinafter called the grantor, to STEVEN J. BOWIE and CONNIE S. BOWIE, his wife, whose post office address is 5796 SW ICHETUCKNEE AVE, FT. WHITE, FL 32038, hereinafter called the grantees:

(Wherever used herein the terms "grantor" and "grantees" include all the parties to this instrument, singular and plural, the heirs, legal representatives and assigns of individuals, and the successors and assigns of corporations, wherever the context so admits or requires.)

Witnesseth: That the grantor, for and in consideration of the sum of \$10.00 and other valuable consideration, receipt whereof is hereby acknowledged, does hereby grant, bargain, sell, alien, remise, release, convey and confirm unto the grantees all that certain land situate in Columbia County, State of FLORIDA, viz:

COMMENCE AT THE SOUTHEAST CORNER OF THE NW ¼ OF THE SE ¼ OF SECTION 1, TOWNSHIP 6 SOUTH, RANGE 15 EAST, COLUMBIA COUNTY, FLORIDA, FOR A POINT OF REFERENCE; THENCE RUN N01°19'09"W, ALONG THE EAST LINE OF SAID NW ¼ OF THE SE ¼ OF SAID SECTION 1, A DISTANCE OF 596.63 FEET TO THE POINT OF BEGINNING; THENCE RUN S87°57'10"W, A DISTANCE OF 666.77 FEET TO THE EASTERLY MAINTAINED RIGHT-OF-WAY OF A COUNTY GRADED ROAD; THENCE RUN N23°54'09"W, ALONG THE EASTERLY EDGE OF SAID COUNTY GRADED ROAD, A DISTANCE OF 246.34 FEET; THENCE RUN N08°32'42"E, A DISTANCE OF 216.31 FEET; THENCE RUN N88°39'46"E, A DISTANCE OF 724.26 FEET TO THE EAST LINE OF SAID NW ¼ OF SE ¼; THENCE RUN S01°19'09"E, ALONG SAID EAST LINE, A DISTANCE OF 432.31 FEET TO THE POINT OF BEGINNING.

**Together** with all the tenements, hereditaments and appurtenances thereto belonging or in anywise appertaining.

To Have and to Hold the same in fee simple forever.

And the grantor hereby covenants with said grantees that she is lawfully seized of said land in fee simple; that she has good right and lawful authority to sell and convey said land, and hereby fully warrants the title to said land and will defend the same against the lawful claims of all persons whomsoever, and that said land is free of all encumbrances, except taxes accruing subsequent to December 31, 2004.

In Witness Whereof, the said grantor has signed and sealed these presents, the day and year first above written.

Signed, sealed and delivered in the presence of:

Witness Signature

Beverly B. Scott

Printed Name

CINDY L. JONES

Address:

5926 SW ITCHETUCKNEE AVE, FT. WHITE,

L.S.

FL 32038




### STATE OF FLORIDA DEPARTMENT OF HEALTH


APPLICATION FOR ONSITE SEWAGE DISPOSAL SYSTEM CONSTRUCTION PERMIT

	Permit Application Number	113
	PART II - SITE PLAN	
e: Each block represents 5	feet and 1 inch = 50 feet.	
pee	copy of inqueer drawing	
7.3 acres		
	Det en gueer drawerg	
167.3		
s:		
New colonists of t	Mornin House - Lastain Proparets.	
Plan submitted by:	Signature Carles Title	
Approved X	Mot Approved Date2/2/0  Juddy - ESI- Oumbia County Health Dep	5 partm
		The second name of the owner, where

OH 4015, 10/96 (Replaces HRS-H Form 4015 which may be used) Stock Number: 5744-002-4015-6)

Page 2 of 3





### DISCLOSURE STATEMENT

FOR OWNER/BUILDER WHEN ACTING AS THER OWN CONTRACTOR AND CLAIMING EXEMPTION OF CONTRACTOR LICENSING REQUIREMENTS IN ACCORDANCE WITH FLORIDA STATUTES, ss. 489.103(7).

State law requires construction to be done by licensed contractors. You have applied for a permit under an exemption to that law. The exemption allows you, as the owner of your property, to act as your own contractor with certain restrictions even though you do not have a license. You must provide direct, onsite supervision of the construction yourself. You may build or improve a one-family or two-family residence or a farm outbuilding. You may also build or improve a commercial building, provided your costs do not exceed \$25,000. The building or residence must be for your own use or occupancy. It may not be built or substantially improved for sale or lease. If you sell or lease a building you have built or substantially improved yourself within 1 year after the construction is complete, the law will presume that you built or substantially improved it for sale or lease, which is a violation of this exemption. You may not hire an unlicensed person to act as your contractor or to supervise people working on your building. It is your responsibility to make sure that people employed by you have licenses required by state law and by county or municipal licensing ordinances. You may not delegate the responsibility for supervising work to a licensed contractor who is not licensed to perform the work being done. Any person working on your building who is not licensed must work under your direct supervision and must be employed by you, which means that you must deduct F.I.C.A. and withholding tax and provide workers' compensation for that employee, all as prescribed by law. Your construction must comply with all applicable laws, ordinances, building codes, and zoning regulations.

	TYPE OF CONSTRUCTION
Single Family Dwelling	() Two-Family Residence
() Farm Outbuilding New Construction	() Other
tew Construction	() Addition, Alteration, Modification or other Improvement
NEW CO	ONSTRUCTION OR IMPROVEMENT
Connie Bowie	
I Steven F. Bowle	, have been advised of the above disclosure statement
ioi exemption from contractor ficens	ing as an owner/bunder. I agree to comply with an requirements
Columbia County Building Permit N	9.103(7) allowing this exception for the construction permitted by
Columbia County Dunding 1 Clinic IV	umbei
Stan 2 Ban	2/10/05
Signature	Date
Jones Course	
	FOR BUILDING USE ONLY
I hereby certify that the above listed (	owner/builder has been notified of the disclosure statement in
Florida Statutes ss 489.103(7).	
Date 11/05 Building	Official/Representative Vanical Venus

### COLUMBIA COUNTY BUILDING DEPARTMENT

### RESIDENTIAL MINIMUM PLAN REQUIREMENTS AND CHECKLIST FOR **FLORIDA BUILDING CODE 2001**

ONE (1) AND TWO (2) FAMILY DWELLINGS

ALL REQUIREMENTS ARE SUBJECT TO CHANGE **EFFECTIVE MARCH 1, 2002** 

ALL BUILDING PLANS MUST INDICATE THE FOLLOWING ITEMS AND INDICATE COMPLIANCE WITH CHAPTER 1606 OF THE FLORIDA BUILDING CODE 2001 BY PROVIDING CALCULATIONS AND DETAILS THAT HAVE THE SEAL AND SIGNATURE OF A CERTIFIED ARCHITECT OR ENGINEER REGISTERED IN THE STATE OF FLORIDA, OR ALTERNATE METHODOLOGIES, APPROVED BY THE STATE OF FLORIDA BUILDING COMMISSION FOR ONE-AND-TWO FAMILY DWELLINGS. FOR DESIGN PURPOSES THE FOLLOWING BASIC WIND SPEED AS PER FIGURE 1606 SHALL BE USED.

WIND SPEED LINE SHALL BE DEFINED AS FOLLOWS: THE CENTERLINE OF INTERSTATE 75.

- ALL BUILDINGS CONSTRUCTED EAST OF SAID LINE SHALL BE ------ 100 MPH
   ALL BUILDINGS CONSTRUCTED WEST OF SAID LINE SHALL BE --------110 MPH
- 3. NO AREA IN COLUMBIA COUNTY IS IN A WIND BORNE DEBRIS REGION

<b>GENERAL</b>	REQUIRE	MENTS; Two (2) complete sets of plans containing the following:
Applicant	Plans Exa	
8		All drawings must be clear, concise and drawn to scale ("Optional"
		details that are not used shall be marked void or crossed off). Square footage of different areas shall be shown on plans.
d	B	Designers name and signature on document (FRC 104.2.1) If licensed Toward AV AV
	B	architect or engineer, official seal shall be affixed. MACK DISOSWAY PE 53915

Site Plan including: Dimensions of lot va)

APPLICANT - PLEASE CHECK ALL APPLICABLE BOXES BEFORE SUBMITTAL

40) Dimensions of building set backs

Location of all other buildings on lot, well and septic tank if applicable, and all utility easements.

d) Provide a full legal description of property.

Wind-load Engineering Summary, calculations and any details required Plans or specifications must state compliance with FBC Section 1606 Certical 100 by The following information must be shown as per section 1606.1.7 FBC MARK DISOSWAY

a. Basic wind speed (MPH) 110

a. Basic wind speed (MPH) 110

b. Wind importance factor (I) and building category /

c. Wind exposure - if more than one wind exposure is used, the wind exposure and applicable wind direction shall be indicated  ${\cal B}$ 

applicable wind direction shall be indicated.

The applicable internal pressure coefficient

e. Components and Cladding. The design wind pressure in terms of psf (kN/m²), to be used for the design of exterior component and cladding materials not specifically designed by the registered design professional

**Elevations including:** a) All sides b) Roof pitch 4//2


6) Overhang dimensions and detail with attic ventilation 24 // MAX

d) Location, size and height above roof of chimneys

e) Location and size of skylights

f) Building height 18 + FoundATION

e) Number of stories /



b) Wood frame wall All materials making up wall Size and species of studs 2 16 Sheathing size, type and nailing schedule 7/16 056 Headers sized 5= 5 Sheet 5-1-w.13 5. Gable end showing balloon framing detail or gable truss and wall hinge bracing detail see sheets-1- WIU All required fasteners for continuous tie from roof to foundation (truss anchors, straps, anchor bolts and washers) 7. Roof assembly shown here or on roof system detail (FBC104.2.1 Roofing system, materials, manufacturer, fastening requirements and product evaluation with wind resistance rating) Fire resistant construction (if applicable) 9. Fireproofing requirements Show type of termite treatment (termicide or alternative method) 11. Slab on grade ✓a. Vapor retardant (6Mil. Polyethylene with joints lapped 6 inches and sealed b. Must show control joints, synthetic fiber reinforcement or welded wire fabric reinforcement and supports √12. Indicate where pressure treated wood will be placed 13. Provide insulation R value for the following: a. Attic space R-30 Exterior wall cavity R-19 e. Crawl space (if applicable) c) Metal frame wall and roof (designed, signed and sealed by Florida Prof. Engineer or Architect) Floor Framing System: a) Floor truss package including layout and details, signed and sealed by Florida Registered Professional Engineer 97899 b) Floor joist size and spacing c) Girder size and spacing d) Attachment of joist to girder e) Wind load requirements where applicable Plumbing Fixture layout Electrical layout including: 9 a) Switches, outlets/receptacles, lighting and all required GFCI outlets identified BATK, KiT 99999 b) Ceiling fans 7 c) Smoke detectors 6 d) Service panel and sub-panel size and location(s) 200 viilily Room e) Meter location with type of service entrance (overhead or underground) f) Appliances and HVAC equipment g) Arc Fault Circuits (AFCI) in bedrooms NOT NOTED ON ELECTRICAL PLANS **HVAC** information 4 7 9 9 9 9 a) Manual J sizing equipment or equivalent computation b) Exhaust fans in bathroom NO FAN Shown in MASTER 64Th COOM Energy Calculations (dimensions shall match plans)

Gas System Type (LP or Natural) Location and BTU demand of equipment Disclosure Statement for Owner Builders Notice Of Commencement Required Before Any Inspections Will Be Done Private Potable Water 1997 Lynce Will Drille a) Size of pump motor b) Size of pressure tank c) Cycle stop valve if used

N

### THE FOLLOWING ITEMS MUST BE SUBMITTED WITH BUILDING PLANS

his store

- 1. <u>Building Permit Application:</u> A current Building Permit Application form is to be completed and submitted for all residential projects.
- 2. Parcel Number: The parcel number (Tax ID number) from the Property Appraiser (386) 758-1084 is required. A copy of property deed is also requested.
- Environmental Health Permit or Sewer Tap Approval: A copy of the Environmental Health permit, existing septic approval or sewer tap approval is required before a building permit can be issued.
   (386) 758-1058 (Toilet facilities shall be provided for construction workers)
- 4. <u>City Approval:</u> If the project is to be located within the city limits of the Town of Fort White, prior approval is required. The Town of Fort White approval letter is required to be submitted by the owner or contractor to this office when applying for a Building Permit. (386) 497-2321
- 5. Flood Information: All projects within the Floodway of the Suwannee or Santa Fe Rivers shall require permitting through the Suwannee River Water Management District, before submitting application to this office. Any project located within a flood zone where the base flood elevation (100 year flood) has been established shall meet the requirements of Section 8.8 of the Columbia County Land Development Regulations. Any project located within a flood zone where the base flood elevation has not been established (Zone A) shall meet the requirements of Section 8.7 of the Columbia County Land Development Regulations. CERTIFIED FINISHED FLOOR ELEVATIONS WILL BE REQUIRED ON ANY PROJECT WHERE THE BASE FLOOD ELEVATION (100 YEAR FLOOD) HAS BEEN ESTABLISHED.

A development permit will also be required. Development permit cost is \$50.00

- 6. <u>Driveway Connection:</u> If the property does not have an existing access to a public road, then an application for a culvert permit (\$25.00) must be made. If the applicant feels that a culvert is not needed, they may apply for a culvert waiver (\$50.00). All culvert waivers are sent to the Columbia County Public Works Department for approval or denial.
- 911 Address: If the project is located in an area where the 911 address has been issued, then the proper paperwork from the 911 Addressing Department must be submitted. (386) 752-8787

ALL REQUIRED INFORMATION IS TO BE SUBMITTED FOR REVIEW. YOU WILL BE NOTIFIED WHEN YOUR APPLICATION AND PLANS ARE APPROVED AND READY TO PERMIT. PLEASE DO NOT EXPECT OR REQUEST THAT PERMIT APPLICATIONS BE REVIEWED OR APPROVED WHILE YOU ARE HERE – TIME WILL NOT ALLOW THIS –PLEASE DO NOT ASK

### **NOTICE:**

### **ADDRESSES BY APPOINTMENT ONLY!**

TO OBTAIN A 9-1-1 ADDRESS THE REQUESTER MUST CONTACT THE COLUMBIA COUNTY 9-1-1 ADDRESSING DEPARTMENT AT (386) 752-8787 FOR AN APPOINTMENT TIME AND DATE:

### YOU CAN NOT OBTAIN A NEW ADDRESS OVER THE

### TELEPHONE. MUST MAKE AN APPOINTMENT!

THE ADDRESSING DEPARTMENT IS LOCATED AT 263 NW LAKE CITY AVENUE (OFF OF WEST U.S. HIGHWAY 90 WEST OF INTERSTATE 75 AT THE COLUMBIA COUNTY EMERGENCY OPERATIONS CENTER).

### THE REQUESTER WILL NEED THE FOLLOWING:

- 1. THE PARCEL OR TAX ID NUMBER (SAMPLE: "25-4S-17-12345-123" OR "R12345-123) FOR THE PROPERTY.
- 2. A PLAT, PLAN, SITE PLAN, OR DRAWING SHOWING THE PROPERTY LINES OF THE PARCEL.
  - a. LOCATION OF PLANNED RESIDENT OR BUSINESS STRUCTURE ON THE PROPERTY WITH DISTANCES FROM TWO OF THE PROPERTY LINES TO THE STRUCTURE (SEE SAMPLE BELOW).
  - b. LOCATION OF THE ACCESS POINT (DRIVEWAY, ETC.) ON THE ROADWAY FROM WHICH LOCATION IS TO BE ADDRESSED WITH A DISTANCE FROM A PARALLEL PROPERTY LINE AND OR PROPERTY CORNER (SEE SAMPLE BELOW).
  - c. TRAVEL OF THE DRIVEWAY FROM THE ACCESS POINT TO THE STRUCTURE (SEE SAMPLE BELOW).

## Property Lines HOUSE OR MH DRIVE WAY FROM SW CORNER SW BEEN THERE LN

NOTE: 5 TO 7 WORKING DAYS MAY BE REQUIRED IF ADDRESSING DEPARTMENT NEEDS TO CONDUCT AN ON SITE SURVEY.

### LYNCH WELL DRILLING, INC. 17355W YOUNG PI LAKE CITY, FL 32025

PHONE (386) 752-6677 FAX (388) 752-1477

### RESIDENTIAL WATER WELL BUILDING PERMIT INFORMATION

Building Permit # 0502-36	Owners Name Connic Bowse
Well Depth 86 Ft. Casing Dept	b 58 Ft. Water Level 26 Ft.
Casing Size 4 PVC	Steel
	Well JetShallow Well
Pump Make Houlds Pump Mod	el#205810-82 Hp /
System Pressure (PSI) On (PSI)	20 Off 40 Avg. Pressure 40
Pumping System GPM at average pressu	re and pumping level 20 (GPM)
	Atmospheric (Galvanized)
Make Halnaryed Model	Size 82
-	
Tank Draw-down per cycle at system pre	ssureGallons
Tank Draw-down per cycle at system pre I HEREBY CERTIFY THAT THIS WA' INSTALLED AS PER ABOVE INFORM	Gallons  FER WELL SYSTEM HAS BEEN
I HEREBY CERTIFY THAT THIS WA' INSTALLED AS PER ABOVE INFORM  Sinda NewComb	Gallons  FER WELL SYSTEM HAS BEEN
I HEREBY CERTIFY THAT THIS WAS INSTALLED AS PER ABOVE INFORM Signature  I HEREBY CERTIFY THAT THIS WAS INSTALLED AS PER ABOVE INFORMA Signature	Gallons IER WELL SYSTEM HAS BEEN IATION.
I HEREBY CERTIFY THAT THIS WAS INSTALLED AS PER ABOVE INFORM Signature  I HEREBY CERTIFY THAT THIS WAS INSTALLED AS PER ABOVE INFORMA Signature	Gallons IER WELL SYSTEM HAS BEEN IATION.  Linda Newcomb Print Name
I HEREBY CERTIFY THAT THIS WA' INSTALLED AS PER ABOVE INFORM  Sinda NewComb	Gallons  FER WELL SYSTEM HAS BEEN  IATION.  Linda Newcomb

### **FAX COVER SHEET**

LYNCH WELL DRILLING, INC. 173 SW TUSTENUGGEE AVE. LAKE CITY, FL 32025 (386) 752-6677 (386) 752-1477 fex lynchwel@beilsouth.net

		THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER.	-				
SEND TO	i.	•					
Buch	Isling + 30	ning	From	Synch 1	will	trellen	7
Attention	Just	0	Date	2-11-	15	d	f
Office location	be Cty		Office loca	stion Lab	o Cit	d	
Fax number	54-7088		Phone nu	326-1	252-6	6677	
Urgunt	Reply ASAP	Please	comment	Please rev	,	or your informat	tion
Total pages, inclu	iding cover. 2						
COMMENTS							
	**********************************		***********		7		
	nform	ition	On	Conn	UB	ourl	1
u	sell		······	************			
*******************		******	*		******************		
	then the server corrections are			0.8582 * (R.C.)8545 Av. + (1) - + (1)			
****************************							
	*************************************						
	***************************************						
CT# - PECBACCIANO ##################	*********************	concension occurrences				**** ****************	
			********	41-44 - ***********************			
** ** ***		***********	:		*************		
			e roomin uno	***************************************		************	************
				*************		*********************	
	(*************************************	*************************		*****			4-11-11-11-1
							***** ******
	**************************						
							name in the second
	Produceron VIII v Action VIII v Action		- Commence				-

### FORM 600B-01

### FLORIDA ENERGY EFFICIENCY CODE FOR BUILDING CONSTRUCTION Residential Component Prescriptive Method B

NORTH 123

Compliance with Method B Chapter 6 of the Florida Energy Efficiency Code may be demonstrated by the use of Form 600B for single and multifamily residences of 3 stories or less in height, and additions to existing residential buildings. To comply, a building must meet or exceed all of the energy efficiency prescriptives in any one of the prescriptive component packages and comply with the prescriptive measures listed in Table 6B-1 of this form. An alternative method is provided for additions of 600 square feet or less by use of Form 600C. If a building does not comply with this method, it may still con-

PROJECT NAME: Steve + Connie BOWIE	BUILDER: OUDER	out out of out a sections in on apier of the code.
Fort White, FL 32038	PERMITTING OFFICE:	CLIMATE ZONE: 1 2 3
OWNER: Steve ! CONDIE BOWIE	PERMIT NO. 2 29 72	JURISDICTION NO.: ZZ1000
GENERAL DIRECTIONS	NAME OF TAXABLE	21 1.10 1

- 1. New construction including additions which incorporates any of the following features cannot comply using this method: steel stud walls, single assembly root/ceiling construction, or skylights or other non-vertical roof glass.

  2. Choose one of the component packages "A" through "E" from Table 6B-1 by which you intend to comply with the Code. Circle the column of the package you have chosen.

  3. Fill in all the applicable spaces of the "To Be Installed" column on Table 6B-1 with the information requested. All "To Be Installed" values must be equal to or more efficient than the required levels.

- 4. Complete page 1 based on the "To Be Installed" column information.

  5. Read "Minimum Requirements for All Packages", Table 6B-2 and check each box to indicate your intent to comply with all applicable items.

  6. Read, sign and date the "Prepared By" certification statement at the bottom of page 1. The owner or owner's agent must also sign and date

	Please Print	CK
Compliance package chosen (A-F)	2 - 1, E	
New construction or addition	2. NEW	
Single family detached or Multifamily attached	3. SINGLE	
If Multifamily—No. of units covered by this submission	4. NIA	
Is this a worst case? (yes / no)	5.	
Conditioned floor area (sq. ft.)	6. 2084	7
Predominant eave overhang (ft.)	7. 2	
Glass type and area:	Single Pane Double Pane	
a. Clear glass	8a sq. ft sq. ft.	
b. Tint, film or solar screen	8b sq. ft. 359 sq. ft.	
Percentage of glass to floor area	9%	
Floor type, area or perimeter, and insulation:	the state of the s	
a. Slab on grade (R-value)	10a. R= <u>O</u> lin. ft.	
b. Wood, raised (R-value)	10b. R= sq. ft.	
c. Wood, common (R-value)	10c. R= sq. ft.	
d. Concrete, raised (R-value)	10d. R= sq. ft.	
eConcrete, common (R-value)	10e. R=sq. ft.	
Wall type, area and insulation:	5q. n.	
a. Exterior: 1. Masonry (Insulation R-value)	11a-1 R= sq. ft.	
2. Wood frame (Insulation R-value)	11a-2 R= 19 sq. ft.	0.0
b. Adjacent: 1. Masonry (Insulation R-value)	11b-1 R= sq. ft.	77.
2. Wood frame (Insulation R-value)	11b-2 R= 19 sq. ft.	111
Ceiling type, area and insulation:		5,000
a. Under attic (Insulation R-value)	12a. R= <u>30</u> sq. ft.	
b. Single assembly (Insulation R-value)	12b. R= sq. ft.	ALC:
Air Distribution System: Duct insulation, location	13. R= Sq. ii.	THE P
Test report (attach if required)	14a. Type:	-
Cooling system	14b. SEER/EER: 14 TRANG	. 0
(Types: central room unit, package terminal A.C., gas, none)	14c. Capacity: 10 SHE 3.Ston	105
Heating system:	15a. Type:	r Vije
(Types: heat pump, elec. strip, nat. gas, L.P. gas, gas h.p., room or PTAC, none)	15b. HSPF/COP/AFUE:	
	15c. Capacity: 8.25 HSPF	
Hot water system:	16a. Type: Electric	
(Types: elec., nat. gas, L.P. gas, solar, heat rec., ded. heat pump, other, none)	16b. EF: above requirement	-

and the state of t	Review of plans and specifications covered by this calculation indicates compliance with the Florida Energy Code. Before construction is completed, this building will be inspected for compliance.
PREPARED BY:  I hereby certify that this building, as designed, is in compliance with the Florida Energy Code.  OWNER AGENT:  DATE	for compliance in accordance with Section 553.908, F.S.  BUILDING OFFICIAL:  DATE:
the control and the advantage to properly the last of the control of	

FLORIDA BUILDING CODE — BUILDING

13.195

Ī

Jaxed 2122/05

Attention: Joe

From: Connie Bowie 5796 Sw Ichetucknee Ave F.W, FL 32038 4974107 Lone 365 2975 Cell

Attached is FEE Code

Is there anything else you need?

I have not made a choice as far as the water header but I am aware of the min. reguirements.

Thank you lower

### FORM 600B-01

### FLORIDA ENERGY EFFICIENCY CODE FOR BUILDING CONSTRUCTION Residential Component Prescriptive Method B

NORTH 123

Compliance with Method B Chapter 6 of the Florida Energy Efficiency Code may be demonstrated by the use of Form 600B for single and multifamily residences of 3 stories or less in height, and additions to existing residential buildings. To comply, a building must meet or exceed all of the energy efficiency prescriptives in any one of the prescriptive component packages and comply with the prescriptive measures listed in Table 6B-1 of the Internative method is provided for additions of 600 square feet or less by use of Form 600C. If a building does not comply with this method, it may still comply under other sections in Chapter 6 of the Code.

PROJECT NAME:

AND ADDRESS:	and the second second second second	BUILDER:						
		PERMITTIN OFFICE:	NG	OF INVALE				75
OWNER:		The Association of the Control of th	4-11-1	6.1 5	ZONE: 1	2	3	
ATTOWN CONTRACTOR OF THE PROPERTY OF THE PROPE		PERMIT NO.:			JURISDICTION NO.:			
ERAL DIRECTIONS	and which the same of the same	TOWNS THE WAY	Samuel a	rel al				
ill in all the applicable spaces of complete page 1 based on the "T lead "Minimum Requirements for	ions which incorporates any of the following feature ackages "A" through "E" from Table 6B-1 by which y the "To Be Installed" column on Table 6B-1 with the To Be Installed" column information. or All Packages", Table 6B-2 and check each box to ad By" certification statement at the bottom of page	ne information requested. All "To Be Installe	ed" values must b	package you have cho e equal to or more effi	construction, or skylights or o osen. cient than the required levels,	ther non-	vertical roo	f glass
Compliance				Р	Please Print			CI
Compliance pa	ackage chosen (A-F)		1.	F	15 m 3 12	-9-		
	tion or addition		2.	MEM	<u>- 1</u> ,			
Single family o	detached or Multifamily at	tached	3.	SINGLE			-	- 1
If Multifamily—	-No. of units covered by t	his submission	4.	MA			-	7
Is this a worst	case? (yes / no)		5.	11.1.5	ar rijuh		-	
	oor area (sq. ft.)		6.	2084	9		-	
	eave overhang (ft.)		7.	2	- 4	4	-	
Glass type and				Single Pane	Double P	ano	-	
a. Clear g			8a.		sq. ft.	_sq.	#	
	n or solar screen		8b.	Sept.	sq. ft.W269.75	_ sq.	4 -	
Percentage of	glass to floor area	1	9.	.173	0/ D 90		-	
. Floor type, are	a or perimeter, and insula	ation:		. Harris and	THE 35	7.75	-	-
(a.) Slab on	grade (R-value)		10a.	R= ()	2.7		- 1	
	raised (R-value)		10b.	R=		lin. ft		
	common (R-value)		10c.			sq. ft		45
	te, raised (R-value)		10d.	R-		sq. ft	_	- 6
	te, common (R-value)		10a.	R=	The second second second	sq. ft.	Aug Barrier	
. Wall type, area	and insulation:		100.	n=		sq. ft.	-	
	: 1. Masonry (Insulation R	-value)	11a-1	P-			2 -	
	2. Wood frame (Insulatio		11a-1			sq. ft.		
b. Adjacer	nt: 1. Masonry (Insulation R	-value)	11b-1					_
V	2. Wood frame (Insulation		11b-1	4 45				
. Ceiling type, ar	rea and insulation:	raidoj	110-2	n= 11		sq. ft.	-	
	ttic (Insulation R-value)		100	R= 30			1	
	assembly (Insulation R-value	e)	12a.	The second secon	The state of the s	q. ft.	1-	-
Air Distribution	System: Duct insulation,	location	12b.	R=	s	q. ft.	0	-
Test report	(attach if required)	- Coation	13.	R=		_		
Cooling system				Гуре:	111		_	
				SEER/EER:	673	ne	_	
(Types; central, room unit, package terminal A.C., gas, none)  Heating system:				Capacity: _	. 10 SHP	3.54	5	17
(Types; heat pump, elec. strip, nat. gas, L.P. gas, gas h.p., room or PTAC, nor			15a.		A Parks	100	1_	
( Types, near pump, )	neo. strip, nat. gas, L.P. gas, gas h	.p., room or PTAC, none)		HSPF/COP/				
Hot water out	0.25	- 1 0 0 to 198		Capacity: _		Sea	7	AC
. Hot water system:  (Types: elec., nat. gas, L.P. gas, solar, heat rec., ded. heat pump, other, none)				Type: _Ele	corric			
(Tuppe: plan and		Annual Control of the	16b. E			50 500		

(2) #5 CONTINUOUS-1'-0" -6"x6"W1.4XW1.4 W.W.M. PLACED @ 2" DEPTH ON CHAIRS OR FIBERMESH - 4" CONCRETE SLAB 2500 - PSI @ 28 DAYS TERMITE TREATED FILL,
 EA. LIFT COMPACTED TO
 MIN 95% MOD. PROCTOR 6 MIL VAPOR BARRIER W/6" LAPS SEALED W/ POLY TAPE

### SCALE: 1/2"=1'-0" REV-22-AUG-03 F6 - MONOLITHIC FOOTING

# WINDLOAD ENGINEERING

"EVERYTHING YOU NEED FOR YOUR BUILDING PERMIT" Mark Disosway P.E.

POB 868, Lake City, FL 32056 Phone: (386) 754-5419

Fax: (386) 754-6749 Email: windloadengineer@bellsouth.net

Location: 5796 SW Ichetucknee Rd., Ft. White, FL 32038

**Bowie Residence** 

Designer: Jon Deans

Builder: Jon Deans

Approved: FLPE#53915 Revisions:

Sheet S-1 of 1 Sheet

Job # 501171 Windload Engineering

— SPACE ABOVE THIS LINE FOR RECORDING DATA —

THIS INSTRUMENT PREPARED BY AND RETURN TO: TITLE OFFICES, LLC 1089 SW MAIN BLVD. LAKE CITY, FLORIDA 32025

- SPACE ABOVE THIS LINK FOR PROCESSING DATA -

Purvel I.D. #: 00498-001 Owner(s) SSH's: 062482639 

NOTICE	OE	COMMENCEMENT
NOTICE	O.	COMMENCEMENT

STATE OF FLORIDA COUNTY OF COLUMBIA

THE UNDERSIGNED hereby gives notice that improvement will be made to certain real property, and in accordance with Chapter 713.13, Florida Statutes, the following information is provided in this Notice of Commencement. This Notice shall be void and of no force and effect if construction is not commenced within ninety (90) days after recordation.

Description of property: (Legal description of property, and street address if available)

ALONG THE PO MAINT EASTE E, A DI OF SAL	5796 SW ICHETUCKNEE AVE., FT. WHITE. FLORIDA 32038  ENCE AT THE SOUTHEAST CORNER OF THE NW ¼ OF THE SE ¼ OF SECTION 1, TOWNSHIP 6 SOUTH E 15 EAST, COLUMBIA COUNTY, FLORIDA, FOR A POINT OF REFERENCE; THENCE RUN N 01°19'09" W G THE EAST LINE OF SAID NW ¼ OF THE SE ¼ OF SAID SECTION 1, A DISTANCE OF 596.63 FEET TO OINT OF BEGINNING; THENCE RUN S 87°57'10" W, A DISTANCE OF 666.77 FEET TO THE EASTERLY FAINED RIGHT-OF-WAY OF A COUNTY GRADED ROAD; THENCE RUN N 23°54'09" W, ALONG THE ERLY EDGE OF SAID COUNTY GRADED ROAD, A DISTANCE OF 246.34 FEET; THENCE RUN N 08°32'42' (STANCE OF 216.31 FEET; THENCE RUN N 88°39'46" E, A DISTANCE OF 724.26 FEET TO THE EAST LINE ID NW ¼ OF SE ½; THENCE RUN S 01°19'09" E, ALONG SAID EAST LINE, A DISTANCE OF 432.31 FEET E POINT OF BEGINNING.
2.	General description of improvement: construction of single family dwelling
3.	Owner information:  2. Name and address.  STEVEN J BOWIE  5796 SW ICHETUCKNEE AVE., FT. WHITE, FLORIDA  32038  b. Interest in property: Fee Simple  C. Name and Address of Fee Simple Titleholder (if other than owner):
4.	Contractor: (Name and Address) STEVEN J. BOWIE 5796 SWICHETUCKNEE AVE., FT. WHITE, FLORIDA 32038 Telephone Number: (386) 497-4107
5.	Surety (if any):  a. Name and Address: Telephone Number: b. Amount of Bond \$
6.	Lender: (Name and Address) FIRST FEDERAL SAVINGS BANK OF FLORIDA 4705 WEST U.S. HWY 90, P.O. BOX 2029, LAKE CITY, FL 32056 Telephone Number: 755-0600
7.	Persons within the State of Florida designated by Owner upon whom notice or other documents may be served as provided by Section 713.13(1)(a)7., Florida Statutes: (Name and Address) N/A
8.	In addition to himself, Owner designates the following person(s) to receive a copy of the Lienor's Notice as provided in Section 713.13(1)(b), Florida Statutes: (Name and Address) PAILA HACKER FIRST FEDERAL SAVINGS BANK OF FLORIDA 4705 WEST U.S. HWY 90, P.O. BOX 2029, LAKE CITY, FL 32056 Telephone Number: 755-0600
9.	Expiration date of Notice of Commencement (the expiration date is 1 year from the date of recording unless a different date is specified)
56	in Francisco (SEAL)

STEVEN BOWL

Sworn to and subscribed before me this 12th day of April, 2005, by STEVEN J. BOWIE, who is personally known to me or who has produced as identification.

Notary Public My Commission Expires:



Inst:2005008879 Date:04/18/2005 Time:14:23



### 13618 NW 270<sup>th</sup> Ave. Alachua, FL 32615 (386) 418-4387

### CERTIFICATE OF COMPLIANCE FOR TERMITE PROTECTION

(As required by Florida Building Code (FBC) 1816.1.7)

Address of treatment or lot/block of treatment:


5796 SW Ichetucknee Ave Fort White,FL 32038

Describe method of termite prevention treatment:

Trench & Treat around structure

The building has received a complete treatment for the prevention of subterranean termites. Treatment is in accordance with rules and laws, established by the Florida Department of Agriculture and Consumer Services.

Authorized Signature



### **NOTICE OF INSPECTION** AND/OR TREATMENT

Date of Inspection

514165 Date of Treatment

Temidor 235 gal @ . OSTO Pesticide Used

SULTERNITES

Wood-Destroying Organisms Treated

It is a violation of Florida State Law (Chap. 482-226) for anyone other than the property owner to remove this notice.

- Lawn Spraying
- Household Pest Control
- Tree & Shrub Spraying
- Termite Control

Pest Control, Inc. 13618 NW 270th Ave. Alachua, FL 32615

Call: 386-418-4387

for a free inspection & estimate